

कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

फा.क्र. 945/स्टोर/2024

सिस्टम टेंडर नं. 158294

कोरबा दिनांक 04.09.2024

द्वितीय ई-निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा शासकीय एवं अर्धशासकीय विभागों में व्यवसाय से संबंधित अनुभवी ठेकेदारों/प्रदायकर्ताओं से निम्न लिखित कार्य हेतु श्रेड्युल अनुसार आयटम दरों पर ई-प्रोक्युरमेंट (E-Tendring) के माध्यम से निविदाएं आमंत्रित की जाती हैं।

1. फिजिकल सबमिशन लिफाफा प्राप्त होने की अंतिम तिथि - 27.09.2024 सायंकाल से 3.00 बजे तक
2. निविदा खुलने की अंतिम तिथि - 27.09.2024 सायंकाल 4.00 बजे से

क्र.	कार्य का नाम	प्राक्कलन राशि में	अमानत राशि	कार्यवधि	प्रतिभागी शुल्क (DD)	निविदा खुलने की तिथि
1.	भवन/सडक सामग्री की खरीदी हेतु वार्षिक दर निर्धारण	-	37500/-	01 वर्ष	3000.00	27.09.2024 से

शर्तें :-


1. निविदा प्रपत्र की ई-प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे। निर्धारित तिथि को सायं 3.00 बजे के पश्चात् प्राप्त निविदाओं पर विचार नहीं किया जावेगा।
2. जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
3. निविदा प्राप्त करने के इच्छुक ठेकेदारों को आवेदन के साथ उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि ऑनररीप यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार के किये गये कार्यों का अनुभव प्रमाण पत्र, आयकर प्रमाण पत्र/पेन नं. एवं जी.एस.टी. प्रमाण पत्र एवं अमानत राशि की स्केन कॉपी वेबसाइट पर अपलोड करना अनिवार्य होगा।
 - अमानत राशि का वैध FDR/TDR, निविदा प्रतिभागी शुल्क का डिमांड ड्राफ्ट एवं निर्धारित प्रारूप में शपथ पत्र की मूल प्रति लिफाफा में कार्य का नाम एवं अन्य विवरण अंकित कर केवल स्पीड पोस्ट/रजिस्टर्ड डाक के माध्यम से आयुक्त, नगर पालिक निगम, कोरबा साकेत भवन, आई.टी.आई. चौक रामपुर कोसाबाड़ी पिन- 495677 कोरबा के पते पर भेजना होगा। निर्धारित तिथि को सायं 03:00 बजे के पश्चात् फिजिकल सबमिशन लिफाफा स्वीकार नहीं किया जायेगा।
 - अमानत राशि का FDR/TDR एवं निविदा प्रतिभागी शुल्क का डिमांड ड्राफ्ट जो कि आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय हो प्रस्तुत करना अनिवार्य होगा।
4. निविदा प्रपत्र उन्ही ठेकेदारों/प्रदायकर्ताओं को दिया जावेगा। जिन्हे इस प्रकार के कार्यों का अनुभव हों।
5. निविदा प्रपत्र अहस्तांतरणीय होगी एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।
6. बिना कारण बताए स्वीकृत/अस्वीकृत या पूर्ण रूप से अमान्य करने का अधिकार सक्षम अधिकारी को रहेगा।
7. किसी भी तरह की विवाद की स्थिति में अंतिम निर्णय लेने का अधिकार सक्षम अधिकारी के पास सुरक्षित रहेगा।
8. दर निर्धारण पश्चात् किसी भी अनुबंधित फर्म से स्वीकृत दर पर कार्य कराये जाने का अधिकार संस्था के पास सुरक्षित रहेगा।
9. उपरोक्त निर्धारित तिथियों में कोई शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि सम्य एवं स्थान माना जावे।
10. उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम कोरबा की वेब साइट www.korbamunicipal.in पर भी यह टेन्डर उपलब्ध है।
11. अन्य सूचनाएं नगर पालिक निगम साकेत भवन रामपुर कोरबा कार्यालय से प्राप्त की जा सकती हैं।
12. उपरोक्त कार्य से संबंधित उपकरण होने पर ही कार्यदेश दिया जावेगा।
13. ठेकेदार को निर्माण कार्य के दौरान "निर्माण एवं अपशिष्ट प्रबंधन नियम 2016" में किये गए प्रावधानों का पालन करना अनिवार्य होगा।
14. ठेकेदार द्वारा संपादित किए गए कार्यों के देयकों का भुगतान कार्य विशेष हेतु बजट आबंटन एवं राशि उपलब्ध होने पर किया जाएगा।

कार्यप्रतिम अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

प्रतिलिपि :- प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को uad.cg.gov.in में अपलोड किये जाने हेतु प्रेषित।

Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		04.09.2024	10.30	04.09.2024	10.30	Release Tender
2		Bid Submission	04.09.2024	10.30	26.09.2024	17.30	
3		Physical Document Submission	04.09.2024	10.30	27.09.2024	15.00	
4	Tender Open		27.09.2024	16.00	--	--	


EXECUTIVE ENGINEER
KORBA (CG)
For Commissioner Korba (C.G.)

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.)
Annual rate contract for Road/ Building material for Nagar Nigam

Date 04.05.2023

SN	DESCRIPTION	UNIT	QTY	Lowest Rate
1	Fly Ash Brick Crusing Strength not less than 40 Kg/cm ² and water absorption not more than 15% (B) Fly ash bricks	No	1	
2	Coarse Sand	cum	1	
3	Stone Grade -II Material (60 to 45mm) hand broken	cum	1	
4	'Metal of Champa / Akaltara a) 40 mm	cum	1	
5	'Metal of Champa / Akaltara b) 20 mm	cum	1	
6	'Metal of Champa / Akaltara c) 12 mm	cum	1	
7	'Metal of Champa / Akaltara d) 6 mm	cum	1	
8	'Metal of Champa / Akaltara e) Zira	cum	1	
9	Stone Dust	cum	1	
10	Flush door shutters - 35 mm thick	Square Meter	1	
11	Steel in Welded section as per requirement of item	kg	1	
12	Barbed wire (2.5 X 2.75 mm size) as per IS 278-1978	kg	1	
13	Water prof plywood ISI marked a) 6 mm thick	Square Meter	1	
14	Water prof plywood ISI marked b) 12 mm thick	Square Meter	1	
15	Water prof plywood ISI marked c) 18 mm thick	Square Meter	1	
16	Distemper (asian/ Nerolac/ Berger)	kg	1	
17	'Water proof cement paint (Snowcem plus / Asian) 25 Kg. bag	Bag	1	
18	A.C. sheet 6 mm thick (Charminar/ Everest Corrugated)	Square Meter	1	
19	'Transparent PVC sheet (1.5 mm thick) Isi Marked	Square Meter	1	
20	'W.C. Pan (Size 580 mm) ISI Marked a) Indian type	No	1	
21	b) western type	No	1	
22	'PVC pipe ISI marked (Finolex, kisan) , (a) 100 mm dia	RMT	1	
23	'PVC Tee 4" Dia (Finolex, Kisan)	No	1	
24	'PVC Band 4" Dia (Finolex, Kisan)	No	1	
25	PVC Socket 4" Dia (Finolex, Kisan)	No	1	
26	Ceramic Glazed Wall Tiles (a) Size upto 200MMX 300MM	Square Meter	1	
27	(b) Size above 200MM X 300MM	Square Meter	1	
28	Ceramic Glazed Floor Tiles (a) Size upto 300MMX 300MM	Square Meter	1	
29	(b) Size above 300MM X 300MM	Square Meter	1	
30	Rectified Ceramic Glazed Floor Tiles (a) Size 300MMX 300MM	Square Meter	1	
31	(b) Size above 300MM X 300MM	Square Meter	1	
32	Vitrified Floor Tiles With Soluble Salt Printing (a) Size 600MMX 600MM	Square Meter	1	
33	Chequered tiles (all shade) 20 mm thick (av) (a) light shade using white cement	Square Meter	1	
34	(b) medium shade approximately 50% white cement and 50 % ordinary cement	Square Meter	1	

35	Kota Stone (all shade) 20 mm thick (av)	Square Meter	1	
36	Marble (all shade) 15 mm (av)	Square Meter	1	
37	60 mm thick precast interlock concrete block. min compressive strength 250 Kg. / sqcm in all shade	Square Meter	1	
38	'Synthetic Enamel paint (Asian / Nerolac / Berger)	per letter	1	
39	'Cement (Century , ACC , Grasim, Birla Gold) as per .Directrion or Officer in incharge 43/53 Grade Per Bage	Bag	1	
40	'Wall putty 20 Kg. pkt. (Birla) Per Bag	Bag	1	
41	'Thiner Liquid	per letter	1	
42	'Painting Brush a) size 4	No	1	
43	'Painting Brush "b) size 3	No	1	
44	'Alluminium sulphate	kg	1	
45	'Potasium par magnate (Per paket 25 gm)	Pack	1	
46	'Pick Axe Tata or Equivelnt	No	1	
47	'Balcha with handle Tata or Equivelnt	No	1	
48	G.I. Sheet 3 mtr. (Naliwala) 0.63 mm. Tata or Equivelnt	Square Meter	1	
49	Aluminium sheet	Square	1	
50	'Screw 35x8 mm (100 No)	Pack	1	
51	'Screw gauge digital make- mitutory or equivalent	each	1	
52	'Measurement Tap 3 mtr- steel make- fremans or quivalent	each	1	
53	'Measurement Tap 30 mtr- steel make- fremans or quivalent	each	1	
54	'Binding wire G.I. - As per requirment	kg	1	
55	Granite stone Black	Square Meter	1	
56	Lock 7 Liver Make - Godrage	each	1	
57	'Wire brush Best Quality	each	1	
58	'Sodium Carbonet (Soda)	kg	1	
59	'Plastic Emumalson Paint Berger /asian	per	1	
60	'J Hook with bolt and washer a) 100mm long	kg	1	
61	'Kitchen Sink b) White Glaze fire clay sink size600x250	No	1	
62	Spred wih handle	No	1	
63	Crow Basr 25mm	No	1	
64	Instapach (Bitumin Mixer)	kg	1	
65	Gumboot Long size	P Pair	1	
66	Gumboot Short size	P.Pair	1	
67	Rubber Hand Gloves	P.Pair	1	
68	P V C Rope 12mm	per mtr	1	
69	P V C Rope 16mm	per mtr	1	
70	P V C Rope 20mm	per mtr	1	
71	Rain Coat good Quality	Set	1	
72	Torch (4 Cell)	each	1	
73	Tube Szie 10 00 20	each	1	
74	First Aid Box complete	Box	1	
75	Umberella size Medium	Box	1	
76	Filter Sand Mix size (Curse, Medium, Fine)	kg	1	
77	Filter Graval mix size 6mm to 40mm	kg	1	
78	PVC Tarpolin size 24'x18'	each	1	
79	PVC Tarpolin size 18'x15'	each	1	
80	PVC Tarpolin size 15'x12'	each	1	
81	Gati make TATA	each	1	
82	Alluminium Section as per requirment	each	1	
83	Glass with film size 6mm	kg	1	
		Square Meter	1	
84	Door closer	each	1	

85	Arcylic Smooth Exterior Paint	per letter	1	
86	Granular Sub Base Grade-III Material	cum	1	
87	Retro Reflectorized Traffic Sign Board	No	1	
	(a) 90 cm equilateral Triangle			
88	(b) 60 cm equilateral Triangle	No	1	
89	(c) 60 cm Circular	No	1	
90	(d) 80cmX60cm Rectangular	No	1	
91	(e) 60cmX45cm Rectangular	No	1	
92	(f) 60cmX60cm Square	No	1	
93	(g) 90cm Octogonal	No	1	

See
5/16

by
ME

[Signature]
Executive Engineer
Municipal Corporation
Korba (C.G.)