कार्यालय, नगर पालिक निगम, कोरबा (छत्तीसगढ़)

फा.क. 1350/ निर्माण/2023

सिस्टम टेंडर नं. 152906

कोरबा दिनांक 14.02.2024

तृतीय ई-निविदा आमंत्रण सूचना

कार्यालय नगर पालिक निगम, कोरवा द्वारा लोक निर्माण विभाग एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से प्रमुख अभियंता लोक निर्माण विभाग, रायपुर द्वारा भवन कार्य हेतु दिनांक 01.01.2015 से प्रभावशील दर अनुसूची पर (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ शेड्यूल अनुसार प्रतिशत दर पर ई-प्रोक्युरमेंट (E-Tendering) के माध्यम से निविदा प्रपत्र फार्म A में निविदा आमंत्रित की

कार्य का नाम प्राक्कलन धरोहर राष्ट्रि कार्यानी के	
प्राक्कलन धरोहर राशि कार्यावधि निविदा ठेकेदार का निविद	<u> </u>
राशि (लाख (८००,८००)	
क्षा र र र र र र र र र र र र र र र र र र र	
1 वार्ड क्र 17 अंतर्गत सतीषी अहिरवार घर से लाल मोची 30.00 22500/- 4 मह	1
व्याहा लवलेश घर नाला का निर्माण कार्य ।(15वें वित्त) 30.00 22500/- 4 माह 1500/- वर्ग डी एवं 27.02.202	24
शर्तः- प्रवर श्रेणी से	

निविदा दरें प्रचलित सी.एस.आर.से कुम या अधिक प्रतिशत दरों पर दिया जावे सी.एस.आर.के अंतर्गत के आयटमों पर पृथक से 1. आयटम दरों का उल्लेख करने पर निविदा निरस्त मानी जावेगी 2

जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरूद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।

इच्छुंक ठेकेदारों को उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पाटर्नरशीप डीड) की सत्य प्रतिलिपि, उपलब्ध तकनीकी अमले की जानकारी, विगत 3 वर्षों का आयकर चुकता प्रमाण पत्र/पेन नम्बर, जी. एस.टी. पंजीयन प्रमाण पत्र एवं अमानत राशि के FDR/TDR की प्रति ऑनलाईन अपलोड करना अनिवार्य होगा, प्रशिक्षित यंत्री नियुक्त करने संबंधी प्रमाण पत्र, कर्मचारी भविष्य निधि रायपुर से पंजीकरण का कोड, निविदा प्रतिभागी शुल्क का डिमाण्ड ड्राफ्ट एवं धरोहर राशि FDR/TDR, शपथपत्र का स्केन कापी ऑन लाईन सिस्टम पर अपलोड करना अनिवार्य होंगा ।

- अमानत राशि का वैघ FDR/TDR, निविदा प्रतिभागी शुल्क का DD एवं शपथ पत्र की मूल प्रति लिफाफा में कार्य का नाम एवं अन्य विवरण अंकित कर केवल स्पीड पोस्ट/रिजस्टर्ड डाक के माध्यम से निविदा खुलने की तिथि में दोपहर 3.00 बजे तक आयुक्त,नगर पालिक निगम,कोरबा साकेत भवन, आई.टी.आई.चौक रामपुर कोसाबाड़ी पिन— 495677 कोरबा को उपलब्ध कराना अनिवार्य होगा।
- निविदाकार को प्रत्येक निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर निगम या अन्य विभागों में उनके द्वारा किये जा रहे कार्यों का विवरण राशि सहित मूलप्रति में वैध शपथपत्र (राशि रू. 100/- नॉनज्यूडिशियल स्टाम्प) निविदा आमंत्रण दिनांक के पश्चात का, निविदा कमांक एवं कार्य का नाम अंकित करना अनिवार्य होगा।
- अमानत राशि का FDR/TDR एवं निविदा प्रतिभागी शुल्क का DD जो कि आयुक्त, नगर पालिक निगम,कोरबा के नाम पर देय हो प्रस्तुत करना अनिवार्य होगा।
- सम्पूर्ण किये गये कार्यों के लिए प्रत्येक चल देयकों में से 5 प्रतिशत सुरक्षा राशि 01 वर्ष के लिए एवं मरम्मत एवं संघारण मद को 4. छोड़कर शेष कार्यों में 5 प्रतिशत परफार्मेंस सिक्यूरिटी की गारंटी के रूप में से 03 वर्ष के लिए रोकी जावेगी। 5.

जिन निविदाकारों द्वारा कर्मचारी भविष्य निधि संगठन एवं कर्मचारी राज्य बीमा निगम, रायपुर से पंजीयन कराकर कोड प्राप्त कर लिया हो वे निविदाकार ही निविदा हेतु पात्र होंगे।

निविदा में भाग लेने वाले ठेकेदारों को छ.ग. भवन और अन्य सन्निर्माण कर्मकार (नियोजन एवं सेवा शर्तों का विनियमन) 6. अधिनियम 1996 एवं तद्अंतर्गत निर्धारित नियमों के तहत् पंजीयन कराना आवश्यक होगा तथा निर्माण लागत का 1 प्रतिशत उपकर के रूप में प्रत्येक देयक से कटौती की जावेगी। 7.

ईंट से संबंधित निर्माण कार्यों में फ्लाई एश ब्रिक का उपयोग किया जाना अनिवार्य होगा।

प्रयुक्त लोहा का बिल एवं टेस्ट रिपोर्ट तथा प्रयुक्त सीमेंट का बिल संलग्न करना अनिवार्य होगा। 8.

निविदा दरों असामान्य कमी प्रतीत होने पर सफल निविदा दाता से अनुबंध के पूर्व एस.ओ.आर. एवं निविदा दर की अंतर की 9. राशि के समतुल्य परफारमेंस गारंटी के रूप में राष्ट्रीयकृत बैंक एफ.डी.आर., पोस्ट ऑफिस, टाईम डिपॉजिट अथवा एन.एस.सी. जो कि आयुक्त नगर पालिक निगम, कोरबा के नाम पर देय होगा जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि समयाविध में जमा न करने की दशा में निविदा स्वमेव निरस्त मानी जावेगी।

निविदा अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नही किया जावेगा। 10.

निविदा प्रपत्र फार्म –ए की कंडिका 11 अनुसार एस्कलेशन देय नहीं होगा। 11. 12.

निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त का निर्णय अंतिम एवं सर्वमान्य होगा। 13.

निविदा रवीकृत करने अथवा अस्वीकृत करने अथवा निरस्त करने का अधिकार नगर पालिक निगम के पास सुरक्षित रहेगा। 14.

उपरोक्त निर्विदा सूचना की विस्तृत प्रति नगर पालिक निगम, कोरबा के साकेत भवन स्थित निर्माण शाखा से प्राप्त किये जा

कार्यपालन अभियंता नगर पालिक निगम 🛕 क्रोरबा (छत्तीसगढ़)

प्रतिलिपि-

प्रोग्रामर, संचालनालय, नगरीय प्रशासिन एवं विकास विभाग, रायुपर को uad.cg.gov.in में अपलोड करने हेतु प्रेषित।

Date-Time Detail(s)

Seq.		Control Character	Start		Expiry		Remarks	
No.	Nagar Nigam Stage	Nagar Nigam Stage	Contractor Stage	Date	Time	Date	Time	
1	Release Tender		14.02.2024	15.00	14.02.2024	15.00	Release Tender	
2		Bid Submission	14.02.2024	15.00	26.02.2024	17.30		
3		Physical Document Submmission	14.02.2024	15.00	27.02.2024	15.00		
4	Tender Open		27.02.2024	16.00	-	* *		

EXECUTIVE ENGINEER

KORBA (CG)

For, Commissioner Korba (C.G.)

TENDER/NIT HEADER DETAIL

ORGANIZATION NAME Urban Administration and PROCUREMENT CATEGORY WORKS

Development Department (UADD) TENDER NO. 152906

TENDER DEALING OFFICER NUMBER OF ITEMS ALREADY 1 - MANORANJAN SARKAR (EE) NO

MATCHING ATTACHED CURRENCY

INR - INDIAN RUPEE

NIT TYPE RESTRICTED TENDER TENDER CATEGORY

VENDOR CLASS PERCENTAGE A, B, C, D PROBABLE AMOUNT OF 2999411.00

OFFICE/DIVISION(PWD) CONTRACT (PAC) [INR] COMMISSINOR, MUNICIPAL NAME DIVISION / DISTRICT CORPORATION, KORBA MUNICIPAL CORPORATION, KORBA SECTION/CIRCLE(PWD) NAME TENDER SECTION

NAME DESCRIPTION F.N/1350/Const./Kosabadi Zone/ 2023/KMC DETAILED DESCRIPTION

Construction of Nallah from Santoshi Ahirwar's House to Lal Mochi's Via Lavlesh House

IS AUCTION ENABLED?

NUMBER OF BID PART(S) 2 BID PART NUMBER

ATTRIBUTE (S)

ATTRIBUTE NAME	
	A TIMED Y DESIGN
BID VALIDITY PERIOD (in days)	ATTRIBUTE VALUE
Tender / Work Completion Time (in months)	120
Required Past Technical Experience	4 (VALUE)
Required Financial Experience	As per tender document /NiT
Required Financial Turnover (in INR) Required Bid Capacity (in INR)	AS PER NIT
engained bid capacity (in INR)	AS PER NIT

PAYMENT DETAILS

DETAILS	
Tender/Processing/Bid	N/A
Fees	
EMD/Bid Security	22500.00 INR

DATE-TIME DETAIL(S)

BID SUBMISSION START Feb 14, 2024 02:30:00:PM

BID DUE DATE Feb 26, 2024 05:30:40:PM DATE

BID OPEN DATE Feb 27, 2024 04:00:06:PM PHYSICAL DOC SUBMISSION Feb 27, 2024 03:00:15:PM (SCHEDULED)

END DATE

PRE-BID DISCUSSION DETAILS

PRE-BID DISCUSSION NOT REQUIRED

ALTERNATE BID DECRYPTOR (S)

USER DETAILS	
MR BUYER ADMIN(DFLT)	
- MANORANJAN SARKAR (DFLT)	
- Mitresh Verma(DFLT)	
- Ramkumar Maheshwari (DFLT)	
- Bhushan Ram Oraon(DFLT)	
- Vinod kumar Sandilya(DFLT)	

TERM AND CONDITION DETAIL(S) - SPECIAL TERM(S)

SL. NO.	CATEGORY	DESCRIPTION
1	SPECIAL TERM(S)	SPECIAL TERM(S) As per tender document /NiT

TENDER SPECIFIC REQUIRED ATTACHMENT(S)

Envelop B

вичетор в							
SL. NO.	SUPPORTING DOCUMENT NAME	MANDATORY	ALLOW EXEMPTION	GROUP			
1	PARTNERSHIPDEED/MOA OFCOMPANY(IFREQUIRED	YES	NO	OTHER			
2	DECLARATION FOR NOT BEINGBLACK LISTED	YES	NO	OTHER			
3	LIST OFTECHNICALSTAFFDETAIL	YES	NO	OTHER			
4	GST CERTIFICATEFROMCHHATTISGARH	YES	NO	OTHER			
5	DECLARATIONFOR NOT ABOVE TOTAL WORK OF REGISTRACTION CAPACITY	YES	NO	OTHER			
7 8	REGISTRATIONCERTIFICATE (ANY GOVTDEPTINCHHATTISGARH INCOMETAXCLEARANCECERTIFICATE	YES	NO	OTHER			
-	TENCOME TANCED AND AND CECENTIFICATE	YES	NO	OTHER			

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.) ABSTRACT

Name of Work COSTUCTION OF NALLAH FROM SANTOSHI AHIRWAR'S HOUSE TO LAL MOCHI'S HOUSE VIA LAVLESH HOUSE
As per SOR : SCHEDULE OF RATES PUBLIC WORKS DEPARTMENT [PWD BUILDING-01.01.2015]

N	REF	ITEM DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1 1	6.43	Demolishing cement concrete including disposal of material within 50 metre lead.				
	13.2	1:3:6 or richer mix	cum	58.00	549.00	31,842.00
2	1.10	Pumping out water caused by springs tidal or river seepage, broken water main or drains and like during Excavation or during Excavation and laying of base concrete (volume to be calculated taking height from water level to bottom of pit and to be measured and paid).	cum	130.50	146.00	19,053.00
3	1.1	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of pits.				
	1.1	In all types of soils.	cum	709.00	185.00	131,165.00
4	1.17	Filling from available excavated stuff (Excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering with a lead upto 50 M. and lift upto 1.5 M.	cum	150.50	65.00	9,782.50
5	1.18	Providing and filling in plinth with sand/ Crusher dust and hard moorum under floor in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering, including dressing etc. complete.	cum	53.50	371.00	19,848.50
6	2.1	Providing and fixing form work including centring, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for:				Suppose of the suppos
	1.1	shape and size and all type of wall below plinth level.	sqm	102.50	139.00	14,247.50
-	1.3	Wall of any thickness including attached pilasters, buttresses etc. in super structure.	sqm	1150.00	228.00	262,200.00
-	1.		sqm	129.60	202.00	26,179.20
•	7 3.1	Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work.				
The state of the s	1	1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40mm nominal size).	cum	86.12	2970.00	255,776.40
And the state of t	8 3.	Providing and laying nominal mix reinforced cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work.				and a figure and a significant in the second company of providing to
diameter .	2	1:11/2:3 (1 cement : 11/2 coarse sand : 3 graded stone aggregate 20mm nominal size).	cum	279.33	4163.00	1,162,850.79
(日本)日本のできる。日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日	9 3	2.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement.	cum	8	469.00	3,752.00

	REF	ITEM DESCRIPTION	UNIT	QTY	RATE	AMOUNT
S.N 10	3.2	Providing and placing in position reinforcement for R.C.C. work including straightening, cutting, bending, binding etc. complete as per drawings including cost of binding wire in foundation and plinth all complete:		,		
	12.1	Thermo-Mechanically treated bars FE 415	kg	18156.45	54.50	989,526.53
11	1 26	Carriage by mechanical transport upto 5 km lead:				the state of the s
	26.1	Earth	cum	600.00	111.00	66,600.00
	26.3	Dismantled Building debris (Mulba)	cum	72.00	91.50	6,588.00
	20.5		As p	er Estimate A	mount Rs.	2999411.42

30,00,000/

Sub Engineer Nagar Palik Nigam, Korba Astt. Engineer Nagar Palik Nigam, Korba