



कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

मुख्य कार्यालय - साकेत भवन, आई.टी.आई. चौक, कोरबा (छ.ग.)

सर्वमंगला नगर जोन

फा.क्र./94, 115, 116/निर्माण (सर्वमंगला जोन)/2019

कोरबा, दिनांक 01.10.2019

निविदा आमंत्रण की सूचना

लोक निर्माण विभाग से एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से निम्नलिखित कार्य हेतु प्रमुख अभियन्ता लोक निर्माण विभाग, रायपुर द्वारा (भवन) दिनांक 01.01.2015 से प्रभावशील दर अनुसूची पर (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ) कम अधिक या समान दरों पर तथा शेड्यूल अनुसार आयटम दरों पर निम्नलिखित निर्माण कार्य हेतु मैनुअल निविदा वेबसाइट से डाउनलोड कर त्रि-लिफाफा पद्धति माध्यम से आमंत्रित की जाती है :-

1. निर्धारित प्रारूप में निविदा प्रपत्र प्राप्त होने अंतिम तिथि - 25.10.2019 सायंकाल 4:00 बजे तक
2. निविदा खुलने की अंतिम तिथि - 25.10.2019 सायंकाल 4:30 बजे तक

क्र.	कार्य का नाम	प्राक्कलन राशि में	धरोहर राशि रु में	निविदा प्रपत्र का मूल्य	कार्यावधि	ठेकेदार का वर्ग	निविदा खुलने की अंतिम तिथि
1	वार्ड क्र 54 बरमपुर बस्ती में सामुदायिक भवन का मेंटेनेंस कार्य (मरम्मत/संधारण मद) प्रथम निविदा	3,98,600/-	4,000/-	750/-	03 माह	सक्षम श्रेणी	25.10.2019
2	वार्ड क्र 56 के प्राथमिक उप स्वास्थ्य केन्द्र में बाउण्ड्रीवाल निर्माण कार्य। (पार्षद मद) प्रथम निविदा	4,87,000/-	4,870/-	750/-	03 माह	सक्षम श्रेणी	25.10.2019
3	वार्ड क्र 61 के जिम सामग्री प्रदाय एवं स्थापना कार्य (आयटम दर पर) (पार्षद मद) प्रथम निविदा	7,00,000/-	5,250/-	750/-	03 माह	सक्षम श्रेणी	25.10.2019

निविदा की शर्तें:-


1. निविदा दरे प्रचलित सी.एस.आर.से कम या अधिक प्रतिशत दरों पर दिया जावे सी.एस.आर.के अंतर्गत के आयटमों पर पृथक से आयटम दरों का उल्लेख करने पर निविदा निरस्त मानी जावेगी।
2. निविदा के दस्तावेज हाथो-हाथ न लिया जाकर रजिस्टर्ड पोस्ट अथवा स्पीड पोस्ट से प्राप्त किया जावेगा। अन्य माध्यमों यथा कोरियर सर्विस, साधारण डाक इत्यादि से प्राप्त अथवा समयावधि के पश्चात् प्राप्त निविदाओं पर विचार नहीं किया जावेगा। निविदा आयुक्त, नगर पालिक निगम, कोरबा आई.टी.आई. कॉलोनी रामपुर, कोसाबाड़ी जिला-कोरबा (छ.ग.) पिन नं.-495677 के पते पर भेजना होगा। निर्धारित तिथि को सायं 3:00 के पश्चात् प्राप्त निविदाएँ स्वीकार नहीं किए जावेंगे।
3. निविदा प्रपत्र नगर पालिक निगम, कोरबा के वेबसाइट www.korbamunicipal.in/uad.cg.gov.in डाउनलोड किया जाकर नवीन निविदा प्रपत्र Form - A/B/ABC (जारी दिनांक तक समस्त संशोधनों के साथ) निर्धारित शुल्क की डीडी के साथ संबंधित कार्य का नाम पूर्ण विवरण सहित भरकर भेजना होगा।
4. निविदा प्रपत्र त्रि-लिफाफा पद्धति से मान्य किया जावेगा जो निम्नानुसार होगा:-

- (अ) प्रथम लिफाफा में ठेकेदार का जीवित पंजीयन प्रमाण पत्र, आयकर चुकता प्रमाण पत्र, निविदा सूचना आमंत्रण में उल्लेखित अन्य दस्तावेज के साथ निर्धारित प्रपत्र शुल्क का डीडी एवं अमानत राशि का टी.डी.आर./एफ.डी.आर. जो कि आयुक्त, नगर पालिक निगम कोरबा के नाम पर देय होगा प्रस्तुत करना होगा।
- (ब) द्वितीय लिफाफा में ठेकेदार द्वारा भरा हुआ निविदा प्रपत्र होगा।
- (स) तृतीय लिफाफा में उपरोक्त दोनो लिफाफाएँ होगी तथा आवश्यकता पड़ने पर मूल अभिलेख प्रस्तुत करना होगा।
5. जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
 6. निविदा प्रपत्र प्राप्त करने हेतु इच्छुक ठेकेदारों को आवेदन पत्र के साथ उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशिप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार की किए गए कार्यों की प्रमाणित सूची, उपलब्ध तकनीकी अमले की जानकारी पिछले वित्तीय वर्ष का आय प्रमाण पत्र/पेन नम्बर, जी.एस.टी. पंजीयन का प्रमाण पत्र एवं प्रशिक्षित यंत्री नियुक्त करने संबंधी प्रमाण पत्र, कर्मचारी भविष्य निधि संगठन, कर्मचारी, राज्य बीमा निगम रायपुर से पंजीयन एवं विस्तृत निविदा आमंत्रण सूचना (एनआईटी) हस्ताक्षरयुक्त एवं निर्धारित प्रारूप में निविदा आमंत्रण सूचना के कंडिका क्र. 04 के लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।
 7. कार्य हेतु लिफाफे पर कार्य का नाम निविदा आमंत्रण सूचना क्रमोंक, निविदा खुलने की तिथि स्पष्ट रूप से लिखकर भेजना होगा।
 8. निविदाकार का यह दायित्व है कि वे निविदा भरने के पूर्व स्थल का स्वयं निरीक्षण कर लें ताकि प्रारंभ करने में किसी प्रकार की कठिनाई न हो।
 9. निर्धारित निविदा प्रपत्र में उल्लेखित कंडिकाएँ स्वमेव लागू मानी जावेगी एवं निविदा आमंत्रण सूचना निविदा का ही भाग माना जावेगा।
 10. निर्धारित प्रारूप में निविदा प्रपत्र, निविदा प्रपत्र शुल्क, अमानत राशि, निविदा आमंत्रण सूचना पत्र में उल्लेखित दस्तावेज सही पाए जाने पर ही निविदा दर संबंधी लिफाफा खोला जावेगा अन्यथा निविदा निरस्त कर दी जावेगी।
 11. ठेकेदार को अपनी दरें शब्दों एवं अंको में लिखना अनिवार्य होगा।
 12. शासन के विभिन्न विभागों जैसे:- खजिन विभाग, श्रम विभाग, समाज कल्याण विभाग इत्यादि विभागों द्वारा समय-समय पर जारी निर्देशों/आदेशों के पालन की समस्त जिम्मेदारी संबंधित ठेकेदार की होगी।
 13. ठेकेदार यदि कार्य को अपूर्ण स्थिति में छोड़ता है तो निविदा प्रपत्र में उल्लेख अनुसार इस संबंध में प्रावधान के अंतर्गत कार्यवाही की जावेगी।
 14. कार्य प्रारंभ नहीं करने अथवा अपूर्ण स्थिति में छोड़ने पर निगम द्वारा ठेकेदार के विरुद्ध तत् समय में एम.आई.सी. द्वारा स्वीकृत प्रस्ताव के अधीन कार्यवाही की जावेगी जिसकी संपूर्ण जवाबदारी ठेकेदार की होगी।
 15. सफल निविदा दाता से अनुबंध के समय अतिरिक्त परफार्मेंस राशि जमा कराई जावेगी जबकि निविदा की दरों में काफी कमी हो जैसे निविदादाता को निविदा दर एवं अनुमानित लागत से 10 प्रतिशत से अधिक निविदा दर होने पर सफल निविदादाता को निविदा दर एवं अनुमानित लागत के 90 प्रतिशत अंतर की राशि के समतुल्य परफार्मेंस गारंटी के रूप में राष्ट्रीयकृत बैंक का एफ.डी.आर./टी.डी.आर. ऑफिस, टाईम डिपॉजिट अथवा एन.एस.सी. जो कि आयुक्त नगर पालिक निगम कोरबा के नाम से देय होगा, जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि को जमा न करने की दशा में निविदा निरस्त कर दी जावेगी।
 16. सम्पूर्ण किये गये कार्यों के लिये 5 प्रतिशत सुरक्षा राशि रनिंग देयको के साथ 01 वर्ष, 5 प्रतिशत पृथक से 03 वर्ष की गारंटी के लिये परफार्मेंस सिक्यूरिटी के रूप में रोकੀ जावेगी।
 17. निविदा में भाग लेने वाले ठेकेदारों को छ.ग. भवन और अन्य सन्निर्माण कर्मकार (नियोजन एवं सेवा शर्तों का विनियमन) अधिनियम 1996 एवं तदंतर्गत निर्धारित नियमों के तहत पंजीयन कराना आवश्यक होगा तथा निर्माण लागत का 1 प्रतिशत उपकर के रूप में प्रत्येक देयक से कटौती की जावेगी।
 18. निविदाकार को प्रत्येक निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर निगम या अन्य विभागों में किये जा रहे कार्यों का विवरण राशि सहित मूल प्रति में वैध शपथपत्र कंडिका क्र. 04 के प्रथम लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।

9. ईट से संबंधित निर्माण कार्यों में फ्लाई एश ब्रिक का उपयोग किया जाना अनिवार्य होगा।
20. निविदा प्रपत्र अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।
21. निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त के द्वारा अधीनस्थ अधिकारियों का निर्णय अंतिम एवं सर्वमान्य होगा।
22. निविदा स्वीकृत करने अथवा अस्वीकृत करने का अधिकार नगर पालिक निगम के पास सुरक्षित रहेगा।

नोट:-

1. अमानत राशि के रूप में एफ.डी.आर./टी.डी.आर. अथवा नगद जमा रसीद पृथक से लिफाफे में स्वीकार किए जावेंगे आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय हो।
2. उपरोक्त तिथियों में किसी भी तिथि को शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।


 कार्यपालिका अभियंता
 नगर पालिक निगम
 कोरबा (छ.ग.)

क्र.	कार्य का नाम	प्रस्तावित राशि में	अंतिम राशि में	निविदा प्रपत्र की संख्या	कार्यस्थल	सुदृश्य तिथि
1	नगर के 04 'ए' वर्ग के सड़क के सामुदायिक जल का मंजूर कार्य (आयुक्त/सहायक नगर) प्रथम निविदा	1,09,400/-	1,000/-	750/-	03 नगर	25.10.2019
2	नगर के 04 'ए' वर्ग के सड़क के सामुदायिक जल का मंजूर कार्य (आयुक्त/सहायक नगर) प्रथम निविदा	4,37,900/-	4,370/-	750/-	03 नगर	25.10.2019
3	नगर के 04 'ए' वर्ग के सड़क के सामुदायिक जल का मंजूर कार्य (आयुक्त/सहायक नगर) प्रथम निविदा	1,09,000/-	1,250/-	750/-	03 नगर	25.10.2019

निविदा की शर्तें:-

1. निविदा को अंतिम और अविनाशकारी रूप में अंतिम प्रस्ताव नहीं माना जाएगा। यदि कोई उम्मीदवार अंतिम प्रस्ताव पर प्रस्तावित कार्य को अंतिम प्रस्ताव के अनुसार निविदा प्रपत्र नहीं भेजेगा।
2. निविदा के मंजूर होने पर- यह न किच अथवा सिलवर्ड प्रोब तकली नहीं भेजेगा न ही प्रस्तावित कार्य को अंतिम प्रस्ताव के अनुसार कार्य करवावे। अथवा प्रस्तावित कार्य को अंतिम प्रस्ताव के अनुसार कार्य करवावे। अथवा प्रस्तावित कार्य को अंतिम प्रस्ताव के अनुसार कार्य करवावे।
3. निविदा प्रपत्र नगर पालिक निगम, कोरबा के वेबसाइट www.korba.nic.in पर उपलब्ध है। अथवा नगर पालिक निगम, कोरबा के कार्यालय में उपलब्ध है।
4. निविदा प्रपत्र नगर पालिक निगम, कोरबा के कार्यालय में उपलब्ध है। अथवा नगर पालिक निगम, कोरबा के कार्यालय में उपलब्ध है।

OFFICE OF THE MUNICIPAL CORPORATION, KOF

DETAILED ESTIMATE

Specification Sports Item Zym Equipment Ward No. 61


S.No.	Item Description	Qty.
1	18 Multi Station Unit	1 Nos.
	Specifications:-	
	Dimensions : 125" (L) x 118" (W) x 80" (H)	
	Frame Structures : Combination of high tensile strength steel, continuous welded, factory assembled weight frame.	
	Name of tube : Square tubing.	
	Tube Size : 50 mm x 50 mm.	
	Tube Gauge: 2.5 mm.	
	Weight Stack : 200 x 2 = 400 lbs and 150 x 2 = 300lbs, total weight stack is -700 lbs.	
	Weight Plate : Cast iron, machine drilled to exact spec and employ oversized nylon bushings for Super-smooth operations Weight Guide Rods : 25 mm chrome plated solid steel, highly polished for smooth movements.	
	Weight Selector Pin : 10 mm steel pin.	
	Adjustments : Adjustable of seats, back rests and pads are meets all user requirements.	
	Pull Pins : Most adjustment secured with commercial grade spring loaded pull-pins.	
	Cable : 5.0 mm dia., 4200 lbs rated, commercial grade, nylon coated aircraft cables.	
	Pulley : Maintenance free, fiber glass reinforced nylon pulleys fitted with premium grade -A quality roller bearings with V grooved channel.	
	Pulley Sizes : 88 mm.	
	Grips : High density foam rubber hand grips.	
	Cushioning : 02" inch high density top grade resilient foam.	
	Finishing : Proprietary two coat powder process.	
	Rust Proof: All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
	Color: Grey.	
2	Multi Bench Commercial	1 Nos.
	Specifications:-	
	Ship Weight : 304 lbs (138 Kg)	
	Weight : 74" (188 cm)	
	Length : 65" (165 cm)	
	Height : 60" (152 cm)	
3	Plan Bench Commercial	1 Nos.
	Specifications:-	
	Ship Weight : 128 lbs (58 Kg)	
	Length : 55" (140 cm)	
	Height : 20" (51 cm)	
4	Fintess Machine Commercial (Crazy)	1 Nos.
	Specifications:-	
	Dimension : 28"(L) x 27"(W) x 58"(H).	
	Motor: 2.0 HP, DC motor.-	
	Motor Control : Microprocessor control.	
	Speed : 5 to 30 Hz.	
	Quick Selection : Auto, Low, Medium & High.- ¹	
	Set option : 3, 5, 8, and 10 minutes time can be set as per user requirement.	
	Display : Dot Matrix LED, 5 Window display.	
	Display Feedback : Time, Speed, Calories and distance.	
	Power Requirements : 220V AC.	


	<p>Frame : Heavy-Gauge welded steel with textured proprietary two coat electro statically powder process finish to ensure maximum corrosion & chip resistance.</p> <p>Exercise Applications : Straight standing, horse riding, upper arm & body pose.</p> <p>Max User Weight: 120 Kgs.</p>	
	Multi Functional Trade Mill	1 Nos.
	Specifications:-	
	Foldable Manual Trademill with stepper & Twister	
	Long handle bar with pulse	
	3 Levels adjustable incline.	
	Huge size monitor with 5 window display consist of speed, distance, time, calories & pulse.	
	Running belt size : 48" (L) x 16" (W)	
	Max. User Weight : 100 kgs.	
6	Magnetic Uprit + Bike	1 Nos.
	Technical Specifications:-	
	Dimension : 42"(L) x 24"(W) x 58"(H)	
	Maximum Watt : 300 Watts.	
	Resistance Level : 16 Levels.	
	Resistance System : Electro-magnetic resistance.	
	Power : 6 Volts DC adapter for self powered convenience.	
	Programs : 16 Programs - manual, polling, valley, fat burn, ramp, mountain, random, body fat, target HR, 60% HRC, 75% HRC, 85% HRC and user setting 04	
	Drive System : Centre design drive, super silent poly-V belt driven.	
	Fly Wheel : 9 Kgs precision balanced.	
	Pedals : Self balanced extra wide pedals with adjustable straps fit to any size user, close spacing, shock absorbing, air cushion and provides gentle movements	
	Seat : Ergonomically designed comfortable seat with flex cushion 11 levels seat adjustment.	
	Handle Bars : U-Bar style with ergonomically elbow support pad and in-built contact heart rate sensor with hand grips.	
	Centre of Gravity : Low COG combined with a balanced frame prevents rocking.	
	Cardio Monitor : In-built hand grip pulse sensor provided with handle grips enables to the cardio monitoring on board.	
	Display : LCD with blue back light and computerized console.	
	Display Feedback : Multi feedback read out instantly displays time, distance, RPM, calories, speed, pulse, watt, BMR and BMI.	
	Speaker : In-built speaker for ipod and MP3 connectivity.	
	User Weight : 120 Kgs.	
	Transportation : Transportation wheels for easy movement.	
	Accessory Holder : Book holder on the upper case of consol and mobile phone holder.	
	Rating : Commercial.	
	Crank Assembly : 3 Pieces crank assembly.	
	Frame Structure : Extra sturdy and stable steel frame construction/Arched support frame for maximum durability and stability.	
	Frame Finishing : Proprietary two coat powder process.	
	Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
7	Roming Machine Commercial	1 Nos.
	Specifications:-	
	Dimension : 70" (L) x 21" (W) x 17" (H)	
	Resistance Levels & Type : 10 Levels, magnetic resistance.	
	Power : 2 x 1.5 volt AA size battery.	
	Display : LCD display.	
	Display Feedback : Scan, Time, CPM, count, Calories & Sum.	
	Transportation : Wheel for Easy transportation, Seat & Grip: Ergonomically designed seat and grips. Fly wheel : 5 Kgs Fly wheel.	

	Folding System : Foldable.	
	Twister Commercial	1 Nos.
	Specifications:-	
	Weight : 55" (140 cm)	
	Length : 72" (183 cm)	
	Height : 36" (92 cm)	
9	Steel Plate Commercial	100 Kg.
10	Steel Dumbbells	100 kg
11	Steel Rod (SS) 24mm	20 Fit
12	Motorized Trademill Commercial	1 Nos.
	Specifications	
	Dimension: 80"(L) x 36"(W) x 50"(H).	
	Motor: AC Motor, 5,0 HP continuous, 6.0 HP peak, digital concepts P.W.M. Control.	
	Speed: 1.0 to 16 Kmph.	
	Elevation: 0% to 15%, Automatic.	
	Quick Selection: Speed and elevation.	
	Belt Size: 65" (L) x 24" (W).	
	Shock Absorption: 8-Point spring load deck suspension/Anti shock.	
	Safety Key Stop: Magnetic safety key.	
	Display: LCD blue back light, single window display.	
	Display Feedback: Heart rate, elevation, time, distance, speed, calories, body fat and programs.	
	Programs: 24 Programs, 18 preset, 5 user and 1 body fat.	
	Heart Rate Technology: Heart rate control with hand grip pulse sensor.	
	Power Saving Mode: System shutdown display under 10 minutes if no instruction input, press any key to restore system. Speaker: In-built speaker for MP3, iPod connections.	
	Frame: Heavy-gauge welded steel with textured proprietary two coat electro statically powder process finish to ensure maximum corrosion and chip resistance.	
	Foldable: Smart folding system.	
	Transportation: 4 Wheels transportation system for easy movement.	
	Max User Weight: 135 Kgs.	
13	Dumbbells Chrome Rack	1 Nos.
	Specifications:-	
	Ship Weight : 266 lbs (121 Kg)	
	Weight : 29" (74 cm)	
	Length : 205" (267 cm)	
	Height : 37" (94 cm)	
14	GYM Ball (95 CM) Heavy Duty	1 Nos.
15	Yoga Mate (6mm) Size - 4"x6"	1 Nos.
16	AB Slimmer Commercial	1 Nos.
	Specifications:-	
	Ship Weight : 266 lbs (121 Kg)	
	Weight : 29" (74 cm)	
	Length : 205" (267 cm)	
	Height : 37" (94 cm)	
17	Electrical Cross Trainer (Commercial)	1 Nos.
	Technical Specifications:-	
	Dimension : 84" (L) x 30"(W) x 71"(H)	
	Strides : 20 Inches natural strides.	
	Maximum Watt: 250 Watts.	
	Resistance Level : 16 Levels.	
	Resistance System : Electro-Magnetic resistance.	
	Power : Self generated power system.	
	Programs : 06 Programs - Manual, HRC, random, weight loss, CV and hill intervals.	
	Drive System : Centre design drive, super silent poly-V belt driven.	

	<p>Seat : Self balancing, close spacing, enlarge, impact-absorbing, fit to any size user and provides gentle movements to reduce lower body stress.</p> <p>Centre of Gravity : Low COG combined with a balanced frame prevents rocking.</p> <p>Cardio Monitor : In-built metallic pulse sensor provided with T bar style handle grips enables to the cardio monitoring on board.</p> <p>Display : Dot matrix LED, scrolling text and computerized console.</p> <p>Display Feedback : Multi feedback read out instantly displays time, distance, RPM, calories, heart rate, speed, work (resistance) levels, watts, and mets.</p> <p>User Weight: 140 Kgs.</p> <p>Transportation : Transportation wheels for easy movement.</p> <p>Accessory Holder : Water bottle and mobile phone holder.</p> <p>Rating : Commercial.</p> <p>Step-up Height: 12 Inches easy step-up height.</p> <p>Strides Wheel : Dual wheels track, fiber glass reinforced nylon wheel with high quality bearing.</p> <p>Frame Structure : Arched support frame for maximum durability and stability.</p> <p>Frame Finishing : Proprietary two coat powder process.</p> <p>Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.</p>	
18	<p>Spin Bike Commercial fit wheel</p> <p>Technical Specification:-</p> <p>Dimension: 53"(L) x 21"(W) x 44"(H).</p> <p>Spin Wheel: 21 Kgs, high inertia spin wheel.</p> <p>Resistance Level: Smart release breaking system provides safe dependable performance for unsupervised rider.</p> <p>Resistance System: Push brake system which make the bike safe and stable, two piece fender for comprehensive protection of brake and spin wheel.</p> <p>Drive System: Centre design drive and metal belt driven.</p> <p>Pedals: Self balanced wide pedals with adjustable straps fit to any size user, close spacing, shock absorbing air cushion and provides gentle movements. Seat: Pop-pin seat slider with 8 steps horizontal and 15 steps vertical adjustments deliver a great fit.</p> <p>Handle Bars: Chrome with PVC dipping, 9 level vertical and 8 level horizontal adjustments.</p> <p>Centre of Gravity: Low COG combined with a balanced frame prevents rocking.</p> <p>User Weight: 150 Kgs.</p> <p>Transportation: Transportation wheels for easy movement.</p> <p>Crank Assembly: 3 Pieces crank assembly with increased strength provides dependable performance for every rider.</p> <p>Frame Design: Frame is designed based on human engineering theory which makes more comfortable.</p> <p>Frame Structure: Strengthened main frame makes it sturdy stable and elegant.</p> <p>Frame Finishing: Proprietary two coat powder process.</p> <p>Rust Proof: All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.</p>	1 Nos.
	TOTAL	

(Rupees Six Lacs Ninety seven Thousand Only.)


 Sub Engineer
 Municipal Corporation
 Korba (C.G.)


 Asst. Engineer
 Municipal Corporation
 Korba (C.G.)