# कार्यालय, नगर पालिक निगम, कोरबा (छत्तीसगढ़)

फा.क. 711/ निर्माण/202**4** 

सिस्टम टेंडर नं. 153825

कोरबा दिनांक 07.03.2024

<u>ई-निविदा आमंत्रण सूचना</u>

कार्यालय नगर पालिक निगम, कोरबा द्वारा लोक निर्माण विभाग एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से प्रमुख अभियंता लोक निर्माण विभाग, रायपुर द्वारा भवन कार्य हेतु दिनांक 01.01.2015 से प्रभावशील दर अनुसूची पर (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ शेड्यूल अनुसार प्रतिशत दर पर ई-प्रोक्यरमेंट (E-Tendering) के माध्यम से निविदा प्रपत्र फार्म A में निविदा आमंत्रित की जाती है :--

-	The state of the s	ring) क माध्य	म स ।नावदा प्र	पत्र फाम AL म	ानावदा आमात्र	त का जाता ह	.–
क.	कार्य का नाम	प्राक्कलन	धरोहर राशि	कार्यावधि	निविदा	ठेकेदार का	निविदा खुलने
		राशि (लाख	(FDR/TDR)		प्रतिभागी	वर्ग	की तिथि
1	-# -\ : · · · ·	में)			शुल्क (DD)		
1	दर्री जोन अंतर्गत वार्ड 52 में फर्टिलाइजर बस्ती में राजू	25.00	18800/-	04 माह	750/-	वर्ग डी एवं	28.03.2024
	घर से रमेश घर तक फिरत कश्यप घर से समारू घर					प्रवर श्रेणी	से
	तिक मेन रोड इतवारी बाजार से सामदायिक भवन						
	तक,स्वास्थ्य केंद्र से एन.टी.पी.सी. प्लांट रोड तक सी.सी.						
, ,	रोड एवं नाली का निर्माण कार्य।						

शर्तः-

1. निविदा दरे प्रचलित सी.एस.आर.से कम या अधिक प्रतिशत दरों पर दिया जावे सी.एस.आर.के अंतर्गत के आयटमों पर पृथक से आयटम दरों का उल्लेख करने पर निविदा निरस्त मानी जावेगी।

2. जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरूद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।

3. इच्छुंक ठेकेदारों को उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पाटर्नरशीप

डीड) की सत्य प्रतिलिपि, उपलब्ध तकनीकी अमले की जानकारी, विगत 3 वर्षों का आयकर चुकता प्रमाण पत्र/पेन नम्बर, जी.एस.टी. पंजीयन प्रमाण पत्र एवं अमानत राशि के FDR/TDR की प्रति ऑनलाईन अपलोड करना अनिवार्य होगा, प्रशिक्षित यंत्री नियुक्त करने संबंधी प्रमाण पत्र, कर्मचारी भविष्य निधि रायपुर से पंजीकरण का कोड, निविदा प्रतिभागी शुल्क का डिमाण्ड ड्राफ्ट एवं धरोहर राशि FDR/TDR, शपथपत्र का स्केन कापी ऑन लाईन सिस्टम पर अपलोड करना अनिवार्य होगा ।

- अमानत राशि का वैध FDR/TDR, निविदा प्रतिमागी शुल्क का DD एवं शपथ पत्र की मूल प्रति लिफाफा में कार्य का नाम एवं अन्य विवरण अंकित कर केवल स्पीड पोस्ट/रजिस्टर्ड डाक के माध्यम से निविदा खुलने की तिथि में दोपहर 3.00 बजे तक आयुक्त,नगर पालिक निगम,कोरबा साकेत भवन, आई.टी.आई.चौक रामपुर कोसाबाड़ी पिन— 495677 कोरबा को उपलब्ध कराना अनिवार्य होगा।
- निविदाकार को प्रत्येक निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर निगम या अन्य विभागों में उनके द्वारा किये जा रहे कार्यों का विवरण राशि सिहत मूलप्रति में वैध शपथपत्र (राशि रू. 100/— नॉनज्यूडिशियल स्टाम्प) निविदा आमंत्रण दिनांक के पश्चात का, निविदा कमांक एवं कार्य का नाम अंकित करना अनिवार्य होगा।
- अमानत राशि का FDR/TDR एवं निविदा प्रतिभागी शुल्क का DD जो कि आयुक्त, नगर पालिक निगम,कोरबा के नाम पर देय हो प्रस्तुत करना अनिवार्य होगा।
- सम्पूर्ण किये गये कार्यों के लिए प्रत्येक चल देयकों में से 5 प्रतिशत सुरक्षा राशि 01 वर्ष के लिए एवं मरम्मत एवं संधारण मद को छोड़कर शेष कार्यों में 5 प्रतिशत परफार्मेंस सिक्यूरिटी की गारंटी के रूप में से 03 वर्ष के लिए रोकी जावेगी।
- 5. जिन निविदाकारों द्वारा कर्मचारी भविष्य निधि संगठन एवं कर्मचारी राज्य बीमा निगम, रायपुर से पंजीयन कराकर कोड प्राप्त कर लिया हो वे निविदाकार ही निविदा हेत् पात्र होंगे।
- 6. निविदा में भाग लेने वाले ठेकेदारों को छ.ग. भवन और अन्य सिन्नर्माण कर्मकार (नियोजन एवं सेवा शर्तों का विनियमन ) अधिनियम 1996 एवं तद्अंतर्गत निर्धारित नियमों के तहत् पंजीयन कराना आवश्यक होगा तथा निर्माण लागत का **1 प्रतिशत उपकर** के रूप में प्रत्येक देयक से कटौती की जावेगी।
- 7. ईंट से संबंधित निर्माण कार्यों में फ्लाई एश ब्रिक का उपयोग किया जाना अनिवार्य होगा।
- प्रयुक्त लोहा का बिल एवं टेस्ट रिपोर्ट तथा प्रयुक्त सीमेंट का बिल संलग्न करना अनिवार्य होगा।
- 9. निविदा दरों असामान्य कमी प्रतीत होने पर सफल निविदा दाता से अनुबंध के पूर्व एस.ओ.आर. एवं निविदा दर की अंतर की राशि के समतुल्य परफारमेंस गारंटी के रूप में राष्ट्रीयकृत बैंक एफ.डी.आर., पोस्ट ऑफिस, टाईम डिपॉजिट अथवा एन.एस.सी. जो कि आयुक्त नगर पालिक निगम, कोरबा के नाम पर देय होगा जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि समयाविध में जमा न करने की दशा में निविदा स्वमेव निरस्त मानी जावेगी।
- 10. निविदा अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नही किया जावेगा।
- 11. निविदा प्रपत्र फार्म –ए की कंडिका 11 अनुसार एस्कलेशन देय नहीं होगा।
- 12. निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त का निर्णय अंतिम एवं सर्वमान्य होगा।
- 13. निविदा स्वीकृत करने अथवा अस्वीकृत करने अथवा निरस्त करने का अधिकार नगर पालिक निगम के पास सुरक्षित रहेगा।
- 14. उपरोक्त निर्विदा सूचना की विस्तृत प्रति नगर पालिक निगम, कोरबा के साकेत भवन स्थित निर्माण शाखा से प्राप्त किये जा सकते है।

कार्यपालन अभियंता नगर पालिक निगम कोरबा (छत्तीसगढ़)

प्रतिलिपि-

प्रोग्रामर, संचालनालय, नगरीय प्रशाासन एवं विकास विभाग, रायुपर को uad.cg.gov.in में अपलोड करने हेतु प्रेषित।

### **Date-Time Detail(s)**

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expir	γ	Remarks
110.			Date	Time	Date	Time	
	Release Tender		07.03.2024	13.00	07.03.2024	13.00	Release Tender
2		Bid Submission	07.03.2024	13.00	27.03.2024	17.30	
3		Physical Document Submmission	07.03.2024	13.00	28.03.2024	15.00	
4	Tender Open		28.03.2024	16.00			

EXECUTIVE ENGINEER

KORBÁ (CG)

For, Commissioner Korba (C.G.)

TENDER/NIT HEADER DETAIL

ORGANIZATION NAME Urban Administration and

PROCUREMENT CATEGORY

WORKS

TENDER NO. NUMBER OF ITEMS ALREADY 1

Development Department (UADD)

TENDER DEALING OFFICER

- ARUN KUMAR SHARMA (DFLT) NO

MATCHING

ATTACHED CURRENCY

NIT TYPE VENDOR CLASS INR - INDIAN RUPEE

RESTRICTED TENDER A, B, C, D

TENDER CATEGORY

PERCENTAGE

PROBABLE AMOUNT OF

2500000.00

OFFICE/DIVISION (PWD)

COMMISSINOR, MUNICIPAL

CONTRACT (PAC) [INR]

NAME SECTION/CIRCLE(PWD) CORPORATION, KORBA

DIVISION / DISTRICT

MUNICIPAL CORPORATION, KORBA

TENDER SECTION

NAME DESCRIPTION

F.No. 711/Const./Darri Zone/2024/KMC

DETAILED DESCRIPTION

Construction of CC ROAD From Fartilizer Basti Near Raju House to Ramesh & Firat

Kashyap to samara near Uttar House Near Shiv mandir Mainroad Itwari Bazar to Samudayik Bhawan Near up Swasthya Kendra to NTPC Plant Road and RCC Drain near Safiq Mirja House To Maheshwari Godam And Culvert Near Maheshwari Godam And Uttara House Fartilizer

Basti At Ward No 52.

IS AUCTION ENABLED?

NUMBER OF BID PART(S)

BID PART NUMBER

#### ATTRIBUTE (S)

ATTRIBUTE NAME	ATTRIBUTE VALUE
BID VALIDITY PERIOD (in days)	120
Tender / Work Completion Time (in months)	04 (VALUE)
Required Past Technical Experience	As per NIT/ Tender Document
Required Financial Turnover (in INR)	AS PER NIT
Required Bid Capacity (in INR)	AS PER NIT

#### PAYMENT DETAILS

DETAILS		-1
Tender/Processing/Bid	N/A	
Fees		* .
EMD/Bid Security	18800.00 INR	, ,

#### DATE-TIME DETAIL(S)

BID SUBMISSION START

Mar 7, 2024 05:22:07:PM

BID DUE DATE

Mar 27, 2024 05:30:15:PM

BID OPEN DATE (SCHEDULED)

DATE

Mar 28, 2024 04:00:25:PM

PHYSICAL DOC SUBMISSION Mar 28, 2024 03:00:07:PM

END DATE

#### PRE-BID DISCUSSION DETAILS

PRE-BID DISCUSSION

NOT REQUIRED

#### ALTERNATE BID DECRYPTOR(S)

USER DETAILS	
MR BUYER ADMIN(DFLT)	
- MANORANJAN SARKAR (DFLT)	
- Mitresh Verma(DFLT)	
- Ramkumar Maheshwari (DFLT)	
- ARUN KUMAR SHARMA(DFLT)	
- Bhushan Ram Oraon(DFLT)	
- Navneet Kant Nath(DFLT)	

#### TERM AND CONDITION DETAIL(S) - SPECIAL TERM(S)

- 1	SL.	CATEGORY	DESCRIPTION
- [	1	SPECIAL TERM(S)	SPECIAL TERM(S) As per NIT/ Tender Document

#### TENDER SPECIFIC REQUIRED ATTACHMENT (S)

#### Envelop B

	SUPPORTING DOCUMENT NAME	MANDATORY	ALLOW EXEMPTION	GROUP
1	REGISTRATIONCERTIFICATE (ANY GOVTDEPTINCHHATTISGARH)	YES	NO	OTHER
2	PARTNERSHIPDEED/MOA OFCOMPANY(IFREQUIRED)	YES	NO	OTHER
3	DECLARATIONFOF NOT BEING BLACK LISTED	YES	NO	OTHER

## OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.) DETAILED ESTIMATE

Name of Wo X:- CONSTRUCTION OF CC ROAD From Fartilizer Basti Near Raju House to Ramesh & Firat Kashyar to Samudayik Sawan Near Uttara House Near Mamta Kundu House Near Shiv Mandir, Main Road Itwari Bazar to Samudayik Sawan Near Up Swasthya Kendra to NTPC Plant Road and RCC Drain Near Safiq Mirja House to Maheshwari Godam and culvert Near Maheshwari Godam and Uttara House Fartilizer Basti At Ward No. 52

As per Sor: - Schedule of Rates Public Works Department [ PWD BUILDING 01-01-2015]

As per Sor :- Schedule of Rates Public Works Department [ PWD BUILDING 01-01-2015]									
Sno.		N	L	В	H/D	Qty	Unit	Rate	Amount
	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of								
	In all types of soil								
	near safiq mirja house to maheshvari godam	1	300	1	0.5	150		<i>⊌</i>	
	culvert near maheshvari godam	1	10.00	1.50	0.50	7.50			
	fertilzer basti near raju house to ramesh & firat kashyap to samaru	2	30.00	3.20	0.20	38.40			
	culvert near uttara house fertilzer basti	2	6.00	1.50	0.80	14.40			
	near up swasthya kendra to ntpc plant road	1	160.00	3.20	0.20	102.40			
_	ficul up swastiya kenala to ingo plant					312.70	Cum	185.00	57849.50
2	Demolishing stone rubble masonry including arches, stacking of serviceable material and disposal of unserviceable material within 50 Metres lead.								
	In cement mortar	2x2	6.00	0.30	0.60	4.32	Cum	527.00	2276.64
3	Demolishing brick masonry including arches, stacking of serviceable material disposal of unserviceable material within 50 metres lead.								0.50 40 00
	In cement mortar.	2X2	300.00	0.20	0.40	96.00	Cum	263.00	25248.00
4	Demolishing cement concrete including disposal of material within 50 metre lead.								
	1:3:6 or richer mix		222.00	0.00	0.15	26.00			
		1	300.00	0.80	0.15	36.00 4.32			
		2X2	6.00	0.30	0.60	40.32	Cum	549.00	22135.68
	Providing and laying nominal mix reinforced cement					40.32	Cum	349.00	22133.00
5	concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work.								
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone								
	aggregate 20mm nominal size). near safiq mirja house to maheshvari godam	1	300.00	0.70	0.15	31.50			
_	near saily mirja nouse to maneshvan godam	2	300.00	0.15	0.40	36.00			
_		335	0.50	0.70	0.10	11.73			
<del> </del>	culvert near maheshvari godam	1	10.00	1.30	0.20	2.60			
_	culvert flear maneshvari goddin	2	10.00	0.20	0.60	2.40			
<u> </u>		1	10.00	1.20	0.20	2.40			
	culvert near uttara house fertilzer basti	1	6.00	1.30	0.20	1.56			
<del> </del>	Curvers ricuit asserts	2	6.00	0.20	0.60	1.44			
		1	6.00	1.20	0.20	1.44			
		_1	6.00	1.00	0.15	0.90			
		2	6.00	0.15	0.60	1.08	Curr	4163.00	387346.34
						93.05	Cum	4103.00	30,040,04

See.	ITEM DESCRIPTION	N	L	В	H/D	Qty	Unit	Rate	Amount
6	Provider and fixing M.S. grill of approved pattern shade of A flats or square or round bars welded to steel them. If windows etc. including applying a priming coat welded to frame with all necessary fitting complete including applying a priming of red oxide zinc chromate primer.  Extra for precast PCC/ RCC work of any mix					60.00	kg	67.50	4050.00
7	including form work, hoisting and fixing in Cement Nortal 1.2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement.	335	0.50	0.70	0.10	11.73	Cum	469.00	5499,03
8	Providing and placing in position reinforcement for R.C.C. work including straightening, cutting, bending, binding etc. complete as per drawings including cost of binding wire in foundation and plinth all complete:								
_	Thermo-Mechanically treated bars FE 415					5600.00	Cum	54.50	305200.00
9	Providing and laying nominal mix cement concrete with crushed stone aggregate using concrete mixer in foundation, plinth and at ground level excluding cost of form work.								
	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size).								
	near safig mirja house to maheshvari godam	1	300.00	0.80	0.10	24.00			
	fertilizer basti near raju house to ramesh & firat kashyap to samaru	2	30.00	3.30,	0.10	19.80			ANCORPORATE CONTRACTOR AND ANTI-OPPOSITE CONTRACTOR CON
	near uttara house fertilzer basti	2	6.00	1.50	0.10	1.80	· .		Sales - Carrier
	near up swasthya kendra to ntpc plant road	1	169.00	3.20	0.10	54.08			
						99.68	Cum	2659.00	265049.12
	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20mm nominal size).								
	fertilizer basti near raju house to ramesh & firat kashyap to samaru	2	30.00	3.00	0.15	27.00			
	fertilzer basti near alag ram to near huleshvar	1	35.00	3.50	0.10	12.25			
	fertilzer basti near huleshvar to rati ram to	1	60.00	3.50	0.10	21.00			
	fertilzer basti near rati ram to anand ram	1	30.00	3.50	0.10	10.50			
	near uttara house fertilzer basti	1	120.00	4.00	0.10	48.00	-	-	
	near mamta kundu house to near shiv mandir	1	190.00	3.00	0.10	60.00 57.00			
	main road near itwari bazar to samudaîk bhawan	1	169.00	3.00.	0.15	76.05		-	AND THE RESIDENCE OF THE PERSON OF THE PERSO
	near up swasthya kendra to ntpc plant road	1	193,00	3.00,	0,23	311.80	Cum	4073.00	1269961.40
10	Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for: Foundations, footings, base of columns and plinth								
	beam in any shape and size.		300		0.15	90			Carlos Man Amazarator
		2	300		0.15	480	THEOREM PROSE		
		2	10		0.2	4		-	
		4	10		0.6	2.4	-300001033300	***************************************	
_		2	35		0.15	10.5	-		
-		12	3		0.15	5/	THE PERSON NAMED IN		

	TEM DESCRIPTION	N	la.	B	H/D	Qty	Unit	Rate	Amount
	N. Committee of the com	2	Q.	- company and a second	0.2	2,4	- NEW CLITHER SHEET V	The state of the state of the	A STATE OF THE PARTY OF THE PAR
L		4	6		0.6	14.4	- CONTRACTOR OF THE PARTY OF TH		2017年 · · · · · · · · · · · · · · · · · · ·
-		2	Ĝ	William Co.	0.15	1.8	and Gurenty		
1		4	6	- The County of	0.6	14.4	and the second second		
-		2	200		0.1	40			A STATE OF THE PARTY OF THE PAR
-		80	3		0.1	24			The state of the s
-	The state of the s	2	190		0.1	38			
-		80	3		0.1	24	enconstitution and	- DESTRUCTION OF THE PARTY OF T	
		2	170		0.15	51			<b>V</b>
		68	3		0.15	30.6			
						854.50	Sqm	139.00	118775.50
	Suspended floors, roofs, access platform, balconies (plain surfaces) and shelves (cast in situ)					- Marie Grand Company (1920) (Marie Company)			
<u> </u>		1	10.00	0.80		8			
-		1	22.40		0.20	4,48			
$\vdash$		1	6.00	0.80		4.8			
		1	14.40		0.20	2.88			
						20.16	Sqm	235.00	4737.60
11	Filling from available excavated stuff (Excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering with a lead upto 50 M. and lift upto 1.5 M.			•					
_		2	300.00	0.20	0.50	60.00			
		2	10.00	0.15	0.50	1.50			
		2	6.00	0.15	0.60	1.08			
						62.58	Cum	65.00	4067.70
12	Carriage by mechanical transport upto 5 km lead:						·		
ı	Earth					250.12	Cum	111.00	27763.32
	Laitii								
	Latti		Α	s per S	SOR To	tal Estima	te Am	ount Rs.	2,499,959.82

Sub Engineer Municipal Corporation Korba (C.G.) Asst. Engineer Municipal Corporation Korba (C.G.)