

### कार्यालय, नगर पालिक निगम, कोरबा (छ.ग्.)

जलप्रदाय शाखा :– साकेत भवन आई.टी.आई. चौक, कोरबा (छ.ग.)

मुका. दूरभाष : २२।२८८, २२२६७७, फैक्स : ०७७५५–२२।९२९, पो. वाक्स नं. : १२ पिन कोड : ४९५५७७

Website: www.Korbamunicipal.in Email: mck.watersupply@gmall.com

फा.क. / 1368 / ज.प्र.स. / 2022 /

सिस्टम टेंडर नं. 153534

कोरबा, दिनांक 01.03.2024

निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा निम्नलिखित कार्य हेतु व्यवसाय के संबंधित प्रतिष्ठित निर्माता कंपनी अथवा अधिकृत विकेताओं से शेड्यूल अनुसार आईटम दरों पर (E-Tendring) के माध्यम से निविदा आमंत्रित की जाती है :--

क	कार्य का नाम	प्राक्कलन राशि (राशि लाख में)	धरोहर राशि	कार्यावधि	निविदा प्रतिभागी शुल्क	निविदा खुलने की तिथि
1	जलप्रदाय संधारण कार्य हेतु सी.आई./जी.आई./एम.एस. /जी.एम./ए.सी./डी.आई पाइप सामग्री खरीदी कार्य। (वार्षिक दर पर) (निगम मद)	-	20,000/-	01 वर्ष	1500 / -	22.03.2024 से

#### शर्ते :--

1. निविदा प्रपत्र की ई—प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे। निर्धारित तिथि को सायं 3.00 वजे के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा।

2. जिन ठेकेदारों / प्रदायकर्ताओं द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरूद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।

3. निविदा प्राप्त करने के इच्छुक ठेकेदारो/प्रदायकर्ताओं को आवेदन के साथ निर्माता कंपनी/अधिकृत विकेता संबंधी प्रमाण पत्र की प्रमाणित प्रतिलिपि ऑनरशीप यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार के किये गये कार्यों का अनुभव प्रमाण पत्रों की जानकारी, आयकर प्रमाण पत्र/पेन नं. एवं जी.एस.टी. प्रमाण पत्र एवं अमानत राशि ऑन लाइन जमा कर स्केन कापी बेवसाइट पर अपलोड करना अनिवार्य होगा।

दर निर्धारण पश्चात् किसी अनुबंधित निविदाकार एवं प्रदायकर्ता से सामग्री क्य करने का अधिकार संस्था के पास सुरक्षित

रहेगा।

- 5. प्रदाय की गई सामग्री का परीक्षण रिपोर्ट भुगतान पूर्व देयक के साथ संलग्न करना अनिवार्य होगा। अन्यथा भुगतान करना संभव नहीं होगा।
- 6. निविदा प्रपत्र उन्ही ठेकेदारो / प्रदायकर्ताओं को दिया जावेगा। जिन्हे इस प्रकार के कार्य का अनुभव हों।

7. निविदा प्रपत्र अहस्तांतरणीय होगी एवं सपर्त निविदाओं पर विचार नहीं किया जावेगा ।

8. बिना कारण बताए स्वीकृत/अस्वीकृत या पूर्ण रूप से अमान्य करने का अधिकार सक्षम अधिकारी को रहेगा ।

9. किसी भी तरह की विवाद की स्थिति में अंतिम निर्णय लेने का अधिकार सक्षम अधिकारी के पास सुरक्षित रहेगा।

9. जिस्ता ना तरह को विवास के तिस्तृत प्रति नगर पालिक निगम कोरबा की वेब साइट <u>www.korbamunicipal.in</u> पर भी यह टेन्डर उपलब्ध है।

11. अन्य सूचनाएं नगर पालिक निगम साकेत भवन रामपुर कोरबा कार्यालय से प्राप्त की जा सकती है

कार्यपालन अभियंता नगर पालिक निगम कोरबा (छ.ग.)

प्रतिलिपि :- प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को uad.cg.gov.in में अपलोड किये जाने हेतु प्रपित।

### Date-Time Detail(s)

Seq.	Nagar Nigam Stage	gar Nigam Stage Contractor Stage		Start		у	Remarks
140.				Time	Date	Time	
1	Release Tender		01.03.2024	15.00	01.03.2024	15.00	Release Tender
2		Bid Submission	01.03.2024	15.00	21.03.2024	17.30	
3		Physical Document Submmission	01.03.2024	15.00	22.03.2024	15.00	
4	Tender Open		22.03.2024	16.00			

EXECUTIVE ENGINEER

KORBA (CG)

For, Commissioner Korba (C.G.)

110

TENDER/NIT HEADER DETAIL

ORGANIZATION NAME Urban Administration and COODS PROCUREMENT CATEGORY

Development Department (UADD) TENDER NO.

153534 TENDER DEALING OFFICER - Pamkumar Maheshwari(22) NUMBER OF ITEMS ALREADY 177

MATCHING ATTACHED

CURRENCY INR - INDIAN RUPEE

MIL LALE OPEN TENDER TENDER CATEGORY ITEM RATE

VENDOR CLASS OTHERS PROBABLE AMOUNT OF

COMMISSINOR, MUNICIPAL 1115700.00 OFFICE/DIVISION (PWD) CONTRACT (PAC) [INR] CORPORATION, KORBA SMAH DIVISION / DISTRICT MUNICIPAL CORPORATION, KORBA SECTION/CIRCLE(PWD) TENDER SECTION

NAME NAME

DESCRIPTION F.No.1368 /Water Supply Section/2024/KMC DETAILED DESCRIPTION Annual Rate Contrect for supply of C.I./G.I./M.S. / G.M./A.C./D.I. Item for Water

Works

IS AUCTION ENABLED?

NUMBER OF BID PART(S) BID PART NUMBER 1

#### ATTRIBUTE(S)

ATTRIBUTE NAME	ATTRIBUTE VALUE
BID VALIDITY PERIOD (in days)	120
Tender / Work Completion Time (in months)	12 (VALUE)
Required Past Technical Experience	As per tender Documen / Nit shcedule
Required Financial Turnover (in INR)	AS PER NIT
Required Bid Capacity (in INR)	AS PER NIT

#### PAYMENT DETAILS

DETAILS	
Tender/Processing/Bid	N/A
Fees	
EMD/Bid Security	20000.00 INR

#### DATE-TIME DETAIL(S)

Mar 21, 2024 05:30:11:PM BID DUE DATE BID SUBMISSION START Mar 1, 2024 02:30:06:PM

DATE

BID OPEN DATE Mar 22, 2024 04:00:28:PM PHYSICAL DOC SUBMISSION Mar 22, 2024 03:00:08:FM

(SCHEDULED) END DATE

#### PRE-BID DISCUSSION DETAILS

PRE-BID DISCUSSION NOT REQUIRED

#### ALTERNATE BID DECRYPTOR (S)

USER DETAILS	
MR BUYER ADMIN(DFLT)	
- MANORANJAN SARKAR (DFLT)	
- Mitresh Verma(DFLT)	
- Ramkumar Maheshwari (DFLT)	
- ARUN KUMAR SHARMA(DFLT)	
- Bhushan Ram Oraon(DFLT)	
- Vinod kumar Sandilya(DFLT)	

#### TERM AND CONDITION DETAIL(S) - SPECIAL TERM(S)

1	CATEGORY	DESCRIPTION
NO.	SPECIAL TERM(S)	SPECIAL TERM(S) As per tender Documen / Nit shcedule

#### TENDER SPECIFIC REQUIRED ATTACHMENT (S)

#### Envelop B

SL. NO.	SUPPORTING DOCUMENT NAME	MANDATORY	ALLOW	GROUP
	Income Tax Clearance Certificate	YES	NO	OTHER
1	Partnership Deed/MOA of Company (If Required)	NO	NO	OTHER
2	Experience Certificate	YES	NO	OTHER
3	GST Certificate from Chhattisgarh	YES	NO	OTHER
4		YES	NO	OTHER
5	PAN CARD	YES	NO	OTHER
7	Bid capacity for Supply	YES	NO	OTHER
ŝ	Firm Registration By C.G. Govt.			

## FFICE OF THE MUNICIPAL CORPORATION KORBA (C.G)

# Lub. Annual Rate Contrect for supply of C.I./G.I./M.S. / G.M./D.I. Item for Water Works

S No.	DESCRIPTION	UNIT	QTY	R	ate	Amount
1	2	3	4		5	6
1	Supply of rubber ISI marked gasket (pushon) joints to DI classk-7,k-8 and k-9 pipes & DI specials (rubber ISI marked Gasket (pushon) jointas per IS - 5382 / 85 and soap solution etc.) (Tyton rubber ring)			Agenta Manager		··
	(a) 100 mm dia Mtr.	F. 1	1	TO THE REAL PROPERTY.		
	(b) 150 mm dia Mtr.	Each Each	1	100		
	(c) 200 mm dia Mtr.	Each	1	1		
	(d) 250 mm dia Mtr.	Each	1 1	- 1		
	(e) 300 mm dia Mtr.	Each	1	The state of the s		
	(f) 350 mm dia Mtr.	Each	1			
	(g) 400 mm dia Mtr.	Each	1			
	(h) 450 mm dia Mtr.	Each	1	a foliation a		
2	Supply of C.I. Sluice Valve (Double Flanged) with Brass Spindle as per ISI Marked make (Zoloto) asperI.S.:14846-2000 with nut bolts, rubber gasket (Class-PN 16)					
	(a) Size 80mm Dia	Each	1			
	(b)Size 100mm Dia	Each	1			
	(c)Size 150mm Dia	Each	1			
	(d)Size 200mm Dia	Each	1			
	(e)Size 250mm Dia	Each	1			
	(f) Size 300mm Dia	Each	1	-		
	(g)Size 350mm Dia	Each	1			
	(h) Size 400mm Dia	Each	1			
	(i)Size 450mm Dia	Each	1	7		
3	Providing following socket & spigot centrifugally cast (Spun) Ductile Iron pressure pipes with inside cement mortar lining (class K-9) confoRunning Metering to IS 8329 /2000 with suitable Rubber Gasket (Push on) joints as per IS:5382/2018 (a) Size 100mm Dia					
	(a) Size 100mm Dia	MTR				
	(b) Size 150mm Dia	MTR				
	(c) Size 200mm Dia	MTR	2	1		
	(d) Size 250mm Dia	MTF	1	1		
	(e) Size 300mm Dia	MTF	2	1		
	(f) Size 350mm Dia	MTF	₹	l		

1	(c) C; 100 D;	T	- 1
	(g) Size 400mm Dia	MTR	1
	(h) Size 450mm Dia	MTR	1
	4 Providing Ductile Iron Double Socket 90° Bends		
	confoRunning Metering to IS: 9523/2000 having		
F.	dimension as per table 15 of IS: 9523/2000 in the		
	following nominal diameter/ sizes with external bitumen coating and internal cement mortar lining.		
H			
$\vdash$	(a) Size 100mm Dia	Each	1
$\vdash$	(b) Size 150mm Dia	Each	1
$\vdash$	(c) Size 200mm Dia	Each	1
$\vdash$	(d) Size 250mm Dia	Each	1
	5 supply of, ductile iron Double socket branch flange		
1	Tee conforming to IS-9523/2000 having dimension as		
	per table 21 of IS-9523/2000 in the nominal		
	diameter/sizes with external bitumen coating and		
	internal cement morter lining with finishing as per		
	clause 13 of IS-9523/2000. as per to IS 12288:1987) (All sizes in mm)		
$\vdash$			
L	100 x 100 mm	Each	1
	150 x 100 mm	Each	1
L	150 x 150 mm	Each	1
L	200 x 100 mm	Each	1
	200 x 150 mm	Each	1
	200 x 200 mm	Each	1
	250 x 100 mm	Each	1
	250 x 150 mm	Each	1
	250 x 200 mm	Each	1
	250 x 250 mm	Each	1
	300 x 100 mm	Each	1
	300 x 150 mm	Each	1
6		Lacii	
0	conforming to IS-9523/2000 having dimension as per		
	table 21 of IS-9523/2000 in the nominal		
	diameter/sizes with external bitumen coating and		ľ.
	internal cement morter lining with finishing as per		
	clause 13 of IS-9523/2000. (as per to IS 12288:1987)		
	(All sizes in mm)		
	150 x 100 mm	Each	1
	200 x 100 mm	Each	1
	200 x 150 mm	Each	1
	250 x 150 mm	Each	1
	250 x 200 mm	Each	1
7	Supply of C.I. D. Joint with nut bolt & Rubber rings	20011	
/	1		
	as per IS at 794-5282 Class-15	ļ	ļ
	(b) Size 100mm Dia	each	1
	(c) Size 150mm Dia	each	1
	(d) Size 200mm Dia	each	1
	(e) Size 250mm Dia	each	1
	(f) Size 300mm Dia	each	<del>                                     </del>
8	Supply of C.I. Single Air Valves as per IS	Cacii	+
J	specification		
		<u> </u>	
	( a)Size 100mm Dia	each	1

1-	Size 150mm Dia	each	1
0	Supply of C.I. Double air valves as per IS	Cach	
	specification (PN 1.6) (a) Size 100mm Dia		
250	(a) Size 100mm Dia	each	1
	(b) Size 150mm Dia	each	1
	C) Size 200mm Dia	each	1
10	C.I. Shedle Piece Complete with Washer & Nut bolts		
	(a) Size 100mm Dia	each	1
	(b) Size 150mm Dia	each	1
	(c) Size 200mm Dia	each	1
	(d) Size 250mm Dia	each	1
	(e) Size 300mm Dia	each	_1
	(f) Size 350mm Dia	each	1
	(g) Size 400mm Dia	each	1
11	Supply of C.I. Non return valve per IS specification		
	CLASS PN- 10		
	(a) Size 100mm Dia	each	1
	(b) Size 150mm Dia	each	1
	(c) Size 200mm Dia	each	1
	(d) Size 250mm Dia	each	1
	(f) Size 300mm Dia	each	1
12	Supply of G.I. Plug as per relevent IS specification		
	(a)Size 15mm Dia	each	1
	(b)Size 20mm Dia	each	1
	(c) Size 25mm Dia	each	1
	(d) Size 32mm Dia	each	1
13	Supply of G.I. Pipes (medium class) as per relevent IS		
	specification (Jindal/Tata/Prakash Surya) (a) Size		
	15mm Dia		
	(a) Size 15mm Dia	MTR	1
	(b) Size 20mm Dia	MTR	1
	(c) Size 25mm Dia	MTR	1
	(d) Size 40mm Dia	MTR	1
	(e) Size 50mm Dia	MTR	1
14	Supply of G.I. Reducer Socket ISI Marked		
- •	(a) Size 15mm x 20mm Dia	each	1
	(b) Size 15mm x 25mm Dia	each	i
	(c) Size 15mm x 25mm Dia	each	1
	(f) Size 20mm x 25mm Dia	each	1
	(g) Size 20mm x 22mm Dia	each	1
15	supply of G.I. Elbow ISI Marked	Cacii	1
13	(a) Size 15mm Dia	anah	1
		each	1
	(b) Size 20mm Dia	each	1
	(c) Size 25mm Dia	each	1
	(d) Size 32mm Dia	each	1
	(e) Size 40mm Dia	each	1
	(f) Size 50mm Dia	each	1
16	Supply of G.I. Union ISI Marked		
	(a) Size 15mm Dia	each	1
	(b) Size 20mm Dia	each	1

(c) Size 25mm Dia	each	1
(d) Size 32mm Dia	each	1
(e) Size 40mm Dia	each	1
(f) Size 50mm Dia	each	1
7 Supply of G.I. Socket ISI Marked	-	
(a) Size 15mm	each	1
(b) Size 20mm	each	1
(c) Size 25mm	each	1
(d) Size 32mm long size	each	1
(e) Size 40mm long size	each	1
(f) Size 50mm long size	each	1
18 Supply of G.I. Nipple ISI Marked		
(a) Size 15mm x 100mm	each	1
(b) Size 15mm x 150mm	each	1
(c) Size 15mm x 200mm	each	1
(d) Size 15mm x 300mm	each	1
(e) Size 40mm x 200mm	each	1
(f) Size 50mm x 200mm	each	1
(g) Size 20mm x 100mm	each	<del></del>
(h) Size 20mm x 150mm	each	<u> </u>
(i) Size 40mm x 200mm	each	1
19 Supply of G.M. (full way) Gate Valve ISI mark at		
approved quality 21.00 kg/sq.cm. Confo Running		
Metering to 1 S 778/1984 (Screwed)		
(a) Size 15mmDia	each	1
(b) Size 20mm Dia	each	1
(c) Size 25mm Dia	each	1
(d) Size 32mm Dia	each	1
(e) Size 40mm Dia	each	1
(f) Size 50mm Dia	each	1
20 Supply of G.I. Tee ISI Marked (a) Size 20 x 20 x 20 mmDia	each	1
(a) Size 20 x 20 x 20 mmDia (b) Size 25 x25 x25mm Dia	each	1
(d) Size 20 x 20 x 15mm Dia	each	1
(e) Size 15 x 15 x 15mm Dia	each	1
(f) Size 25 x 25 x 20mm Dia	each	1
(g) Size 32 x 32 x 15mm Dia	each	1
	each	1
(j) Size 25 x 25 x 15mm Dia 21 Supply of M.S. Spindle with M.S. Nut for Sluice		
Valve	each	1
(a) Size 3 inch Dia	each	1
(b) Size 4 inch Dia	each	1
(c) Size 6 inch Dia	each	<del>                                     </del>
(d) Size 8 inch Dia	each	$\frac{1}{1}$
(e) Size 10 inch Dia	each	1
(f) Size 12 inch Dia	each	1
(g) Size 14 inch Dia	each	$\frac{1}{1}$
(h) Size 16 inch Dia		$\frac{1}{1}$
(i) Size 18 inch Dia	each	$\frac{1}{1}$
(j) Size 20 inch Dia	each	
(k) Size 32 inch Dia	each	1

1	2 Supply of C.I. M.I. College with D. L.		1
1/2	Supply of C.I. MJ Coller with Rubber Gasket and Nut bolt as per IS Specification		
	(a) Size 150mmDia		
1	(b) Size 200mmDia	each	1
_	(c) Size 250mmDia	each	1
-	(d) Size 300mmDia	each	1
	(e) Size 350mmDia	each	1
	(f) Size 400mm Dia	each	1
	(g) Size 450mm Dia	each	1
23		each	1
	of pipe 6.00mm		3
	(a) Size 300mm Dia	RM	$\frac{1}{1}$
	(b) Size 400mm Dia	RM	1
24	Supply of CI Duck foot bend 90" x 16 inch ISI marked	each	1,
25	Supply of CI Duck foot bend 90" x 12 inch ISI marked	each	1
26	Supply of CI foot valve as per IS Specification		
	(a) Size 4 inch Dia	each	1
	(b) Size 6 inch Dia	each	1
	(c) Size 8 inch Dia	each	1
	(d) Size 10 inch Dia	each	1
	(e) Size 12 inch Dia	each	1
2	7 Supply of Cotton waste	kg	1
28	supply of ductile iron Mechanical joint collar with follower glands confoRunning Metering to IS-9523/2000 having dimension as per table 24 of IS-9523/2000 in the nominal diameter/sizes with external bitumen coating and internal cement mortar lining. (as per to IS 12288:1987)		
	100 mm diameter	Each	1
	(a) 150 mm diameter	Each	1
	(b) 200 mm diameter	Each	1
	(c) 250 mm diameter	Each	1
$\vdash$	(d) 300 mm diameter	Each	1
-	(e) 350 mm diameter	Each	1
-	(f) 400 mm diameter	Each	1
$\vdash$	(g) 450 mm diameter	Each	1
_	(h) 500 mm diameter	Each	1
	(i) 600 mm diameter	Each	1,
	(j) 700 mm diameter	Each	1
	(k) 800 mm diameter	Each	1
29	MS BOLTS AND NUTS 16 mm dia x 65 to 90 mm length fully threaded bolts and nuts with 2 Nos.	kg	1
30	MS BOLTS AND NUTS 20mm dia and above x 90mm to 120mm length fully threaded bolts and with nuts 2 Nos.	kg	1

supply of coper float (football)		
supply of coper float (football), pointer, pulleys, nylon thread for water leve lindicator.  Supply of Verious dia M.S. Clamp 10 to 12 inch 100 mm diameter  (a) 100 mm diameter  (b) supply of Coper float (football), pointer, pulleys, pul	each	1
(a) 100 mm diameter (b) 150 mm diameter (c) 200		
(c) 200 mm diameter	Each	1
(d) 250 mm diameter	Each	1
(e) 300 m	Each	1
(e) 300 mm diameter	Each	1
(1) 330 mm diam	Each	1
(g) 400 mm diam	Each	1
(II) 430 mm diament	Each	1
(1) 500 mm diamet	Each	1
(j) 600 mm diameter	Each	1
(k) 700 mm diameter	Each	1
(1) 800 mm diameter	Each	1
10 y 300 mm diameter	Fach	1

Sub Engineer Municipal Corporation Korba (C.G.)

Asstt. Engineer
Municipal Corporation
Korba (C.G.)

Executive Engineer Municipal Corporation Korba (C.G.)