

# कार्यालय, नगर पालिक निगम, कोरबा (छत्तीसगढ़)

फा.क्र./686/ निर्माण/2024

सिस्टम टेंडर नं. 154259

कोरबा दिनांक 14.03.2024


## द्वितीय ई-निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा लोक निर्माण विभाग में एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से प्रमुख अभियंता लोक निर्माण विभाग, रायपुर द्वारा (सड़क) दिनांक 01.01.2015 से प्रभावशील दर अनुसूची पर (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ) शेड्यूल अनुसार प्रतिशत दर पर ई-प्रोक्युरमेंट (E-Tendering) के माध्यम से निविदा प्रपत्र फार्म-1 में निविदाएं आमंत्रित की जाती है।

| क. | कार्य का नाम   | प्राक्कलन राशि(लाख में) | धरोहर राशि (FDR/TDR) | कार्यावधि                  | निविदा प्रतिभागी शुल्क (DD) | ठेकेदार का वर्ग          | निविदा खुलने की तिथि |
|----|--|-------------------------|----------------------|----------------------------|-----------------------------|--------------------------|----------------------|
| 1  | वार्ड 35, 36, 37, 14 में बी टी रोड निर्माण कार्य, 1(14वें वित्त) | 68.00                   | 51000.00             | 4 माह (वर्ष ऋतू को छोड़कर) | 3000.00                     | वर्ग डी एवं प्रवर श्रेणी | 02.04.2024 से .....  |

शर्त:-

- निविदा दरें प्रचलित सी.एस.आर. से कम या अधिक का उल्लेख किया जावे। सी.एस.आर. के अंतर्गत के आयटमों पर पृथक आयटम दरों का उल्लेख करने पर निविदा निरस्त मानी जावेगी।
- जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
- इच्छुक ठेकेदारों को उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशिप डीड) की सत्य प्रतिलिपि, उपलब्ध तकनीकी अमले की जानकारी, विगत 03 वर्षों का आयकर चुकता प्रमाण पत्र/पैन नंबर, जी.एस.टी. पंजीयन प्रमाण पत्र एवं अमानत राशि के एफ.डी.आर./टी.डी.आर. की प्रति ऑनलाईन अपलोड करना अनिवार्य होगा, प्रशिक्षित यंत्री नियुक्त करने संबंधी प्रमाण पत्र, कर्मचारी भविष्यनिधि रायपुर से पंजीकरण का कोड, निविदा प्रतिभागी शुल्क का डिमाण्ड ड्राफ्ट एवं धरोहर राशि, एफ.डी.आर./टी.डी.आर., शपथ पत्र का स्कैन कॉपी ऑनलाईन सिस्टम पर अपलोड करना अनिवार्य होगा।
  - अमानत राशि का वैध एफ.डी.आर./टी.डी.आर., निविदा प्रतिभागी शुल्क का डी.डी. एवं शपथ पत्र की मूल प्रति लिफाफा में कार्य का नाम एवं अन्य विवरण अंकित कर केवल स्पीड पोस्ट/रजिस्टर्ड डाक के माध्यम से निविदा खुलने की तिथि में दोपहर 3.00 बजे तक आयुक्त, नगर पालिक निगम, कोरबा साकेत भवन, आई.टी.आई. चौक रामपुर कोसाबाड़ी पिन-495677, कोरबा को उपलब्ध करना अनिवार्य होगा।
  - निविदाकार को निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर पालिक निगम या अन्य विभागों के उनके द्वारा किये जा रहे कार्यों का विवरण राशि सहित मूलप्रति में वैध शपथ पत्र (राशि रु. 100/- नॉनज्यूडिशियल स्टाम्प निविदा आमंत्रण दिनांक के पश्चात् का निविदा क्रमांक एवं कार्य का नाम अंकित करना अनिवार्य होगा।
  - अमानत राशि का एफ.डी.आर./टी.डी.आर. एवं निविदा प्रतिभागी शुल्क का डी.डी. जो कि आयुक्त, नगर पालिक निगम कोरबा के नाम पर देय हो प्रस्तुत करना अनिवार्य होगा।
- सम्पूर्ण किये गये कार्यों के लिये प्रत्येक चल देयकों में से 5 प्रतिशत सुरक्षा राशि 01 वर्ष के लिये रोकी जावेगी एवं 5 प्रतिशत राशि परफारमेंस सिक्यूरिटी की गारंटी के रूप में से 03 वर्ष के लिए रोकी जावेगी।
- जिन निविदाकारों द्वारा कर्मचारी भविष्यनिधि संगठन एवं कर्मचारी राज्य बीमा निगम, रायपुर से पंजीयन कराकर कोड प्राप्त कर लिया हो वे निविदाकार ही निविदा हेतु पात्र होंगे।
- निविदा में भाग लेने वाले ठेकेदारों को छ.ग. भवन और अन्य सन्निर्माण कर्मकार (नियोजन एवं सेवा शर्तों का विनियमन) अधिनियम 1996 एवं तदअंतर्गत निर्धारित नियमों के तहत पंजीयन कराना आवश्यक होगा तथा निर्माण लागत का 1 प्रतिशत उपकर के रूप में प्रत्येक देयक से कटौती की जावेगी।
- डामरीकरण कार्य का निविदा प्रपत्र क्रय करते समय ठेकेदार को स्वयं के स्वामित्व के आटोमेटिक ड्रम मिक्स प्लांट, रोलर एवं अन्य मशीनरी, हॉल मिक्स प्लांट, पेवर फिनिशर एवं रोड रोलर आदि मशीनों के प्रमाण पत्र आवेदन के साथ संलग्न कर आवश्यक होगा तथा निविदाकार का 60 कि.मी. की परिधि में हॉल मिक्स प्लांट होना आवश्यक है।
- ठेकेदार द्वारा 60/70 ग्रेड का डामर IOC, BPCL, HPCI से ही क्रय कर लगाना होगा। ठेकेदार को तल कंपनी को दी जाने वाली प्रदाय आदेश की प्रतिलिपि इस कार्यालय को देनी होगी।
- कार्य में प्रयुक्त डामर खरीदी के देयक (बिल) कार्यालय में प्रस्तुत करने पर ही भुगतान किया जावेगा।
- निविदा दरों में असामान्य कमी प्रतीत होने पर सफल निविदादाता से अनुबंध के पूर्व एस.ओ.आर. एवं निविदा दर की अंतर की राशि के समतुल्य परफारमेंस गारंटी के रूप में राष्ट्रीयकृत बैंक एफ.डी.आर., पोस्ट ऑफिस, टाईम डिपॉजिट अथवा एन.सी.सी. जो कि आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय होगा जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि समयावधि में जमा न करने की दशा में निविदा स्वमेव निरस्त मानी जावेगी।
- निविदा प्रपत्र अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।
- निविदा प्रपत्र फार्म-ए की कंडिका 11 अनुसार एस्कलेशन देय नहीं होगा।
- निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त का निर्णय अंतिम एवं सर्वमान्य होगा।
- निविदा स्वीकृत करने अथवा अस्वीकृत करने का अथवा निरस्त करने का अधिकार नगर पालिक निगम के पास सुरक्षित रहेगा।
- उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम कोरबा के साकेत भवन स्थित निर्माण शाखा से प्राप्त किया जा सकते हैं।

  
 कार्यपालन अभियंता  
 नगर पालिक निगम  
 कोरबा (छ.ग.)

प्रतिलिपि :-

प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, रायपुर को नकण्वहणवअण्पद में अपलोड करने हेतु प्रेषित।

**Date-Time Detail(s)**

| Seq. No. | Nagar Nigam Stage | Contractor Stage             | Start      |       | Expiry     |       | Remarks        |
|----------|-------------------|------------------------------|------------|-------|------------|-------|----------------|
|          |                   |                              | Date       | Time  | Date       | Time  |                |
| 1        | Release Tender    |                              | 14.03.2024 | 19.30 | 14.03.2024 | 19.30 | Release Tender |
| 2        |                   | Bid Submission               | 14.03.2024 | 19.30 | 01.04.2024 | 17.30 |                |
| 3        |                   | Physical Document Submission | 14.03.2024 | 19.30 | 02.04.2024 | 15.00 |                |
| 4        | Tender Open       |                              | 02.04.2024 | 16.00 | --         | --    |                |

  
**EXECUTIVE ENGINEER**  
**KORBA (CG)**  
For, Commissioner Korba (C.G.)



**TENDER/NIT HEADER DETAIL**

ORGANIZATION NAME Urban Administration and Development Department (UADD) PROCUREMENT CATEGORY WORKS  
 TENDER NO. 184259 TENDER DEALING OFFICER - Vinod kumar Sandilya (DPLT)  
 NUMBER OF ITEMS ALREADY 1 MATCHING NO  
 ATTACHED  
 CURRENCY INR - INDIAN RUPEE  
 BID TYPE RESTRICTED TENDER  
 VENDOR CLASS A, B, C, D TENDER CATEGORY PERCENTAGE  
 PROBABLE AMOUNT OF 6800193.00 OFFICE/DIVISION(FWD) COMMISSINOR, MUNICIPAL  
 CONTRACT (PAC) [INF] NAME CORPORATION, KORBA  
 DIVISION / DISTRICT MUNICIPAL CORPORATION, KORBA SECTION/CIRCLE(FWD) TENDER SECTION  
 NAME NAME  
 DESCRIPTION F.No. 696/Const./ Balco Zone /2024/KMC  
 DETAILED DESCRIPTION Tarring at BALCO & TP Nagar Ward 35,36,37,14  
 IS AUCTION ENABLED? N  
 NUMBER OF BID PART(S) 2 BID PART NUMBER 1

**ATTRIBUTE(S)**

| ATTRIBUTE NAME                            | ATTRIBUTE VALUE              |
|---|------------------------------|
| BID VALIDITY PERIOD (in days)             | 120                          |
| Tender / Work Completion Time (in months) | 4 (VALUE)                    |
| Required Past Technical Experience        | As per Tender Document / NIT |
| Required Financial Turnover (in INR)      | AS PER NIT                   |
| Required Bid Capacity (in INR)            | AS PER NIT                   |

**PAYMENT DETAILS**

| DETAILS                    |              |
|----------------------------|--------------|
| Tender/Processing/Bid Fees | N/A          |
| EMD/Bid Security           | 51000.00 INR |

**DATE-TIME DETAIL(S)**

BID SUBMISSION START DATE Mar 14, 2024 09:30:03:PM BID DUE DATE Apr 1, 2024 05:30:58:PM  
 BID OPEN DATE (SCHEDULED) Apr 2, 2024 04:00:04:PM PHYSICAL DOC SUBMISSION END DATE Apr 2, 2024 03:00:00:PM

**PRE-BID DISCUSSION DETAILS**

PRE-BID DISCUSSION NOT REQUIRED

**ALTERNATE BID DECRYPTOR(S)**

| USER DETAILS                  |  |
|-------------------------------|--|
| MR BUYER ADMIN (DPLT)         |  |
| - MANOJ KUMAR BARKAR (DPLT)   |  |
| - Mitlesh Verma (DPLT)        |  |
| - Pankumar Maheshwari (DPLT)  |  |
| - APRI YUMAR BHARMA (DPLT)    |  |
| - Bhushan Kam Oraon (DPLT)    |  |
| - Vinod Kumar Sandilya (DPLT) |  |

**TERM AND CONDITION DETAIL(S) - SPECIAL TERM(S)**

| SL. NO. | CATEGORY        | DESCRIPTION                                  |
|---------|-----------------|--|
| 1       | SPECIAL TERM(S) | SPECIAL TERM(S) As per Tender Document / NIT |

**TENDER SPECIFIC REQUIRED ATTACHMENT(S)**

**Envelop B**

| SL. NO. | SUPPORTING DOCUMENT NAME                                      | MANDATORY | ALLOW EXEMPTION | GROUP |
|---------|---|-----------|-----------------|-------|
| 2       | DECLARATION FOR NOT BEING BLACK LISTED                        | YES       | NO              | OTHER |
| 3       | TIN/COMPTAX CLEARANCE CERTIFICATE                             | YES       | NO              | OTHER |
| 4       | REGISTRATION CERTIFICATE (ANY GOVT DEPT IN CHHATTISGARH)      | YES       | NO              | OTHER |
| 5       | GST CERTIFICATE FROM CHHATTISGARH                             | YES       | NO              | OTHER |
| 6       | DECLARATION FOR NOT ABOVE TOTAL WORK OF REGISTRATION CAPACITY | YES       | NO              | OTHER |
| 7       | PARTNERSHIP DEED/MOA OF COMPANY (IF REQUIRED)                 | YES       | NO              | OTHER |

**OFFICE OF THE NAGAR PALIK NIGAM, KORBA ( C.G.)**


**ABSTRACT**


Name of Work : Tarring at Balcon Zone.  
 as per SOR : SCHEDULE OF RATES PUBLIC WORKS DEPARTMENT [PWD ROAD-01.01.2015]


| S.N | REF  | ITEM DESCRIPTION   | UNIT | QTY     | RATE    | AMOUNT       |
|-----|------|--|------|---------|---------|--------------|
| 1   | 3.11 | Scarifying existing bituminous surface to a depth of 50 mm (Scarifying the existing bituminous road surface to a depth of 50 mm and disposal of scarified material with in all lifts and lead up to 1000 meters) as per clause 305.4.3.  | Sqm. | 7503    | 23.00   | 172,569.00   |
| 2   | 4.10 | Wet Mix Macadam (Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers with paver in sub- base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per clause 406.)  | Cum  | 90      | 1434.00 | 129,060.00   |
| 3   | 5.1  | Prime coat (Providing and applying primer coat with oil based bitumen emulsion (SS-1, grade confirming to IS:8887) on prepared surface of granular Base including clearing of road surface and spraying primer using mechanical means as per clause 502.   |      |         |         |              |
|     | (i)  | on WBM/WMM surface @0.85 Kg/sqm.   | Sqm  | 16673   | 64.00   | 1,067,072.00 |
| 4   | 5.2  | Tack coat Providing and applying tack coat with bitumen emulsion (RS-1, grade confirming to IS:8887) using emulsion pressure distributor on the prepared bituminous/granular surface cleaned with mechanical broom and as per clause 503.  |      |         |         |              |
|     | (i)  | Bituminous surface @ 0.25 kg /Sqm  | Sqm  | 15633   | 15.00   | 234,495.00   |
| 5   | 5.3  | Bituminous Macadam (Providing and laying bituminous macadam as per clause 504 with mixed prepared in minimum 40-60 TPH capacity hot mix plant using crushed aggregates of specified grading premixed with bituminous binder, transported to site, laid over a previously prepared surface with paver finisher to the required grade, level and alignment and rolled to achieve the desired compaction)   |      |         |         |              |
|     | B    | With mechanical paver finisher   | 0    |         |         |              |
|     | (ii) | for Grading-II(19 mm nominal maximum size, bitumen content 3.40%)  | Cum  | 420.15  | 6255.00 | 2,628,038.25 |
| 6   | 5.8  | Close Graded Premix Surfacing/Mixed Seal Surfacing (Mechanical means using minimum 40-60 TPH capacity of HMP. Providing, laying and rolling of close-graded premix surfacing material of 20 mm thickness using bitumen to the required line, grade and level to serve as wearing course on a previously prepared base, including mixing in a suitable plant, laying and rolling with a Smooth wheeled roller 8-10 tonne capacity, and finishing to required level and grade, complete as per clause 508) |      |         |         |              |
|     | II.  | With mechanical paver finisher   | 0    |         |         |              |
|     | A    | With bitumen   | 0    |         |         |              |
|     | ii)  | Type B ( 13.2 mm to 0.09 mm size aggregates )  | Sqm  | 17344.6 | 146.00  | 2,532,311.60 |
| 7   | 4.13 | Construction of Shoulders (Construction of shoulders as per clause 408 with selected soil from borrow pits / borrow areas having CBR not less than 12 and shall have L.L. and P.I. not more than 25% and 6% respectively, inclusive of all leads and lifts, including clearing and scrapping of existing   |      |         |         |              |



| REF                        | ITEM DESCRIPTION  | UNIT | QTY   | RATE   | AMOUNT     |
|----------------------------|---|------|-------|--------|------------|
|                            | surface, providing required cross fall, compacting, watering rolling and royalty charges etc. complete. |      |       |        |            |
| B                          | With smooth wheeled roller  | Cum  | 132.3 | 277.00 | 36,647.10  |
| As per Estimate Amount Rs. |   |      |       |        | 6800192.95 |

  
S/E  
Nagar Palik Nigam  
Korba(C.G.)

  
A.E.  
Nagar palik Nigam  
korba(C.G.)

  
**Executive Engineer,**  
**Municipal Corporation,**  
**KORBA (Chhattisgarh)**