कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

फा.क./ भंडार./2019/ 781

कोरबा दिनांक 06.07.2019

सिस्टम निविदा क 52845

निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा नीचे लिखित कार्यो हेतु निर्माता कंपनी अथवा उनके अधिकृत विक्रेताओं से शेड्यूल अनुसार आयटम दर पर ई–प्रोक्युरमेंट (E-Tendring) के माध्यम से निविदाएं आमंत्रित की जाती है।

क	कार्य का नाम	प्राक्कलन राशि में	अमानत राशि	कार्यावधि	निविदा खुलने की तिथि
1.	सड़क रोशनी संधारण हेतु सामग्री की खरीदी हेतु वार्षिक दर निर्धारण।	–	1,50,000/–	01 वर्ष	30.07.2019 से .....

शर्तें :–

1. निविदा प्रपत्र की ई–प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे। निर्धारित तिथि को सायं 3.00 बजे के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा ।
2. जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरूद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
3. निविदा प्राप्त करने के इच्छुक ठेकेदारों को आवेदन के साथ अधिकृत विक्रेता प्रमाण पत्र की प्रमाणित प्रतिलिपि ऑनरशीप यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र(पार्टनरशीप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार के किये गये कार्यो का अनुभव प्रमाण पत्र, उपलब्ध तकनीकी अमले की जानकारी, आयकर प्रमाण पत्र/पेन नं. एवं छत्तीसगढ़ वाणिज्यिककर पंजीयन प्रमाण पत्र एवं अमानत ऑनलाईन जमा कर , स्केन कर बेवसाइट पर अपलोड करना अनिवार्य होगा।
4. राज्य के बाहर निविदाकारो के द्वारा ली गई दरों की तुलना राज्य में वाणिज्यकर अधिनियम के तहत् पंजीकृत निविदाकारों की गई दरों में छ.ग. वाणिज्यकर को छोड़कर ली जायेगी।
5. निविदा में भाग लेने वाले वाले निविदाकार/निर्माता/विक्रेता को उनके इस प्रकार की समाग्री प्रदाय करने का अनुभव हो तथा लागत के समकक्ष किये गये प्रदाय कार्य का अनुभव प्रमाण पत्र तथा कंपनी के अधिकृत विक्रेता का प्रमाण पत्र ऑनलाईन अपलोड करना होगा।
6. निविदा प्रपत्र उन्ही ठेकेदारो/प्रदायकर्ताओं को दिया जावेगा। जिन्हे इस प्रकार के कार्यो का अनुभव हों।
7. निविदा प्रपत्र अहस्तांतरणीय होगी एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा ।
8. बिना कारण बताए स्वीकृत/अस्वीकृत या पूर्ण रूप से अमान्य करने का अधिकार सक्षम अधिकारी को रहेगा ।
9. किसी भी तरह की विवाद की स्थिति में अंतिम निर्णय लेने का अधिकार सक्षम अधिकारी के पास सुरक्षित रहेगा।
10. दर निर्धारण पश्चात किसी भी अनुबंधित फर्म से स्वीकृत दर पर कार्य कराये जाने का अधिकार संस्था के पास सुरक्षित रहेगा।
11. उपरोक्त निर्धारित तिथियों में कोई शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावें।
12. उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम कोरबा की वेब साइट www.korbamunicipal.in पर भी यह टेन्डर उपलब्ध है।
13. अन्य सूचनाएं नगर पालिक निगम साकेत भवन रामपुर कोरबा कार्यालय से प्राप्त की जा सकती है
14. उपरोक्त कार्य से संबंधित उपकरण होने पर ही कार्यादेश दिया जावेगा।

कार्यपालन अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		06.07.19	10.30	06.07.19	10.30	Release Tender
2		Bid Submission	06.07.19	10.30	29.07.19	17.30	
3	Tender Open		30.07.19	10.30	--	--	

EXECUTIVE ENGINEER
KORBA (CG)
For, Commissioner Korba (C.G.)

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.)

Annual Rate Contract of Electrical Material Nagar Nigam, Korba

SN	DESCRIPTION	UNIT	QTY	Rate
1	Poly Carbonate Angle Holder. Anchor, Great White, Havells	No	1.00	
2	Electronic Choke 36 W.bajaj,Crompton Greaves,Havells.	No	1.00	
3	'Screw Driver Complete set Tapar Jallani	Set	1.00	
4	'pliers Insulated 200mm (Taparia)Tapari Jallani"	No	1.00	
5	'Hand gloves pair (Electrical Use)Crystal, Essab	Pair	1.00	
6	'Safety Belt Complete setKaram, Udyog	No	1.00	
7	'Safety shoeKaram, Udyogi , Bat	Pair	1.00	
8	'Wiring Patti (Casing - Caping) a) 25 mm Sarswat	Running Meter	1.00	
9	'Wiring Patti (Casing - Caping) a) 32 mm Sarswati\	Running Meter	1.00	
10	'Bend for Wiring Patti	No	1.00	
11	'J.B. Box For Wiring Patti	No	1.00	
12	'D.P. Switch 32 AMP ISI MarkAnchor,Bajaj,Crompton Greaves	No	1.00	
13	P.V.C. Wire (Copper) 1.5 Sq mm ISI MarkAnchor,HavePolycab	Running Meter	1.00	
14	'Insulation Tape - 10 mtr lorg ISI MarkSteel -Greep, Anchor"	No	1.00	
15	'Switch 5 Amp One Way Pianotype ISI MarkAnchor, Cona Hevalls	No	1.00	
16	'Switch 15 Amp One Way Pianotype ISI MarkAnchor, Cona a Hevalls	No	1.00	
17	'Socket 5 Amp Pianotype ISI MarkAnchor, Cona	No	1.00	
18	'Socket 15 Amp Pianotype ISI MarkAnchor, Cona	No	1.00	
19	'Main Switch TP& N (a) 32 amp ISI Mark Make - Havells,SSK L&T	No	1.00	
20	'Main Switch TP& N (b) 63 amp ISI Mark Make - Havells,SSK L&T	No	1.00	
21	'Main Switch TP& N (c) 100 amp ISI Mark Make - Havells,SSK L&T	No	1.00	
22	'Main Switch TP& N (d)200 amp ISI Mark Make -Havells,SSK L&T	No	1.00	
23	'Main switch SP & N (I) 32 AMP ISI Mark Make -Harells,SSK L&T	No	1.00	
24	'Main switch SP & N (II) 63 AMP ISI Mark Make -Harellss,SSK L&T	No	1.00	
25	'Miniature ciruit break. (a) 16 amp ISI MarkAnchor ,Havells, S&S	No	1.00	
26	'Miniature ciruit break.(b) 32 amp ISI MarkAnchor ,Havells, c &S	No	1.00	
27	'Aluminium wire PVC Insulated. (a) 1.5 Sqmm ISI MarkAsian, Kent	RUNNING METRE	1.00	
28	'Aluminium wire PVC Insulated. (b) 2.5 Sqmm ISI MarkAsian, Kent	RUNNING METRE	1.00	
29	'Aluminium wire PVC Insulated. (c) 4.0 Sqmm ISI MarkAsian, Kent	RUNNING METRE	1.00	
30	Aluminium wire PVC Insulated. (d) 6.0 Sqmm ISI MarkAsian, Kent	RUNNING METRE	1.00	
31	Alluminium Wire 10 Sq mm ISI (Single core) Mark Kent	RUNNING METRE	1.00	
32	Alluminium Wire 10 Sq mm ISI (Double Core) Mark Kent	RUNNING METRE	1.00	
33	Multi Stand copper conductor 2.5sqmm ISI mark Make - HPL, Anchor, Hevells	RUNNING METRE	1.00	

34	Multi Stand copper conductor 4sqmm ISI mark Make - HPL, Anchor, Hevells	RUNNING METRE	1.00	
35	'Aluminium armoured Cable 4 core (a) Size 16 Sqmm ISI MarkHavells, Poly cab, Phenolex	RUNNING METRE	1.00	
36	'Aluminium armoured Cable 4 core (b)Size 25 Sqmm ISI MarkHavells, Poly cab, Phenolex	RUNNING METRE	1.00	
37	'Aluminium armoured Cable 4 core (c) Size 35 Sqmm ISI MarkHavells, Poly cab, Phenolex	RUNNING METRE	1.00	
38	'Aluminium armoured Cable 4 core (d) Size 50 Sqmm ISI MarkHavells, Poly cab, Phenolex	RUNNING METRE	1.00	
39	'Aluminium armoured Cable 4 core (e) Size 150 Sqmm ISI MarkHavells, Poly cab, Phenolex	RUNNING METRE	1.00	
40	'Bulbs 100 WBajaj, Surya, Philips	No	1.00	
41	'Halogen tube 1000wPhilips, Crompton Greaves, Bajaj'	No	1.00	
42	'Halogen tube 500wPhilips, Crompton Greaves, Bajaj	No	1.00	
43	'Holder for Halogen Fixture 1000WPhilips, Crompton Greaves, Bajaj	No	1.00	
44	'Holder for Halogen Fixture 500WPhilips, Crompton Greaves, Bajaj	No	1.00	
45	'Copper Flat Cable Three core (a) Size 2.5 sqm mmHavells, Poly cab	Running Meter	1.00	
46	Copper Flat Cable Three core (b) Size 4.0 sqm mmHavells, Poly cab	Running Meter	1.00	
47	'Electronic Regulater for Celling Fan Step Type ISI Mark Make -Anchor, Cona & Great Whit	Running Meter	1.00	
48	G.I. Bracket 1" Dia (0.5mtr. Long) i/c bending the pipe to the required shap 2 nos. 40x5mm GI flat iron clamp with 4x9" long GI nut & bolt. Weight 2.5kg to 3 kg	No	1.00	
49	G.I. Bracket 1.25" Dia (0.5mtr. Long) bending the pipe to the required shap 2 nos. 40x5mm GI flat iron clamp with 4x9" long GI nut & bolt weight 3.2kg ot 3.5 Kg	No	1.00	
50	'Holder Pendent Type Poly Carbonate 40 w to 100wAnchor , Bajaj	No	1.00	
51	'Kit-Kat 100 ampAnchor , Orie	No	1.00	
52	'Screw Steel (100 Nos. Per Packet) a) 3/4	No	1.00	
53	'Screw Steel (100 Nos. Per Packet) b) 1"	No	1.00	
54	Screw Steel (100 Nos. Per Packet) c) 1Â½ "	No	1.00	
55	'Callbell 230 V (Ordinary) Anchor, Orient	No	1.00	
56	'Capacitor 2.5 Mcro Farrad ISI Mark AmcapAshiyanEPko	No	1.00	
57	Pendent (Bed) switch 5 AMP ISI MarkAnchor, Bajaj	No	1.00	
58	'Bell Push ISI Mark Anchor, Bajaj	No	1.00	
59	'Kit-Kat 16 amp ISI MarkAnchor,C	No	1.00	
60	'Kit-Kat 32amp ISI MarkAnch, CG	No	1.00	
61	'Kit-Kat 63amp ISI MarkAnch, CG	No	1.00	
62	Lugs Alluminium (I) 16 Sq mm Hex, Dowell, SVS	No	1.00	
63	'Lugs Alluminium (II) 25 Sq mmHex, Dowell, SVS	No	1.00	
64	'Lugs Alluminium (III) 35 Sq mmHex, Dowell, SVS	No	1.00	
65	'Lugs Alluminium (IV) 50 Sq mmHex, Dowell, SVS	No	1.00	
66	'Lugs Alluminium (V) 150 Sq mm Hex, Dowell, SVS"	No	1.00	
67	'Celling Fan 1200 mm Sweep with Electronic Reglater Steptyle Bajaj,Crompton Greaves,Anchor	No	1.00	
68	Celling Fan 1400 mm Sweep with Electronic Reglater Steptyle Bajaj,Crompton Greaves,Anchor	No	1.00	

69	Flourscent fitting 4" X 40 W with copper Balast (Tube light fitting) "Bajaj,Crompton Greaves,Anchor	No	1.00	
70	Flourscent Lamp 4" X 40 W (Tube Rod) Bajaj,Crompton Greaves, Surya'	No	1.00	
71	a) Water air cooler 18 " Exaust Fan Size (PVC Simphany) "Bajaj, Kenstar	No	1.00	
72	' b) Water air cooler 18 " ISI marked Exaust Fan Size (Steel Body)"Amber, Crompton Greaves	No	1.00	
73	Tester 230 V Taparia	No	1.00	
74	'Measuring Tap Each 30 Mtr.I.S.I. Mark	No	1.00	
75	Celling rose ISI marked	No	1.00	
76	Exaust Fan 12 " Dia ISI Mark. Bajaj,Crompton Greaves	No	1.00	
77	Exaust Fan 18 " Dia ISI Mark. Bajaj,Crompton Greaves	No	1.00	
78	'Swaged steel Tubular Pole - 9 Mtr. 410SP-32 marked as per IS 2713	No	1.00	
79	'Alluminium Ladder 20 Ft. (Folding Type)Paras, patel,	No	1.00	
80	'Change Over Switch 100 AMP ISI MarkAnchor,, Harells	No	1.00	
81	'Halozen Fixture 1000 W Bajaj,Crompton Greaves	No	1.00	
82	Halozen Fixture 500 W Bajaj,Crompton Greaesv	No	1.00	
83	Wall fan 400mm with rated speed 300rpm & rated air delivery 75cmm Make - Bajaj , Hevells , Cromption Greaves	No	1.00	
84	Pressure die cast aluminium LED street light 18 Watt with heat resistance tughnes class and IP 66 portection Make - HPL, Bajaj, Havells	No	1.00	
85	Supply of following 230/250 volt LED street light fitting with all accessories like driver, heat sink made of dia cast aluminium with IP 66 protection and 5KV surge protection on pole bracket complete as required and furnishing 2 Yrs Guarantee certificate from manufactur. (PWD approved) Make - Bajaj, Philips, Crompton or as equivalent LED 25 W	No	1.00	
86	LED 30 W	No	1.00	
87	LED 45 W	No	1.00	
88	LED 60 W	No	1.00	
89	LED 72 W	No	1.00	
90	LED 90 W	No	1.00	
91	LED 100 W	No	1.00	
92	LED 120 W	No	1.00	
93	LED 135 W	No	1.00	
94	Supply of LED lamp with inbuilt with electronic driver heat sink and all other accessiores in existing holder/ luminaries as required and furnishing 2 Yrs Guarantee certificate from manufacturer. (PWD approved) 0.5 W Make - Bajaj, Philips, Crompton or as equivalent	No	1.00	
95	5 W	No	1.00	
96	9 W	No	1.00	
97	12 W	No	1.00	
98	18 W	No	1.00	
99	35 W	No	1.00	
100	45 W	No	1.00	
101	Supply of LED Tube and 18 Watt inbuilt with electronic driver heat sink and all other accessiores in existing holder/ luminaries as required and furnishing 2 Yrs Guarantee certificate from manufacturer. (PWD approved) Make - Bajaj, Philips, Hevels, Crompton or as equivalent 18 Watt	No	1.00	
102	20 Watt	No	1.00	
103	LED Tube Rod with all accssiories Make Bajaj,Crompton Greaves, Hevels or as equivalent A) 18 Watt	No	1.00	
104	B) 20 Watt	No	1.00	

105	Switch disconnector 3 ploe 415 volt with SS Enclosure make Havells, HPL, SSK 80 Amp	No	1.00	
106	100 Amp	No	1.00	
107	125 Amp	No	1.00	
108	160 Amp	No	1.00	
109	200 Amp	No	1.00	
110	320 Amp	No	1.00	
111	PVC Mouduler Switch board boxes ISI mark 1 Way	No	1.00	
112	2 Way	No	1.00	
113	3 Way	No	1.00	
114	4 Way	No	1.00	
115	5 Way	No	1.00	
116	6 Way	No	1.00	
117	7 Way	No	1.00	
118	8 Way	No	1.00	
119	10 Way	No	1.00	
120	12 Way	No	1.00	
121	Supply of LED Street ligtht driver with all accessories of approved make Bajaj, Philips, Hevels, Crompton or as equivalent LED 25 W	No	1.00	
122	LED 30 W	No	1.00	
123	LED 45 W	No	1.00	
124	LED 60 W	No	1.00	
125	LED 72 W	No	1.00	
126	LED 90 W	No	1.00	
127	LED 100 W	No	1.00	
128	LED 120 W	No	1.00	
129	LED 135 W	No	1.00	

Sub Engineer
Municipal Corporation
Korba (C.G.)

Asstt. Engineer
Municipal Corporation
Korba (C.G.)

Exe. Engineer
Municipal Corporation
Korba (C.G.)