



कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

साकेत भवन आई.टी.आई. चौक, कोरबा (छ.ग.)

मु.का. दूरभाष : 221288, 222672, फैक्स : 07759-221929, पो. बाक्स नं. : 12 पिन कोड : 495677

Website : www.Korbamunicipal.in Email : mck.watersupply@gmail.com

फा.क.946/स्टोर/2024/

सिस्टम टेंडर नं. 161389

कोरबा, दिनांक 20.11.2024

तृतीय निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा निम्नलिखित कार्य हेतु व्यवसाय के संबंधित प्रतिष्ठित निर्माता कंपनी अथवा अधिकृत विक्रेताओं से शेड्यूल अनुसार आईटम दरों पर (E-Tendring) के माध्यम से निविदा आमंत्रित की जाती है :-

1. फिजिकल सबमिशन लिफाफा प्राप्त होने की अंतिम तिथि - 05.12.2024 सायंकाल से 3.00 बजे तक
2. निविदा खुलने की अंतिम तिथि - 05.12.2024 सायंकाल 4.00 बजे से

क्र	कार्य का नाम	प्राक्कलन राशि (राशि लाख में)	धरोहर राशि	कार्यावधि	निविदा प्रतिभागी शुल्क (₹)	निविदा खुलने की तिथि
1	विद्युत सामग्री की खरीदी हेतु वार्षिक दर निर्धारण	-	37500/-	01 वर्ष	3000.00	05.12.2024 से

- शर्तें :-
1. निविदा प्रपत्र की ई-प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे। निर्धारित तिथि को सायं 3.00 बजे के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा।
 2. जिन ठेकेदारों/प्रदायकर्ताओं द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
 3. निविदा प्राप्त करने के इच्छुक ठेकेदारों/प्रदायकर्ताओं को आवेदन के साथ निर्माता कंपनी/अधिकृत विक्रेता संबंधी प्रमाण पत्र की प्रमाणित प्रतिलिपि ऑनरशीप यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार के किये गये कार्यों का अनुभव प्रमाण पत्रों की जानकारी, आयकर प्रमाण पत्र/पैन नं. एवं जी.एस.टी. प्रमाण पत्र एवं अमानत राशि की स्कैन कापी बेवसाइट पर अपलोड करना अनिवार्य होगा।
 - अमानत राशि का वैध FDR/TDR, निविदा प्रतिभागी शुल्क का डिमांड ड्राफ्ट एवं निर्धारित प्रारूप में शपथ पत्र की मूल प्रतिलिफाफा में कार्य का नाम एवं अन्य विवरण अंकित कर केवल स्पीड पोस्ट/रजिस्टर्ड डाक के माध्यम से आयुक्त, नगर पालिक निगम, कोरबा साकेत भवन, आई.टी.आई. चौक रामपुर कोसाबाड़ी पिन- 495677 कोरबा के पते पर भेजना होगा। निर्धारित तिथि को सायं 03:00 बजे के पश्चात् फिजिकल सबमिशन लिफाफा स्वीकार नहीं किया जायेगा।
 - अमानत राशि का FDR/TDR एवं निविदा प्रतिभागी शुल्क का डिमांड ड्राफ्ट जो कि आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय हो प्रस्तुत करना अनिवार्य होगा। अन्यथा भुगतान करना संभव नहीं होगा।
 4. प्रदाय की गई सामग्री का परीक्षण रिपोर्ट भुगतान पूर्व देयक के साथ संलग्न करना अनिवार्य होगा। अन्यथा भुगतान करना संभव नहीं होगा।
 5. निविदा प्रपत्र उन्ही ठेकेदारों/प्रदायकर्ताओं को दिया जावेगा। जिन्हे इस प्रकार के कार्य का अनुभव हों।
 6. निविदा प्रपत्र अहस्तांतरणीय होगी एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।
 7. बिना कारण बताए स्वीकृत/अस्वीकृत या पूर्ण रूप से अमान्य करने का अधिकार सक्षम अधिकारी को रहेगा।
 8. किसी भी तरह की विवाद की स्थिति में अंतिम निर्णय लेने का अधिकार सक्षम अधिकारी के पास सुरक्षित रहेगा।
 9. दर निर्धारण पश्चात किसी भी अनुबंधित फर्म से स्वीकृत दर पर कार्य कराये जाने का अधिकार संस्था के पास सुरक्षित रहेगा।
 10. उपरोक्त निर्धारित तिथियों में कोई शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।
 11. उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम कोरबा की वेब साइट www.korbamunicipal.in पर भी यह टेन्डर उपलब्ध है।
 12. अन्य सूचनाएं नगर पालिक निगम साकेत भवन रामपुर कोरबा कार्यालय से प्राप्त की जा सकती है।
 13. ठेकेदार को निर्माण कार्य के दौरान "निर्माण एवं अपशिष्ट प्रबंधन नियम 2016" में किये गए प्रावधानों का पालन करना अनिवार्य होगा।
 14. ठेकेदार द्वारा संपादित किए गए कार्यों के देयकों का भुगतान कार्य विशेष हेतु बजट आबंटन एवं राशि उपलब्ध होने पर किया जाएगा।

कार्यप्रलेन अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

प्रतिलिपि :- प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को uad.cg.gov.in में अपलोड किये जाने हेतु प्रेषित।

Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		20.11.2024	12.30	20.11.2024	12.30	Release Tender
2		Bid Submission	20.11.2024	12.30	04.12.2024	17.30	
3		Physical Document Submission	20.11.2024	12.30	05.12.2024	15.00	
4	Tender Open		05.12.2024	16.00	--	--	


EXECUTIVE ENGINEER
KORBA (CG)
For, Commissioner Korba (C.G.)


Office Of The Municipal Corporation, Korba (C.G.)
Annual rate Contract of Electrical Material for Nagar Nigam Korba

SN	DESCRIPTION	UNIT	QTY	Lowest Rate
1	Poly Carbonate Angle Holder. Anchor, Great White, Havells	No	1	
2	Screw Driver Complete set Taparia, TATA	Set	1	
3	Pliers Insulated 200mm Taparia TATA	No	1	
4	Hand gloves pair (Electrical Use)Crystal, Essab	Pair	1	
5	Wiring Patti (Casing - Caping) a) 25 mmSarswati, Rigga	RMT	1	
6	Wiring Patti (Casing - Caping) a) 32 mm Sarswati, Rigga	RMT	1	
7	Bend for Wiring Patti	No	1	
8	'J.B. Box For Wiring Patti	No	1	
9	D.P. Switch 32 AMP ISI Mark- Anchor , Bajaj, Rigga, Cona	No	1	
10	P.V.C. Copper Wire ISIMakeAnchor, Havells , Polycab	RMT	1	
11	a) 1.5 Sq mm	RMT		
12	b) 2.5 sqmm	RMT		
13	c) 4.5 sqmm	No	1	
14	Insulation Tape - ISI Mark Steel Greep, Anchore	No	1	
15	Switch 5 Amp One Way Pianotype ISI Mark Anchors , Rigga, Cona	No	1	
16	Switch 15 Amp One Way Pianotype ISI Mark- Anchor, Rigga, Cona	No	1	
17	Socket 5 Amp Pianotype ISI Mark - Anchor, Cona , Rigga	No	1	
18	Socket 15 Amp Pianotype ISI Mark - Anchor, Cona , Rigga	No	1	
19	Main Switch TPN (a) 32 amp ISI Mark Make - Havells, HPL, Crompton , Klick, Rigga	No	1	
20	Main Switch TPN (b) 63 amp ISI Mark Make - Havells,HPL, Crompton ,Klick, Rigga	No	1	
21	Socket 5 Amp Piano type ISI Mark Anchor, Cona , Rigga	No	1	
22	Main Switch TPN (d)200 amp ISI Mark Make - Havells,Cona, Crompton,Klick, Rigga	No	1	
23	Main switch SP N (I) 32 AMP ISI Mark Make -Havells,Cona, Crompton,Klick, Rigga	No	1	
24	Main switch SP & N (II) 63 AMP ISI Mark Make - Havells,Cona, Crompton,Klick, Rigga	No	1	
25	SP MCB 240 V B Curve 6amp to 32amp	No	1	
26	Aluminium wire PVC Insulated ISI Mark Make - RK Lite, Kent, Polycab,Rigga	RMT	1	
27	(a) 1.5 Sqmm	RMT	1	
28	(b) 2.5 Sqmm	RMT	1	
29	(c) 4.0 Sqmm	RMT	1	
30	(d) 6.0 Sqmm	RMT	1	
31	(e) 10 Sq mm	RMT	1	
32	Alluminium Round cable PVC Insulated ISI Mark Make - - Kent, Polycab, Rigga, RK Lite	RMT	1	
33	a) 10 Sq mm 2 core	RMT		
34	b) 10sqmm 4 core	RMT	1	
35	Aluminium armoured Cable 4 core ISI Mark- Havells , Polycab , Phenolex	RMT	1	
36	(a) Size 16 Sqmm	RMT		
37	(b)Size 25 Sqmm	RMT	1	
38	Aluminium armoured Cable 3.5 core ISI Mark - Havells , Polycab , Phenolex	RMT	1	
39	(a) Size 35 Sqmm	RMT		
40	(b) Size 50 Sqmm	RMT	1	
41	(c) Size 150 Sqmm	RMT	1	
42	Bulbs 100 Watt ISI Marked -Bajaj, Surya, Philips	No	1	
43	Copper PVC Flat Cable Three coreISI mark	RMT	1	
44	(a) Size 2.5 sqm mmHavells, Poly cab	RMT		
45	Electronic Regulator for Ceiling Fan Step Type ISI Mark Make -Anchor, Cona , Great White	No	1	


40	G.I. Bracket 1" Dia (0.5mtr. Long) i/c bending the pipe to the required shap 2 nos. 25x5mm flat iron clamp with 4x9" long nut & bolt.	No	1	
41	G.I. Bracket 1.25" Dia (0.5mtr. Long) bending the pipe to the required shap 2 nos. 25x5mm GI flat iron clamp with 4x9" long nut & bolt	No	1	
42	Holder Pendent Type Poly Carbonate 40 w to 100w AnchorHevells ISI Marked	No	1	
43	Kit-Kat 100 amp Anchor Orient ISI mark	No	1	
44	Call bell 230 V (Ordinary) Anchor, Orient	No	1	
45	Capacitor 2 5 Mcro Farrad ISI Mark	No	1	
46	Bed switch 5 AMP ISI Mark Anchor. Cona, Rigga	No	1	
47	Bell Push ISI Mark Anchor, Bajaj, Rigga	No	1	
48	Tester 230 V Taparia , TATA	No	1	
49	'Measuring Tap Each 30 Mtr.I.S.I. Mark	No	1	
50	Celling rose ISI marked	No	1	
51	Exaust Fan 12 " Dia ISI Mark. Bajaj,Crompton Greaves, Surya	No	1	
52	Exaust Fan 18 " Dia ISI Mark. Bajaj,Crompton Greaves, Surya	No	1	
53	Swaged steel Tubular Pole - 9 Mtr. 410SP-32 marked as per IS 2713	No	1	
54	Alluminium Ladder 20 Ft. Sliding Type heavy duty with rope.	No	1	
55	Change Over Switch 100 AMP ISI Mark- Anchor, Hevells	No	1	
56	Wall fan 400mm ISI mark with rated speed 300rpm & rated air delivery 75cmm Make - Bajaj , Hevells , Crompton Greaves, Surya, Orient	No	1	
57	LED Street Light fitting with all accessories like driver heat. heat sink made of dia cast aluminium with IP 66 protection and 5KV surge protection on pole bracket complete as required and furnishing 2 Yrs Guarantee certificate from manufactur. Make - Bajaj, Philips, Crompton or as equivalent, Surya, Orient	No	1	
	a) LED 18 W	No		
58	b) LED 70 W	No	1	
59	c) LED 100 W	No	1	
60	LED lamp ISI mark with inbuilt with electronic driver heat sink and all other accessiores in existing holder/ luminaries Make - Bajaj, Philips, Crompton, Surya, Orient	No	1	
	a) LED 3 W	No		
61	b) LED 5 W	No		
62	c) LED 7 W	No		
63	d) LED 18 W	No	1	
64	e) LED 35 W	No	1	
65	f) LED 45 W	No	1	
66	(d) 9 Watt (Inverter Type With builtin battery backup)	No	1	
67	(e) 12 Watt (Inverter Type With builtin battery backup)	No	1	
68	LED Tube light fitting with all accssories Make Bajaj,Crompton Greaves, Hevels or as equivalent, Surya, Orient	No	1	
	A) 18/20 Watt 4 Feet.	No	1	
69	Switch disconnecter 3 ploee 415 volt with SS Enclosure make Havells, HPL, SSK , Klick , Cona, Rigga ISI Mark	No	1	
	a) 80 Amp	No	1	
70	b) 100 Amp	No	1	
71	c) 125 Amp	No	1	
72	d) 160 Amp	No	1	
73	e) 200 Amp	No	1	
74	f) 320 Amp	No	1	
75	PVC Mouduler Switch board boxes ISI mark	No	1	
	a) 94mmx94mm (1/2 Module)	No	1	
76	b) 118mmx94mm (3 Module)	No	1	
77	c) 150mmx94mm (4 Module)	No	1	
78	d) 205mmx94mm (6 Module)	No	1	
79	LED Street ligtht driver with all accessories of approved make Bajaj, Philips, Hevels, Crompton or as equivalent, Surya	No	1	
	a) LED 25 W	No	1	
80	b) LED 30 W	No	1	
81	c) LED 45 W	No	1	
82	d) LED 60 W	No	1	
83	e) LED 72 W	No	1	

84	f) LED 90 W	No	1
85	g) LED 100 W	No	1
86	h) LED 120 W	No	1
87	i) LED 135 W	No	1
88	Modular base & cover plate in sealed packing (a) 1 Module	No	1
89	(b) 2 Module	No	1
90	(c) 3 Module	No	1
91	(d) 4 Module	No	1
92	(e) 6 Module	No	1
93	(f) 8 Module	No	1
94	(g) 12 Module	No	1
95	(h) 16 Module	No	1
96	Metal box of following sizes (nominal size) including painting (a) 75 x mm x 75 mm x 60 mm deep	No	1
97	(b) 100 x mm x 100 mm x 60 mm deep	No	1
98	(c) 150 x mm x 75 mm x 60 mm deep	No	1
99	(d) 150 x mm x 150 mm x 60 mm deep	No	1
100	(e) 180 x mm x 100 mm x 60 mm deep	No	1
101	(f) 200 x mm x 125 mm x 60 mm deep	No	1
102	(g) 200 x mm x 150 mm x 60 mm deep	No	1
103	(h) 200 x mm x 250 mm x 60 mm deep	No	1
104	(i) 200 x mm x 300 mm x 60 mm deep	No	1
105	(j) 250 x mm x 300 mm x 60 mm deep	No	1
106	(k) 325 x mm x 300 mm x 60 mm deep	No	1
107	(l) 375 x mm x 300 mm x 60 mm deep	No	1
108	Ceiling fan BEE star rating from 3 star and above IS :374:2019 (A) 600 mm sweep	No	1
109	(B) 1200 mm sweep	No	1
110	(C) 1400 mm sweep	No	1
111	(D) 1200 mm sweep BLDC Motor with remote	No	1
112	LED Flood light 230/250 V ISI mark with all accessories like driver heat sink made of die cast aluminium with IP 66 Protection and 15KV surge protection complete as per specification and P.F. Should be greater than 0.9 LED chips efficacy ratio 120 lumens /watt Make- Surya, Bajaj, Philips, Havells, Orient (a) 60 watt	No	1
113	(b) 180 watt	No	1
114	(c) 500 watt	No	1
115	Aluminium Lugs ISI MARK (A) 10 sqm	No	1
116	B) 16 sqm	No	1
117	C) 25 sqm	No	1
118	Rubber Tape ISI MARK	No	1
119	Terminal 4 Way ISI MARK with nut bolt.	No	1
120	Wooden switch boxes made of wooden plank size wall and base a) 100mm x 100mm	No	1
121	b) 150mm x 75mm	No	1
122	c) 150mm x 150mm	No	1
123	d) 180mm x 180mm	No	1
124	e) 200mm x 150mm	No	1
125	f) 250mm x 200mm	No	1
126	g) 300mm x 350mm	No	1
127	h) 300mm x 400mm	No	1
128	Isolator Two Pole ISI mark 63 amp. Make- Havells, Rigga, Surya	No	1
129	Isolator Four Pole ISI mark 100 amp. Make- Havells, Rigga, Surya	No	1
130	Busbar Chamber made of 1.6mm thick CRCA sheet with 4 strip aluminium alloy or wrought aluminium busbars of following capacity and length, complete with all accessories 100amps x 450mm long	No	1

131	Busbar Chamber made of 16mm thick CRCA sheet with 4 strip aluminium alloy or wrought copper busbars of following capacity and length, complete with all accessories 100amps x 450mm long	No	1	
132	LED post top lenter (lamp) 230/250 volts a) 25 W	No	1	
133	b) 70 W	No	1	
134	LED Driver for LED Panel/down lights of PWD approved Make a) 3-6 Watt	No	1	
135	b) 9-12 Watt	No	1	
136	c) 15 Watt	No	1	
137	d) 18-20 Watt	No	1	
138	Heavy Duty sefty direct helmate ISI Marks	No	1	
139	Sefty Belt full body Pohlypropylene Nylon (Singh Hook and Singh Rope in multi colour)	No	1	
140	Reflective Sefty Jacket size L & XL Color Red	No	1	
141	Sefty shoes for men Steel Toe, Genuine lather light wieth PU Sole Color Black size - 7 to 11	No	1	


 Sub Engineer
 Municipal Corporation
 Korba (C.G.)


 Assitt. Engineer
 Municipal Corporation
 Korba (C.G.)


 Exe. Engineer
 Municipal Corporation
 Korba (C.G.)