

कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

फा.क./ भंडार./2020/809

कोरबा दिनांक 06.01.2021

सिस्टम निविदा क 70578

निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा नीचे लिखित कार्य हेतु निर्माता कंपनी अथवा उनके अधिकृत विक्रेताओं से शेड्यूल अनुसार आयटम दर पर ई-प्रोक्युरमेंट (E-Tendring) के माध्यम से निविदाएं आमंत्रित की जाती हैं।

क्र	कार्य का नाम	प्राक्कलन राशि में	अमानत राशि	कार्यावधि	निविदा खुलने की तिथि
1.	सड़क रोशनी संधारण हेतु सामग्री की खरीदी हेतु वार्षिक दर निर्धारण।	—	1,50,000/-	01 वर्ष	02.02.2020 से

शर्त :-

1. निविदा प्रपत्र की ई-प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे। निर्धारित तिथि को सायं 5.30 बजे तक ही निविदा डाली जा सकती है।
2. जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
3. निविदा प्राप्त करने के इच्छुक ठेकेदारों को आवेदन के साथ अधिकृत विक्रेता प्रमाण पत्र की प्रमाणित प्रतिलिपि ऑनरशीप यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार के किये गये कार्यों का अनुभव प्रमाण पत्र, उपलब्ध तकनीकी अमले की जानकारी, आयकर प्रमाण पत्र/पैन नं. एवं जी.एस.टी. प्रमाण पत्र एवं अमानत ऑनलाईन जमा कर, स्कैन कर वेबसाइट पर अपलोड करना अनिवार्य होगा।
4. राज्य के बाहर निविदाकारों के द्वारा ली गई दरों की तुलना राज्य में जी.एस.टी. अधिनियम के तहत पंजीकृत निविदाकारों की गई दरों में जी.एस.टी. को छोड़कर ली जायेगी।
5. निविदा में भाग लेने वाले निविदाकार/निर्माता/विक्रेता को उनके इस प्रकार की समग्र प्रदाय करने का अनुभव हो तथा लागत के समकक्ष किये गये प्रदाय कार्य का अनुभव प्रमाण पत्र तथा कंपनी के अधिकृत विक्रेता का प्रमाण पत्र ऑनलाईन अपलोड करना होगा।
6. निविदा प्रपत्र उन्हीं ठेकेदारों/प्रदायकर्ताओं को दिया जावेगा। जिन्हें इस प्रकार के कार्यों का अनुभव हो।
7. निविदा प्रपत्र अहस्तांतरणीय होगी एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।
8. बिना कारण बताए स्वीकृत/अस्वीकृत या पूर्ण रूप से अमान्य करने का अधिकार सक्षम अधिकारी को रहेगा।
9. किसी भी तरह की विवाद की स्थिति में अंतिम निर्णय लेने का अधिकार सक्षम अधिकारी के पास सुरक्षित रहेगा।
10. दर निर्धारण पश्चात किसी भी अनुबंधित फर्म से स्वीकृत दर पर कार्य कराये जाने का अधिकार संस्था के पास सुरक्षित रहेगा।
11. उपरोक्त निर्धारित तिथियों में कोई शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।
12. उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम कोरबा की वेब साइट www.korbamunicipal.in पर भी यह टेन्डर उपलब्ध है।
13. अन्य सूचनाएं नगर पालिक निगम साकेत भवन रामपुर कोरबा कार्यालय से प्राप्त की जा सकती हैं।
14. उपरोक्त कार्य से संबंधित उपकरण होने पर ही कार्यादेश दिया जावेगा।

कार्यपालन अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		06.01.21	17.30	06.01.21	17.30	Release Tender
2		Bid Submission	06.01.21	17.30	01.02.21	17.30	
3	Tender Open		02.02.21	10.30	--	--	


EXECUTIVE ENGINEER
KORBA (CG)
 For, Commissioner Korba (C.G.)

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.)
Annual rate Contract of Electrical Material for Nagar Nigam Korba

SN	DESCRIPTION	UNIT	QTY
1	Poly Carbonate Angle Holder. Anchor, Great White, Havells, Surya	No	1
2	Screw Driver Complete set Tapar Jalla, Cona	Set	1
3	'pliers Insulated 200mm (Taparia) Tapari Jallani"	No	1
4	'Hand gloves pair (Electrical Use) Crystal, Essab	Pair	1
5	Wiring Patti (Casing - Caping) a) 25 mm Sarswati, Riga	RUNNING METRE	1
6	Wiring Patti (Casing - Caping) a) 32 mm Sarswati, Riga	RUNNING METRE	1
7	'Bend for Wiring Patti	No	1
8	'J.B. Box For Wiring Patti	No	1
9	D.P. Switch 32 AMP ISI Mark- Anchor , Bajaj, Rigga, Cona	No	1
10	P.V.C. Wire (Copper) 1.5 Sq mm ISI Make Anchor, Havells , Polycab	RUNNING METRE	1
11	Insulation Tape - ISI Mark Steel -Greep, Anchor"	No	1
12	Switch 5 Amp One Way Pianotype ISI Mark Anchors , Rigga, Cona	No	1
13	Switch 15 Amp One Way Pianotype ISI Mark- Anchor, Rigga, Cona	No	1
14	Socket 5 Amp Pianotype ISI Mark - Anchor, Cona equivalent	No	1
15	Socket 15 Amp Pianotype ISI Mark - Anchor, Cona equivalent	No	1
16	Main Switch TPN (a) 32 amp ISI Mark Make - Havells, HPL, Crompton or equivalent	No	1
17	Main Switch TPN (b) 63 amp ISI Mark Make - Havells, HPL, Crompton or equivalent	No	1
18	Socket 5 Amp Pianotype ISI Mark Anchor, Con Rigga or equivalent	No	1
19	Main Switch TPN (d) 200 amp ISI Mark Make - Havells, HPL, Crompton or equivalent	No	1
20	Main switch SP N (I) 32 AMP ISI Mark Make - Havells, HPL, Crompton or equivalent	No	1
21	Main switch SP & N (II) 63 AMP ISI Mark Make - Havells, HPL, Crompton or equivalent	No	1
22	Miniature circuit break. (a) 16 amp ISI Mark- Anchore, Havells	No	1
23	'Miniature circuit break. (b) 32 amp ISI Mark Anchor , Havells, c & S	No	1
24	Aluminium wire PVC Insulated. (a) 1.5 Sqmm ISI Mark- Asian, Kent, Polycab, Rigga	RUNNING METRE	1
25	Aluminium wire PVC Insulated. (b) 2.5 Sqmm ISI Mark - Asian, Kent, Polycab, Rigga	RUNNING METRE	1
26	Aluminium wire PVC Insulated. (c) 4.0 Sqmm ISI Mark- Asian, Kent, Polycab, Rigga	RUNNING METRE	1
27	Aluminium wire PVC Insulated. (d) 6.0 Sqmm ISI Mark Asian, Kent, Polycab, Rigga	RUNNING METRE	1
28	Alluminium Wire 10 Sq mm Round Cable ISI (Single core) Mark - Kent, Polycab, Rigga	RUNNING METRE	1
29	Alluminium Wire 10 Sq mm Round Cable ISI (Double Core) Mark - Kent, Polycab, Rigga	RUNNING METRE	1
30	Alluminium Wire 10 Sq mm Round Cable ISI (Four Core) Mark - Kent, Polycab, Rigga	RUNNING METRE	1
31	Multi Stand copper conductor 2.5sqmm ISI mark Make - HPL, Anchor, Hevells, Polycab	RUNNING METRE	1
32	Multi Stand copper conductor 4sqmm ISI mark Make - HPL, Anchor, Hevells, Polycab	RUNNING METRE	1
33	Aluminium armoured Cable 4 core (a) Size 16 Sqmm ISI Mark- Havells , Polycab , Phenolex	RUNNING METRE	1
34	Aluminium armoured Cable 4 core (b) Size 25 Sqmm ISI Mark - Havells , Polycab , Phenolex	RUNNING METRE	1

35	Aluminium armoured Cable 4 core (c) Size 35 Sqmm ISI Mark - Havells , Polycab , Phenolex	RUNNING METRE	1
36	'Aluminium armoured Cable 4 core (d) Size 50 Sqmm ISI Mark Havells, Poly cab, Phenolex	RUNNING METRE	1
37	Aluminium armoured Cable 4 core (e) Size 150 Sqmm ISI Mark - Havells , Polycab , Phenolex	RUNNING METRE	1
38	'Bulbs 100 WBajaj, Surya, Philips	No	1
39	Halogen tube 1000wPhilips, Crompton Greaves, Bajaj, Vivid	No	1
40	Halogen tube 500wPhilips, Crompton Greave Bajaj, Vivid	No	1
41	Holder for Halogen Fixture 1000WPhilips, Crompton Greaves, Bajaj	No	1
42	'Holder for Halogen Fixture 500WPhilips, Crompton Greaves, Bajaj	No	1
43	'Copper Flat Cable Three core (a) Size 2.5 sqm mmHavells, Poly cab	RUNNING METRE	1
44	Copper Flat Cable Three core (b) Size 4.0 sqm mmHavells, Poly cab	RUNNING METRE	1
45	Electronic Regulator for Celling Fan Step Type ISI Mark Make -Anchor, Cona , Great White	RUNNING METRE	1
46	G.I. Bracket 1" Dia (0.5mtr. Long) i/c bending the pipe to the required shap 2 nos. 25x5mm flat iron clamp with 4x9" long nut & bolt.	No	1
47	G.I. Bracket 1.25" Dia (0.5mtr. Long) bending the pipe to the required shap 2 nos. 25x5mm GI flat iron clamp with 4x9" long nut & bolt	No	1
48	'Holder Pendent Type Poly Carbonate 40 w to 100wAnchor , Bajaj	No	1
49	'Kit-Kat 100 ampAnchor , Ori	No	1
50	'Screw Steel (100 Nos. Per Packet) a) 3/4	No	1
51	'Screw Steel (100 Nos. Per Packet) b) 1"	No	1
52	Screw Steel (100 Nos. Per Packet) c) 1 1/2"	No	1
53	'Callbell 230 V (Ordinary) Anchor, Orient	No	1
54	Capacitor 2.5 Micro Farrad ISI Mark	No	1
55	Pendent (Bed) switch 5 AMP ISI Mark Anchor. Cona, Rigga	No	1
56	'Bell Push ISI Mark Anchor, Bajaj	No	1
57	Kit-Kat 16 amp ISI Mark Anchor, Rigga,Cona	No	1
58	Kit-Kat 32amp ISI Mark Anchor, Rigga,Cona	No	1
59	Kit-Kat 63amp ISI Mark Anchor, Rigga,Cona	No	1
60	Lugs Alluminium (I) 16 Sq mm Hex, Dowell, SVS , ISI Mark	No	1
61	Lugs Alluminium (II) 25 Sq mmHex, Dowell, SVS , ISI Mark	No	1
62	Lugs Alluminium (III) 35 Sq mmHex, Dowell, SVS , ISI Mark	No	1
63	Lugs Alluminium (IV) 50 Sq mmHex, Dowell, SVS , ISI Mark	No	1
64	Lugs Alluminium (V) 150 Sq mm Hex, Dowell, SVS , ISI Mark	No	1
65	Celling Fan 1200 mm Sweep with Electronic Reglater Steptyle Bajaj,Crompton Greaves,Anchor, Surya or equivalent	No	1
66	Celling Fan 1400 mm Sweep with Electronic Reglater Steptyle Bajaj,Crompton Greaves,Anchor, Surya or equivalent	No	1
67	Tester 230 V Taparia , Cona	No	1
68	'Measuring Tap Each 30 Mtr.I.S.I. Mark	No	1
69	Celling rose ISI marked	No	1
70	Exhaust Fan 12 " Dia ISI Mark. Bajaj,Crompton Greaves, Surya or equivalent	No	1
71	Exhaust Fan 18 " Dia ISI Mark. Bajaj,Crompton Greaves, Surya or equivalent	No	1
72	'Swaged steel Tubular Pole - 9 Mtr. 410SP-32 marked as per IS 2713	No	1
73	'Alluminium Ladder 20 Ft. (Folding Type)Paras, patel,	No	1
74	Change Over Switch 100 AMP ISI Mark- Anchor, Hevells	No	1
75	Halozen Fixture 1000 W Bajaj,Crompton Greave,Surya or equivalent	No	1

76	Halozen Fixture 500 W Bajaj, Crompton Greaves, Surya or equivalent	No	1
77	Wall fan 400mm with rated speed 300rpm & rated air delivery 75cmm Make - Bajaj, Hevels, Crompton Greaves	No	1
78	Pressure die cast aluminium LED street light 18 Watt with heat resistance tughnes class and IP 66 portection Make - HPL, Bajaj, Havells	No	1
79	Supply of following 230/250 volt LED street light fitting with all accessories like driver, heat sink made of dia cast aluminium with IP 66 protection and 5KV surge protection on pole bracket complete as required and furnishing 2 Yrs Guarantee certificate from manufactur. (PWD approved) Make - Bajaj, Philips, Crompton or as equivalent LED 25 W	No	1
80	LED 30 W	No	1
81	LED 45 W	No	1
82	LED 60 W	No	1
83	LED 72 W	No	1
84	LED 90 W	No	1
85	LED 100 W	No	1
86	LED 120 W	No	1
87	LED 135 W	No	1
88	Supply of LED lamp with inbuilt with electronic driver heat sink and all other accessiores in existing holder/ luminaries as required and furnishing 2 Yrs Guarantee certificate from manufacturer. (PWD approved) 0.5 W Make - Bajaj, Philips, Crompton or as equivalentb	No	1
89	5 W	No	1
90	9 W	No	1
91	12 W	No	1
92	18 W	No	1
93	35 W	No	1
94	45 W	No	1
95	Supply of LED Tube and 18 Watt inbuilt with electronic driver heat sink and all other accessiores in existing holder/ luminaries as required and furnishing 2 Yrs Guarantee certificate from manufacturer. (PWD approved) Make - Bajaj, Philips, Hevels, Crompton or as equivalent 18 Watt	No	1
96	20 Watt	No	1
97	LED Tube Rod with all accssories Make Bajaj, Crompton Greaves, Hevels or as equivalent A) 18 Watt	No	1
98	B) 20 Watt	No	1
99	Switch disconnecter 3 ploee 415 volt with SS Enclosure make Havells, HPL, SSK 80 Amp	No	1
100	100 Amp	No	1
101	125 Amp	No	1
102	160 Amp	No	1
103	200 Amp	No	1
104	320 Amp	No	1
105	PVC Mouduler Switch board boxes ISI mark 1 Way	No	1
106	2 Way	No	1
107	3 Way	No	1
108	4 Way	No	1
109	5 Way	No	1
110	6 Way	No	1
111	7 Way	No	1
112	8 Way	No	1
113	10 Way	No	1
114	12 Way	No	1
115	Supply of LED Street ligtht driver with all accessories of approved make Bajaj, Philips, Hevels, Crompton or as equivalent LED 25 W	No	1
116	LED 30 W	No	1

117	LED 45 W	No	1
118	LED 60 W	No	1
119	LED 72 W	No	1
120	LED 90 W	No	1
121	LED 100 W	No	1
122	LED 120 W	No	1
123	LED 135 W	No	1
124	Supplying following Moudular base & cover plate in sealed packing		
125	(a) 1 Module	No	1
126	(b) 2 Module	No	1
127	(c) 3 Module	No	1
128	(d) 4 Module	No	1
129	(e) 6 Module	No	1
130	(f) 8 Module	No	1
131	(g) 12 Module	No	1
132	(h) 16 Module	No	1
133	Supplying metal box of follwing sizes (nominal size) including painting		
134	(a) 75 x mm x 75 mm x 60 mm deep	No	1
135	(b) 100 x mm x 100 mm x 60 mm deep	No	1
136	(c) 150 x mm x 75 mm x 60 mm deep	No	1
137	(d) 150 x mm x 150 mm x 60 mm deep	No	1
138	(e) 180 x mm x 100 mm x 60 mm deep	No	1
139	(f) 200 x mm x 125 mm x 60 mm deep	No	1
140	(g) 200 x mm x 150 mm x 60 mm deep	No	1
141	(h) 200 x mm x 250 mm x 60 mm deep	No	1
142	(i) 200 x mm x 300 mm x 60 mm deep	No	1
143	(j) 250 x mm x 300 mm x 60 mm deep	No	1
144	(k) 325 x mm x 300 mm x 60 mm deep	No	1
145	(l) 375 x mm x 300 mm x 60 mm deep	No	1
146	Supplying of following sizes ceiling fan		
147	(A) 600 mm sweep	No	1
148	(b) 1050 mm sweep	No	1
149	(c) 1200 mm sweep	No	1
150	(d) 1400 mm sweep	No	1
151	(e) 900 mm sweep (Decorative Type)	No	1
152	(f) 1200 mm sweep (Decorative Type)	No	1
153	(g) 1200 mm sweep (BLDC Motor)	No	1
154	Supplying of following LED lamps with inbuilt electronic driver heat sink for conventional holder		
155	(A) 3 Watt	No	1
156	(b) 5 Watt	No	1
157	(c) 7 Watt	No	1
158	(d) 9 Watt	No	1
159	(e) 12 Watt	No	1
160	(f) 15 Watt	No	1
161	(g) 9 Watt (Inverter Type With builtin battery backup)	No	1
162	(h) 12 Watt (Inverter Type With builtin battery backup)	No	1
163	Supplying of following 230/250 volts LED Flood light Make- Surya, Bajaj, Philips or equivalent.		
164	(A) 30 watt	No	1
165	(b) 50 watt	No	1
166	(c) 60 watt	No	1
167	(d) 80 watt	No	1
168	(e) 100 watt	No	1
169	(f) 120 watt	No	1
170	(g) 150 watt	No	1
171	(h) 180 watt	No	1
172	(i) 200 watt	No	1
173	(j) 250 watt	No	1
174	(k) 300 watt	No	1

175	(l) 350 watt	No	1
176	(m) 400 watt	No	1
177	(n) 500 watt	No	1
178	Supply of Following Types of Joint Lugs ISI MARK	No	1
179	(A) 10 sqm	No	1
180	B 16 sqm	No	1
181	C 25 sqm	No	1
182	Supply of Rubber Tape ISI MARK		
183	Supply of Junction Box ISI MARK	No	1
	Size 250mmx200x125mm	No	1
184	Supply of Terminal 4 Way ISI MARK	No	1
185	Supply of Timer Switch For 63 Amp. With 63 Amp., Contectret Timer, MCB 63 Amp, Rotary Switch Buss Bar, Stable For Terminal loc, 50mmX450mmX200mm Size CRCA 2mm Thick Sheet and locking Arrangement all Complete Make L & T, Havelles, Simans, HPL etc.	No	1

Sub. Engineer
Mnucipal Coration
Korba (C.G.)

Asst. Engineer
Mnucipal Coration
Korba (C.G.)

Executive Engineer
Mnucipal Coration
Korba (C.G.)