



# कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

जलप्रदाय शाखा :- साकेत भवन आई.टी.आई. चौक, कोरबा (छ.ग.)

मु.का. दूरभाष : 221288, 222672, फ़ैक्स : 07759-221923, पो. बक्स नं. : 12 पिन कोड : 495677

Website : [www.Korbamunicipal.in](http://www.Korbamunicipal.in) Email : [mck.watersupply@gmail.com](mailto:mck.watersupply@gmail.com)

फा.क./1239/ज.प्र.स./2022/

सिस्टम टेंडर नं. 103135

कोरबा, दिनांक 23.06.2022


## निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा निम्नलिखित कार्य हेतु व्यवसाय के संबंधित प्रतिष्ठित निर्माता कंपनी अथवा अधिकृत विक्रेताओं से शेड्यूल अनुसार आइटम दरों पर (E-Tendring) के माध्यम से निविदा आमंत्रित की जाती है :-

क	कार्य का नाम	प्राक्कलन राशि (राशि लाख में)	धरोहर राशि	कार्यावधि	निविदा खुलने की तिथि
1	जलप्रदाय संधारण कार्य हेतु सी.आई./जी.आई./एम.एस./जी.एम./ए.सी./डी.आई पाइप सामग्री खरीदी कार्य। (वार्षिक दर पर) (द्वितीय निविदा)	-	20,000/-	01 वर्ष	15.07.2022 से .....

### शर्त :-

1. निविदा प्रपत्र की ई-प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे। निर्धारित तिथि को सायं 3.00 बजे के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा।
2. जिन ठेकेदारों/प्रदायकर्ताओं द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
3. निविदा प्राप्त करने के इच्छुक ठेकेदारों/प्रदायकर्ताओं को आवेदन के साथ निर्माता कंपनी/अधिकृत विक्रेता संबंधी प्रमाण पत्र की प्रमाणित प्रतिलिपि ऑनरशीप यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार के किये गये कार्यों का अनुभव प्रमाण पत्रों की जानकारी, आयकर प्रमाण पत्र/पैन नं. एवं जी.एस.टी. प्रमाण पत्र एवं अमानत राशि ऑन लाइन जमा कर स्केन कापी बेवसाइट पर अपलोड करना अनिवार्य होगा।
4. दर निर्धारण पश्चात् किसी अनुबंधित निविदाकार एवं प्रदायकर्ता से सामग्री कय करने का अधिकार संस्था के पास सुरक्षित रहेगा।
5. प्रदाय की गई सामग्री का परीक्षण रिपोर्ट भुगतान पूर्व देयक के साथ संलग्न करना अनिवार्य होगा। अन्यथा भुगतान करना संभव नहीं होगा।
6. निविदा प्रपत्र उन्ही ठेकेदारों/प्रदायकर्ताओं को दिया जावेगा। जिन्हे इस प्रकार के कार्य का अनुभव हों।
7. निविदा प्रपत्र अहस्तांतरणीय होगी एवं सषर्त निविदाओं पर विचार नहीं किया जावेगा।
8. बिना कारण बताए स्वीकृत/अस्वीकृत या पूर्ण रूप से अमान्य करने का अधिकार सक्षम अधिकारी को रहेगा।
9. किसी भी तरह की विवाद की स्थिति में अंतिम निर्णय लेने का अधिकार सक्षम अधिकारी के पास सुरक्षित रहेगा।
10. उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम कोरबा की वेब साइट [www.korbamunicipal.in](http://www.korbamunicipal.in) पर भी यह टेन्डर उपलब्ध है।
11. अन्य सूचनाएं नगर पालिक निगम साकेत भवन रामपुर कोरबा कार्यालय से प्राप्त की जा सकती है

  
कार्यपालन अभियंता  
नगर पालिक निगम  
कोरबा (छ.ग.)

प्रतिलिपि :- प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को [uad.cg.gov.in](http://uad.cg.gov.in) में अपलोड किये जाने हेतु प्रेषित।

### Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		23.06.22	10.30	23.06.22	10.30	Release Tender
2		Bid Submission	23.06.22	10.30	14.07.22	17.30	
3	Tender Open		15.07.22	10.30	--	--	



**EXECUTIVE ENGINEER  
KORBA (CG)**

 For, Commissioner Korba (C.G.)

# OFFICE OF THE MUNICIPAL CORPORATION KORBA (C.G)

## Sub. Annual Rate Contract for supply of C.I./G.I./M.S. / G.M./A.C./D.I. Item for Water Works

~~Lowest Rate~~ - 2022

S No.	DESCRIPTION	UNIT	Rate	QTY	Amount
1	2	3	4	5	6
1	Supply of rubber ISI marked gasket (pushon) joints to DI classk-7,k-8 and k-9 pipes & DI specials (rubber ISI marked Gasket (pushon) jointas per IS - 5382 / 85 and soap solution etc.) (Tyton rubber ring)				
	(a) 100 mm dia Mtr.	each		1	
	(b) 150 mm dia Mtr.	each		1	
	(c) 200 mm dia Mtr.	each		1	
	(d) 250 mm dia Mtr.	each		1	
	(e) 300 mm dia Mtr.	each		1	
	(f) 350 mm dia Mtr.	each		1	
	(g) 400 mm dia Mtr.	each		1	
	(h) 450 mm dia Mtr.	each		1	
2	Supply of C.I. Sluice Valve (Double Flanged) with Brass Spindle as per ISI Marked make (Zoloto) asperI.S.:14846-2000 with nut bolts, rubber gasket (Class-PN 16)				
	(a) Size 80mm Dia	each		1	
	(b)Size 100mm Dia	each		1	
	(c)Size 150mm Dia	each		1	
	(d)Size 200mm Dia	each		1	
	(e)Size 250mm Dia	each		1	
	(f) Size 300mm Dia	each		1	
	(g)Size 350mm Dia	each		1	
	(h) Size 400mm Dia	each		1	
	(i)Size 450mm Dia	each		1	
3	Providing following socket & spigot centrifugally cast (Spun) Ductile Iron pressure pipes with inside cement mortar lining (class K-9) confoRunning Metering to IS 8329 /2000 with suitable Rubber Gasket (Push on) joints as per IS:5382/2018 (a) Size 100mm Dia				
	(a) Size 100mm Dia	MTR		1	
	(b) Size 150mm Dia	MTR		1	
	(c) Size 200mm Dia	MTR		1	
	(d) Size 250mm Dia	MTR		1	
	(e) Size 300mm Dia	MTR		1	
	(f) Size 350mm Dia	MTR		1	

	(g) Size 400mm Dia	MTR
	(h) Size 450mm Dia	MTR
4	Providing Ductile Iron Double Socket 90° Bends conforming to IS: 9523/2000 having dimension as per table 15 of IS: 9523/2000 in the following nominal diameter/ sizes with external bitumen coating and internal cement mortar lining.	
	(a) Size 100mm Dia	MTR
	(b) Size 150mm Dia	MTR
	(c) Size 200mm Dia	MTR
	(d) Size 250mm Dia	MTR
5	supply of , ductile iron Double socket branch flange Tee conforming to IS-9523/2000 having dimension as per table 21 of IS-9523/2000 in the nominal diameter/sizes with external bitumen coating and internal cement mortar lining with finishing as per clause 13 of IS-9523/2000. as per to IS 12288:1987) (All sizes in mm)	
	100 x 100 mm	R.M.
	150 x 100 mm	R.M.
	150 x 150 mm	R.M.
	200 x 100 mm	R.M.
	200 x 150 mm	R.M.
	200 x 200 mm	R.M.
	250 x 100 mm	R.M.
	250 x 150 mm	R.M.
	250 x 200 mm	R.M.
	250 x 250 mm	R.M.
	300 x 100 mm	R.M.
	300 x 150 mm	R.M.
6	supply of , ductile iron Double socket reducer conforming to IS-9523/2000 having dimension as per table 21 of IS-9523/2000 in the nominal diameter/sizes with external bitumen coating and internal cement mortar lining with finishing as per clause 13 of IS-9523/2000. (as per to IS 12288:1987) (All sizes in mm)	
	150 x 100 mm	R.M.
	200 x 100 mm	R.M.
	200 x 150 mm	R.M.
	250 x 150 mm	R.M.
	250 x 200 mm	R.M.
7	Supply of C.I. D. Joint with nut bolt & Rubber rings as per IS at 794-5282 Class-15	
	(b) Size 100mm Dia	each
	(c) Size 150mm Dia	each
	(d) Size 200mm Dia	each
	(e) Size 250mm Dia	each
	(f) Size 300mm Dia	each
8	Supply of C.I. Single Air Valves as per IS specification	
	( a)Size 100mm Dia	each

1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	


	Size 150mm Dia	each	1	
9	Supply of C.I. Double air valves as per IS specification (PN 1.6) (a) Size 100mm Dia			
	(a) Size 100mm Dia	each	1	
	(b) Size 150mm Dia	each	1	
	(c) Size 200mm Dia	each	1	
10	C.I. Shedle Piece Complete with Washer & Nut bolts			
	(a) Size 100mm Dia	each	1	
	(b) Size 150mm Dia	each	1	
	(c) Size 200mm Dia	each	1	
	(d) Size 250mm Dia	each	1	
	(e) Size 300mm Dia	each	1	
	(f) Size 350mm Dia	each	1	
	(g) Size 400mm Dia	each	1	
11	Supply of C.I. Non return valve per IS specification CLASS PN- 10			
	(a) Size 100mm Dia	each	1	
	(b) Size 150mm Dia	each	1	
	(c) Size 200mm Dia	each	1	
	(d) Size 250mm Dia	each	1	
	(f) Size 300mm Dia	each	1	
12	Supply of G.I. Plug as per relevent IS specification			
	(a)Size 15mm Dia	each	1	
	(b)Size 20mm Dia	each	1	
	(c) Size 25mm Dia	each	1	
	(d) Size 32mm Dia	each	1	
13	Supply of G.I. Pipes (medium class) as per relevent IS specification (Jindal/Tata/Prakash Surya) (a) Size 15mm Dia			
	(a) Size 15mm Dia	MTR	1	
	(b) Size 20mm Dia	MTR	1	
	(c) Size 25mm Dia	MTR	1	
	(d) Size 40mm Dia	MTR	1	
	(e) Size 50mm Dia	MTR	1	
14	Supply of G.I. Reducer Socket ISI Marked			
	(a) Size 15mm x 20mm Dia	each	1	
	(b) Size 15mm x 25mm Dia	each	1	
	(c) Size 15mm x 32mm Dia	each	1	
	(f) Size 20mm x 25mm Dia	each	1	
	(g) Size 20mm x 32mm Dia	each	1	
15	supply of G.I. Elbow ISI Marked			
	(a) Size 15mm Dia	each	1	
	(b) Size 20mm Dia	each	1	
	(c) Size 25mm Dia	each	1	
	(d) Size 32mm Dia	each	1	
	(e) Size 40mm Dia	each	1	
	(f) Size 50mm Dia	each	1	
16	Supply of G.I. Union ISI Marked			
	(a) Size 15mm Dia	each	1	
	(b) Size 20mm Dia	each	1	


	(c) Size 25mm Dia	each	1	
	(d) Size 32mm Dia	each	1	
	(e) Size 40mm Dia	each	1	
	(f) Size 50mm Dia	each	1	
17	Supply of G.I. Socket ISI Marked			
	(a) Size 15mm	each	1	
	(b) Size 20mm	each	1	
	(c) Size 25mm	each	1	
	(d) Size 32mm long size	each	1	
	(e) Size 40mm long size	each	1	
	(f) Size 50mm long size	each	1	
18	Supply of G.I. Nipple ISI Marked			
	(a) Size 15mm x 100mm	each	1	
	(b) Size 15mm x 150mm	each	1	
	(c) Size 15mm x 200mm	each	1	
	(d) Size 15mm x 300mm	each	1	
	(e) Size 40mm x 200mm	each	1	
	(f) Size 50mm x 200mm	each	1	
	(g) Size 20mm x 100mm	each	1	
	(h) Size 20mm x 150mm	each	1	
	(i) Size 40mm x 200mm	each	1	
19	Supply of G.M. (full way) Gate Valve ISI mark at approved quality 21.00 kg/sq.cm. Confo Running Metering to I S 778/1984 (Screwed)			
	(a) Size 15mmDia	each	1	
	(b) Size 20mm Dia	each	1	
	(c) Size 25mm Dia	each	1	
	(d) Size 32mm Dia	each	1	
	(e) Size 40mm Dia	each	1	
	(f) Size 50mm Dia	each	1	
20	Supply of G.I. Tee ISI Marked			
	(a) Size 20 x 20 x 20 mmDia	each	1	
	(b) Size 25 x25 x25mm Dia	each	1	
	(d) Size 20 x 20 x 15mm Dia	each	1	
	(e) Size 15 x 15 x 15mm Dia	each	1	
	(f) Size 25 x 25 x 20mm Dia	each	1	
	(g) Size 32 x 32 x 15mm Dia	each	1	
	(j) Size 25 x 25 x 15mm Dia	each	1	
21	Supply of M.S. Spindle with M.S. Nut for Sluice Valve			
	(a) Size 3 inch Dia	each	1	
	(b) Size 4 inch Dia	each	1	
	(c) Size 6 inch Dia	each	1	
	(d) Size 8 inch Dia	each	1	
	(e) Size 10 inch Dia	each	1	
	(f) Size 12 inch Dia	each	1	
	(g) Size 14 inch Dia	each	1	
	(h) Size 16 inch Dia	each	1	
	(i) Size 18 inch Dia	each	1	
	(j) Size 20 inch Dia	each	1	
	(k) Size 32 inch Dia	each	1	

22	Supply of C.I. MJ Coller with Rubber Gasket and Nut bolt as per IS Specification			
	(a) Size 150mmDia	each	1	
	(b) Size 200mmDia	each	1	
	(c) Size 250mmDia	each	1	
	(d) Size 300mmDia	each	1	
	(e) Size 350mmDia	each	1	
	(f) Size 400mm Dia	each	1	
	(g) Size 450mm Dia	each	1	
23	Supply of MS Pipe as per IS Specification Thickness of pipe 6.00mm			
	(a) Size 300mm Dia	RM	1	
	(b) Size 400mm Dia	RM	1	
24	Supply of CI Duck foot bend 90" x 16 inch ISI marked	each	1	
25	Supply of CI Duck foot bend 90" x 12 inch ISI marked	each	1	
26	Supply of CI foot valve as per IS Specification			
	(a) Size 4 inch Dia	each	1	
	(b) Size 6 inch Dia	each	1	
	(c) Size 8 inch Dia	each	1	
	(d) Size 10 inch Dia	each	1	
	(e) Size 12 inch Dia	each	1	
27	Supply of Cotton waste	kg	1	
28	supply of ductile iron Mechanical joint collar with follower glands confoRunning Metering to IS-9523/2000 having dimension as per table 24 of IS-9523/2000 in the nominal diameter/sizes with external bitumen coating and internal cement mortar lining. (as per to IS 12288:1987)			
	100 mm diameter	RM	1	
	(a) 150 mm diameter	RM	1	
	(b) 200 mm diameter	RM	1	
	(c) 250 mm diameter	RM	1	
	(d) 300 mm diameter	RM	1	
	(e) 350 mm diameter	RM	1	
	(f) 400 mm diameter	RM	1	
	(g) 450 mm diameter	RM	1	
	(h) 500 mm diameter	RM	1	
	(i) 600 mm diameter	RM	1	
	(j) 700 mm diameter	RM	1	
	(k) 800 mm diameter	RM	1	
29	MS BOLTS AND NUTS 16 mm dia x 65 to 90 mm length fully threaded bolts and nuts with 2 Nos.	kg	1	
30	MS BOLTS AND NUTS 20mm dia and above x 90mm to 120mm length fully threaded bolts and with nuts 2 Nos.	kg	1	

31	supply of coper float (football), pointer, pulleys, nylon thread for water leve lindicator.	each
32	Supply of Verious dia M.S. Clamp 10 to 12 inch width with nut bolt and Rubber sheet. (Gas Kit) (a) 100 mm diameter	
	(a) 100 mm diameter	RM
	(b) 150 mm diameter	RM
	(c) 200 mm diameter	RM
	(d) 250 mm diameter	RM
	(e) 300 mm diameter	RM
	(f) 350 mm diameter	RM
	(g) 400 mm diameter	RM
	(h) 450 mm diameter	RM
	(i) 500 mm diameter	RM
	(j) 600 mm diameter	RM
	(k) 700 mm diameter	RM
	(l) 800 mm diameter	RM

1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	
1	

  
 Sub. Engineer  
 Municipal Corporation  
 Korba (C.G.)

  
 Asstt. Engineer  
 Municipal Corporation  
 Korba (C.G.)