



कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

मुख्य कार्यालय – साकेत भवन, आई.टी.आई. चौक, कोरबा (छ.ग.)

मु.का. दूरभाष : 221288, 222672, फ़ैक्स : 07759-221929, पो. बॉक्स नं.-12 पिन कोड – 495677

Website : www.korbamunicipal.in, Email : kosabadizone3@gmail.com

फा.क./ 215/निर्माण /2018

कोरबा, दिनांक 31.12.2018


सिस्टम निविदा क 47686 ई-निविदा आमंत्रण सूचना

नगर पालिक निगम कोरबा द्वारा शासकीय अर्द्धशासकीय विभागों में कार्यरत व्यवसाय से संबंधित अधिकृत विक्रेता/फर्मों/प्रदायकताओं से (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ) शेड्यूल अनुसार आयटम दरों पर निविदाएं आमंत्रित की जाती है :-

क्र	कार्य का नाम	प्राक्कलन राशि में	कार्यविधि	अमानत राशि	निविदा खुलने की तिथि
1.	वार्ड क्र. 55 अंतर्गत जिम सामग्री प्रदाय एवं स्थापना कार्य	7,00,000/-	02 माह	5,500/-	23.01.2019 से ..


शर्तें :-

- जिन अधिकृत विक्रेता/ फर्मों /प्रदायकर्ताओं द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य ना किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
- निविदा प्राप्त करने हेतु इच्छुक अधिकृत विक्रेता/ फर्मों /प्रदायकर्ताओं को आवेदन के साथ उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनीशिप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार की किए गए कार्यों की प्रमाणित सूची, उपलब्ध तकनीकी अमले की जानकारी पिछले वित्तीय वर्ष का आय प्रमाण पत्र/पैन नम्बर पत्र एवं जी.एस.टी. का पंजीयन प्रमाण पत्र एवं धरोहर राशि प्रस्तुत करना होगा।
- निविदा प्रपत्र उन्ही अधिकृत विक्रेता/ फर्मों /प्रदायकर्ताओं को दिया जायेगा जिन्हे इस प्रकार के कार्यों का अनुभव हो।
- निविदा अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।
- निविदाकार संबंधित ओपन जिम सामग्री के आई.एस.ओ. प्रमाणित सर्टिफिकेट होना आवश्यक है।
- निविदाकारों को निविदा भरने हेतु जिम सामग्री निर्माताओं से आयटम एवं केटलॉक एवं स्पेशिफिकेशन,आयकर निटर्न,पैन नम्बर एवं ओपन जिम से संबंधित कार्य का अनुभव प्रमाण पत्र एवं खरीदी आदेश (पर्वेस आर्डर) की प्रति प्रस्तुत करना अनिवार्य होगा, अन्यथा निविदा भरने की पात्रता नहीं होगी।
- निविदाकारों को निविदा प्रपत्र भरने हेतु अधिकृत विक्रेता/फर्मों/प्रदायकर्ताओं का डीलरशीप/आयटम एवं जिम सामग्री संबंधित अनुभव प्रमाण पत्र प्रस्तुत करना अनिवार्य होगा, अन्यथा निविदा भरने की पात्रता नहीं होगी।
- निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त का निर्णय अंतिम एवं सर्वमान्य होगा।
- निविदा स्वीकृत करने अथवा अस्वीकृत करने का अधिकार नगर पालिक निगम के पास सुरक्षित रहेगा।


कार्यपालन अभियन्ता
नगर पालिक निगम
कोरबा (छत्तीसगढ़)

Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		31.12.18	13.00	31.12.18	10.30	Release Tender
2		Bid Submission	31.12.18	10.30	22.01.19	17.30	
3	Tender Open		23.01.19	10.30	--	--	


EXECUTIVE ENGINEER
KORBA (CG)
For, Commissioner Korba (C.G.)

OFFICE OF THE NAGAR PALIK NIGAM

ABSTRACT

WORK :- Supply And Installation of Zym Material At W. No. 55 Balgi
Per SOR : NON SOR

S.No.	Item Description	Qty.
1	Multi Station Unit	1 Nos.
	<u>Specifications :-</u>	
	Dimensions : 125" (L) x 118" (W) x 80" (H)	
	Frame Structures : Combination of high tensile strength steel, continuous welded, factory assembled weight frame,	
	Name of tube : Square Tubing.	
	Tube Size : 50mm X 50mm	
	Tube Gauge : 2.50 mm	
	Weight Stack : 200 X 2 = 400 lbs and 150 X 2 = 300 lbs, Total weight stack is 700 lbs.	
	Weight Plate : Cast iron, machine drilled to exact space and employ oversized nylon bushings for super smooth operations Weight Guide Rods : 25 mm Chrome plated Solid steel, highly polished for smooth movements.	
	Weight Selector Pin : 10 mm steel pin.	
	Adjustments : Adjustable of seats, back rests and pads are meets all user requirements.	
	Pull Pins : most adjustment secured with commercial grade spring loaded pull pins.	
	Cable : 5.0 mm dia., 4200 lbs rated, commercial grade, nylon coated aircraft cables.	
	Pulley : Maintenance free, fiber glass reinforced nylon pulleys fitted with premium grade - A quality bearings with V grooved channel.	
	Pulley Sizes : 88 mm.	
	Grips : High density foam rubber hand grips.	
	Cushioning : 02" inch high density top grade resilient foam.	
	Finishing : Proprietary two coat powder process.	
	Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
	Color : Grey.	
2	Multi Bench Commercial	1 Nos.
	<u>Specifications :-</u>	
	Ship Weight : 304 lbs (138 Kg)	
	Weight : 74" (188 cm)	
	Length : 65" (165 cm)	
	Height : 60" (152 cm)	
3	Plan Bench Commercial	1 Nos.
	<u>Specifications :-</u>	
	Ship Weight : 128 lbs (58 Kg)	
	Length : 55" (140 cm)	
	Height : 20" (51)	
4	Fitness Machine Commercial (Crazy)	1 Nos.
	<u>Specifications :-</u>	

	Dimension : 28" (L) X 27" (W) X 58" (H)	
	Motor : 2.0 HP, DC Motor,	
	Motor Control : Microprocessor Control	
	Speed : 5 to 30 Hz.	
	Mode Selection : Auto, Low, Medium & High.	
	Set Option : 3,5, 8 And 10 minutes time can be set as per user requirement .	
	Display : Dot Matrix LED, 5 Window Display	
	Display Feedback : Time, Speed Calories and Distance.	
	Power Requirements : 220V AC.	
	Frame : Heavy - Gauge welded steel with textured proprietary two coat electro statically powder process finish to ensure maximum corrosion & Chip resistance.	
	Exercise Applications : Straight standing, horse riding, upper arm & body pose.	
	Max user Weight : 120 Kgs.	
5	Multi Functional Trade Mill	1 Nos.
	Specifications :-	
	Foldable manual with stepper & Twister	
	Long Handle bar with pulse	
	3 Levels adjustable incline.	
	Huge Size Monitor with 5 Window Display Consist of speed, distance, time, calories & pulse.	
	Running belt Size : 48" (L) X 16" (W)	
	Max User Weight : 100 Kgs.	
6	Magnetic Uprit + Bike	1 Nos.
	Technical Specifications :-	
	Dimension : 42" (L) X 24" (W) X 58" (H)	
	Maximum Watt : 300 Watts.	
	Resistance Level : 16 Levels.	
	Resistance System : Electro - Magnetic Resistance.	
	Power : 6 Volts DC adapter for self powered convenience.	
	Programs : 16 Programs - manual, poling, valley, fat burn, ramp, mountain, random, body fat, target HR, 60% HRC, 85% HRC and user setting 04 Nos.	
	Drive System : Centre design drive, super silent poly - V belt driven.	
	Fly Wheel : 9 Kgs precision balanced.	
	Pedals : Self balanced extra wide pedals with adjustable straps fit to any size user, close spacing, shock absorbing, air cushion and provides gentle movements	
	Seat : Ergonomically designed comfortable seat with flex cushion 11 levels seat adjustment	
	Handle Bars : U-Bar style with ergonomically elbow support pad and in-built contact heart rate sensor with hand grips.	
	Centre Of Gravity : Low COG combined with a balanced frame prevents rocking.	
	Cardio Monitor : In built hand grip pulse provided with handle grips enables to the cardio monitoring on board.	
	Display : LCD with blue back light and computerized console.	
	Display Feedback : Multi feedback read out instantly displays time, distance, RPM, calories, speed pulse, watt BMR and BMI.	

	er : In-built speaker for ipod and Mp3 connectivity.	
	Weight : 120 Kgs	
	ansprotation : Transportation Wheel for easy movement.	
	Accessory Holder : Book holder on the upper case of consol and mobile phone holder.	
	Rating : Commercial	
	Crank Assembly : 3 Pieces crank assembly	
	Frame Structure : Extra sturdy and stable steel frame construction / Arched support frame for maximum durability and stability.	
	Frame Finishing : Proprietary two coat powder process.	
	Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
7	Roming Machine	1 Nos.
	Specifications :-	
	Dimension : 70" (L) X 21" (W) X 17" (H)	
	Resistance levels & type : 10 levels, magnetic resistance.	
	Power : 2 X 1.5 Volt AA size battery.	
	Display : LCD display.	
	Display Feedback : Scan, Time, CPM, Count, Calories & Sum.	
	Transportation : Wheel for easy transportation,	
	Seat Grip : Ergonomically designed seat and grip.	
	Fly Wheel : 5 Kgs Flay Wheel.	
	Folding System : Foldable.	
8	Twister Commercial	1 Nos.
	Specifications :-	
	Weight : 55" (140 cm)	
	Length : 72" (183 cm)	
	Height : 36" (92 cm)	
9	Rubber Plat Commercial	100 kg.
10	Rubber Dumbbells	100 kg.
11	Steel Rod (SS) 24mm	20 Fit
12	Motorizd Trademill	1 Nos.
	Specifications :-	
	Dimension : 80" (L) X 36" (W) X 50" (H)	
	Motor : DC Motor, 3.0 HP continous, 6.0 HP peak, digital concepts P.W.M. Control.	
	Speed : 1.0 to 16 Kmph.	
	Elevation : 0% t0 15%, Autometric.	
	Quick Selection : Speed And Elevation.	
	Belt Size : 55" (L) X 20" (W)	
	Shock Absorption : 8-Point spring load beck suspension/Anti shock.	
	Safety Key Stop : Magnetic Safety Key.	
	Display : LCD blue back light, single Window display.	
	Display Feedback : Heart rate, elevation, Time, Distance, Speed, Calories, Body fat and programs.	
	Programs : 24 Programs, 18 Preset, 5 User and 1 body fat.	
	Heart Rate Technology : Heart rate Control with hand grip pulse sensor.	
	Power Saving Mode : System shutdown display under 10 minutes if no instruction input, press any key to restore system.	
	Speaker : In-built speaker for ipod and Mp3 connectivity.	

	le : Smart folding system.	
	Transportation : 4 Wheel transportation system for easy movement.	
	Max User Weight : 135 Kgs.	
	Dumbbells Rack	1 Nos.
	Specifications :-	
	Ship Weight : 266 lbs (121 Kg)	
	Weight : 29" (74 cm)	
	Length : 205" (267 cm)	
	Height : 37" (94 cm)	
14	Gym Ball (95 CM) Heavy Duty	1 Nos.
15	Yoga Mate (6mm) Size - 4" X 6"	1 Nos.
16	AB Slimmer	1 Nos.
	Specifications :-	
	Ship Weight : 266 lbs (121 Kg)	
	Weight : 29" (74 cm)	
	Length : 205" (267 cm)	
	Height : 37" (94 cm)	
17	Electrical Cross Trainer (Commercial)	1 Nos.
	Technical Specifications :-	
	Dimension : 84" (L) X 30" (W) X 71" (H)	
	Strides : 20" Inches natural strides.	
	Maximum Watt : 250 Watts.	
	Resistance System : Electro - Magnetic resistance.	
	Power : Self generated power system.	
	Programs : 06 Progrmas - Manual, HRC, random, weight loss, CV and hill intervals.	
	Drive System : Centre design drive, super silent poly - V belt driven.	
	Pedals : self balancing, close spacing, enlarge, impact-absorbing, fit to any size user and provides gentle movements to reduce lower body stress.	
	Centre Of Gravity : Low COG combined with a balanced frame prevents rocking.	
	Cardio Monitor : In built metallic pulse sensor provided with T bar style handle grips enables to the cardio monitoring on board.	
	Display : Dot Matrix LED, scrolling text and computerized console.	
	Display Feedback : Multi feedback read out instantly displays time, distance, RPM, calories, heart rate, work (resistance) levels, watts, and mets.	
	User Weight : 140 kgs	
	Transportation : Transportation wheel for easy movement.	
	Accessory Holder : Water Bottle And Mobile Phone Holder.	
	Rating : Commercial	
	Step up Height : 12" easy step up height	
	Strides Wheel : Dual wheels track, fiber glass reinforced nylon wheel with high quality bearing.	
	Frame Structure : Arched support frame for maximum durability and stability.	
	Frame Finishing : Proprietary two coat powder process.	
	Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
18	Spin Bike Commercial Fit Wheel	1 Nos.
	Technical Specifications :-	

Dimension : 53" (L) X 21" (W) X 44" (H).	
Wheel : 21 kgs, high inertia spin wheel.	
Resistance Level : Smart release breaking system provides safe dependable performance for unsupervised rider.	
Resistance System : Push brake system which make the bike safe and stable, two piece fender for comprehensive protection of brake and spin wheel.	
Drive system : Centre design drive and metal belt driven.	
Pedals : Self balanced wide pedals with adjustable straps fit to any size user, close spacing, shock absorbing air cushion and provides gentle movements.	
Seat : Pop-pin seat slider with 8 steps horizontal and 15 steps vertical adjustments deliver a great fit.	
Handle bars : chrome with PVC dipping, 9 level vertical and 8 level horizontal adjustments.	
Centre Of Gravity : Low COG combined with a balanced frame prevents rocking.	
User Weight : 150 Kgs.	
Transportation : Transportation wheel for easy movement.	
Crank Assembly : 3 Pieces crank assembly with increased strength provides dependable performance for every rider.	
Frame structure : Strengthened main frame makes it sturdy stable and elegant.	
Frame Finishing : Proprietary two coat powder process.	
Rust Proof : All frame structures electro statically powder coated to ensure maximum corrosion and chip resistance.	
Total	

(Rupees Six Lacs Ninety Thousand Nine Hundred Only.)

Terms & Conditions :-

Following Details Must Be Mentioned/Confirmed In The Offer, Otherwise Offer Shall Liab Rejection Pl.

- 1) Sport Item - Zym Equipment.
- 2) Make - AeroFit, Star Trac, York
- 3) A Company Authorized Dealer For Any Of The Company Obligatory.
- 4) Confirm Installation/Commissioning/Demonstration At Our Site.
- 5) Relevant Catalog/leaflet to Be Enclosed With Offer.

Sub Engineer
Nagar Palik Nigam
Korba (C.G.)

Astt. Engineer
Nagar Palik Nigam
Korba (C.G.)

E.E. Engineer
Nagar Palik Nigam
Korba (C.G.)