

कार्यालय, नगर पालिक निगम, कोरबा (छत्तीसगढ़)

फा.क. 166 / निर्माण / 2024

सिस्टम टेंडर नं.154148

कोरबा दिनांक 13.03.2024

ई-निविदा आमंत्रण सूचना

कार्यालय नगर पालिक निगम, कोरबा द्वारा लोक निर्माण विभाग एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से प्रमुख अभियंता लोक निर्माण विभाग, रायपुर द्वारा सड़क कार्य हेतु दिनांक 01.01.2015 से प्रभावशील दर अनुसूची पर (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ शेड्यूल अनुसार प्रतिशत दर पर ई-प्रोक्युरमेंट (E-Tendering) के माध्यम से निविदा प्रपत्र फार्म A में निविदा आमंत्रित की जाती है :-

क.	कार्य का नाम	प्राक्कलन राशि(लाख में)	धरोहर राशि (FDR/TDR)	कार्यावधि	निविदा प्रतिभागी शुल्क (DD)	ठेकेदार का वर्ग	निविदा खुलने की तिथि
1	पं. रविशंकर शुक्ल नगर अंतर्गत वार्ड क्र 23 में कृष्ण कुंज से पाण्डेय घर तक, नौशाद अली घर से अरविन्द घर तक, चन्द्रा घर से मनन घर तक, बालाजी दुकान से दीपक केदाम घर तक, श्रीवास्तव घर से आर.एस.एस ग्राउण्ड तक, वैभव डेयरी से गार्डन तक एवं गार्डन से मेन रोड तक गार्डन में मेन रोड तक बी.टी. सड़क निर्माण कार्य।(15वें वित्त)	100.00	75000.00	04 माह	3000.00	वर्ग डी एवं प्रवर श्रेणी	04.04.2024 से

- निविदा दरे प्रचलित सी.एस.आर.से कम या अधिक प्रतिशत दरों पर दिया जावे सी.एस.आर.के अंतर्गत के आयटमों पर पृथक से आयटम दरों का उल्लेख करने पर निविदा निरस्त मानी जावेगी।
- जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
- इच्छुक ठेकेदारों को उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पाटर्नरशीप डीड) की सत्य प्रतिलिपि, उपलब्ध तकनीकी अमले की जानकारी, विगत 3 वर्षों का आयकर चुकता प्रमाण पत्र/पेन नम्बर, जी.एस.टी. पंजीयन प्रमाण पत्र एवं अमानत राशि के FDR/TDR की प्रति ऑनलाईन अपलोड करना अनिवार्य होगा, प्रशिक्षित यंत्री नियुक्त करने संबंधी प्रमाण पत्र, कर्मचारी भविष्य निधि रायपुर से पंजीकरण का कोड, निविदा प्रतिभागी शुल्क का डिमाण्ड ड्राफ्ट एवं धरोहर राशि FDR/TDR, शपथपत्र का स्केन कापी ऑन लाईन सिस्टम पर अपलोड करना अनिवार्य होगा।
 - अमानत राशि का वैध FDR/TDR, निविदा प्रतिभागी शुल्क का DD एवं शपथ पत्र की मूल प्रति लिफाफा में कार्य का नाम एवं अन्य विवरण अंकित कर केवल स्पीड पोस्ट/रजिस्टर्ड डाक के माध्यम से निविदा खुलने की तिथि में दोपहर 3.00 बजे तक आयुक्त,नगर पालिक निगम,कोरबा साकेत भवन, आई.टी.आई.चौक रामपुर कोसाबाड़ी पिन- 495677 कोरबा को उपलब्ध कराना अनिवार्य होगा।
 - निविदाकार को प्रत्येक निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर निगम या अन्य विभागों में उनके द्वारा किये जा रहे कार्यों का विवरण राशि सहित मूलप्रति में वैध शपथपत्र (राशि रु. 100/- नॉनज्यूडिशियल स्टाम्प) निविदा आमंत्रण दिनांक के पश्चात का, निविदा क्रमांक एवं कार्य का नाम अंकित करना अनिवार्य होगा।
 - अमानत राशि का FDR/TDR एवं निविदा प्रतिभागी शुल्क का DD जो कि आयुक्त, नगर पालिक निगम,कोरबा के नाम पर देय हो प्रस्तुत करना अनिवार्य होगा।
- सम्पूर्ण किये गये कार्यों के लिए प्रत्येक चल देयकों में से 5 प्रतिशत सुरक्षा राशि 01 वर्ष के लिए एवं मरम्मत एवं संधारण मद को छोड़कर शेष कार्यों में 5 प्रतिशत परफार्मेंस सिक्यूरिटी की गारंटी के रूप में से 03 वर्ष के लिए रोकी जावेगी।
- जिन निविदाकारों द्वारा कर्मचारी भविष्य निधि संगठन एवं कर्मचारी राज्य बीमा निगम, रायपुर से पंजीयन कराकर कोड प्राप्त कर लिया हो वे निविदाकार ही निविदा हेतु पात्र होंगे।
- निविदा में भाग लेने वाले ठेकेदारों को छ.ग. भवन और अन्य सन्निर्माण कर्मकार (नियोजन एवं सेवा शर्तों का विनियमन) अधिनियम 1996 एवं तदअंतर्गत निर्धारित नियमों के तहत पंजीयन कराना आवश्यक होगा तथा निर्माण लागत का 1 प्रतिशत उपकर के रूप में प्रत्येक देयक से कटौती की जावेगी।
- डामरीकरण कार्य का निविदा प्रपत्र क्य करते समय ठेकेदार को स्वयं के स्वामित्व /लीज के आटोमेटिक ड्रम मिक्स प्लांट, रोलर एवं अन्य मशीनरी, हॉट मिक्स प्लांट, पेवर फिनिशर एवं रोड रोलर आदि मशीनों के प्रमाण पत्र आवेदन के साथ संलग्न करना आवश्यक होगा तथा निविदाकार का 60 किमी. की परिधि में हॉल मिक्स प्लांट होना आवश्यक है।
- ठेकेदार द्वारा 60/70 ग्रेड का डामर IOC, BPCL, HPCI से ही क्य कर लगाना होगा। ठेकेदार को तेल कंपनी को दी जाने वाली प्रदाय आदेश की प्रतिलिपि इस कार्यालय को देनी होगी।
- कार्य में प्रयुक्त डामर खरीदी के देयक (बिल) कार्यालय में प्रस्तुत करने पर ही भुगतान किया जायेगा।
- निविदा दरों असामान्य कमी प्रतीत होने पर सफल निविदा दाता से अनुबंध के पूर्व एस.ओ.आर. एवं निविदा दर की अंतर की राशि के समतुल्य परफार्मेंस गारंटी के रूप में राष्ट्रीयकृत बैंक एफ.डी.आर., पोस्ट ऑफिस, टाईम डिपॉजिट अथवा एन.एस.सी. जो कि आयुक्त नगर पालिक निगम, कोरबा के नाम पर देय होगा जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि समयावधि में जमा न करने की दशा में निविदा स्वमेव निरस्त मानी जावेगी।
- निविदा अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।
- निविदा प्रपत्र फार्म -ए की कंडिका 11 अनुसार एस्कलेशन देय नहीं होगा।
- निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त का निर्णय अंतिम एवं सर्वमान्य होगा।
- निविदा स्वीकृत करने अथवा अस्वीकृत करने अथवा निरस्त करने का अधिकार नगर पालिक निगम के पास सुरक्षित रहेगा।
- उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम, कोरबा के साकेत भवन स्थित निर्माण शाखा से प्राप्त किये जा सकते हैं।


प्रतिलिपि-

प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, रायपुर को uad.cg.gov.in में अपलोड करने हेतु प्रेषित।

कार्यपालन अभियंता
Executive Engineer,
Municipal Corporation,
Raipur

Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		13.03.2024	15.00	13.03.2024	15.00	Release Tender
2		Bid Submission	13.03.2024	15.00	03.04.2024	17.30	
3		Physical Document Submission	13.03.2024	15.00	04.04.2024	15.00	
4	Tender Open		04.04.2024	16.00	--	--	


EXECUTIVE ENGINEER
KORBA (CG)
For, Commissioner Korba (C.G.)
KORBA (Chhattisgarh)

TENDER/NIT HEADER DETAIL

ORGANIZATION NAME Urban Administration and Development Department (UADD) PROCUREMENT CATEGORY WORKS
 TENDER NO. 154148 TENDER DEALING OFFICER - Vinod Kumar Sandilya (DEPT) MATCHING NO
 NUMBER OF ITEMS ALREADY 1
 ATTACHED CURRENCY INR - INDIAN RUPEE
 NIT TYPE RESTRICTED TENDER TENDER CATEGORY RESTRICTED
 VENDOR CLASS A, B, C, D
 PROBABLE AMOUNT OF 10000000.00 OFFICE/DIVISION (PWO) MUNICIPAL CORPORATION, KORBA
 CONTRACT (PAC) (INR) NAME CORPORATION, KORBA
 DIVISION / DISTRICT MUNICIPAL CORPORATION, KORBA SECTION/CIRCLE (PWO) TENDER SECTION
 NAME
 DESCRIPTION F.No. 166/Const./RGS Nagar /2024/YMC
 DETAILED DESCRIPTION Conat. of B.T. Road work from Krishan Kunj to Pandey House, Naused All House to Kojind House, Chandra House to Manu House, Balaji Shop to Deepak Kadam House, Shrivastava House to RGS Nagar Ground, Vaikhav Dairy to Garden, Garden to Main Road, at RGS Nagar under Ward No. 23
 IS AUCTION ENABLED? N
 NUMBER OF BID PART(S) 2 BID PART NUMBER 1

ATTRIBUTE (S)

ATTRIBUTE NAME	ATTRIBUTE VALUE
BID VALIDITY PERIOD (in days)	120
Tender / Work Completion Time (in months)	4 (VALUE)
Required Past Technical Experience	As per Tender Document / NIT
Required Financial Turnover (in INR)	AS PER NIT
Required Bid Capacity (in INR)	AS PER NIT

PAYMENT DETAILS

DETAILS	
Tender/Procenaing/Bid Fees	N/A
EMD/Bid Security	75000.00 INR

DATE-TIME DETAIL (S)

BID SUBMISSION START DATE Mar 13, 2024 09:30:03:PM BID DUE DATE Apr 3, 2024 05:38:15:PM
 BID OPEN DATE (SCHEDULED) Apr 4, 2024 04:00:04:PM PHYSICAL DOC SUBMISSION END DATE Apr 4, 2024 03:00:00:PM

PRE-BID DISCUSSION DETAILS

PRE-BID DISCUSSION NOT REQUIRED

ALTERNATE BID DECRYPTOR (S)

USER DETAILS
MR BUYER ADMIN (DEFLT)
MANORANJAN BARKAR (DEFLT)
Mitresh Verma (DEFLT)
Ramkumar Maheshwari (DEFLT)
ARUN KUMAR SHARMA (DEFLT)
Bhushan Ram Oraon (DEFLT)
Vinod kumar Sandilya (DEFLT)

TERM AND CONDITION DETAIL (S) - SPECIAL TERM (S)

SL. NO.	CATEGORY	DESCRIPTION
1	SPECIAL TERM(S)	SPECIAL TERM(S) As per Tender Document / NIT

TENDER SPECIFIC REQUIRED ATTACHMENT (S)

Envelop B

SL. NO.	SUPPORTING DOCUMENT NAME	MANDATORY	ALLOW EXEMPTION	GROUP
2	DECLARATION FOR NOT BEING BLACK LISTED	YES	NO	OTHER
3	INCOME TAX CLEARANCE CERTIFICATE	YES	NO	OTHER
4	REGISTRATION CERTIFICATE (ANY GOVT DEPT IN CHHATTISGARH)	YES	NO	OTHER
5	GST CERTIFICATE FROM CHHATTISGARH	YES	NO	OTHER

(Signature)
 Executive Engineer,
 Municipal Corporation
 KORBA (Chhattisgarh)

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.)

Construction of. ABSTRACT

Name of work:- B.T. Road Work From Krishna Kunj To Pandey House, Nausad Ali House To Arvind House Chandra House To Manna House, Balaji Shop To Deepak Kedam House, Shrivastav House To R.S.S. Nagar Ground, Vaibhav Dairy To Garden, Garden To Main Road, At R.S.S. Nagar Under Ward No. 23

Schedule of rates public works department [PWD ROAD-01-01-2015]


S.N o.	SOR Ref.	DESCRIPTION	NO	L	B	D/H	QTY	UNIT	RATE	AMOUNT
1		Scarifying existing bituminous surface to a depth of 50 mm (Scarifying the existing bituminous road surface to a depth of 50 mm and disposal of scarified material with in all lifts and lead up to 1000 meters) as per clause 305.4.3								
		Near krishna kunj mig -133 to panday house mig-73	1	89.00	3.40		302.60			
		Nausad ali mig-114 to arvind sharma khatal	1	132.00	3.40		448.80			
		RB chandra mig- 17 to b.k.manna mig-50	1	75.00	3.50		262.50			
		manisha beautyparlor to p.n. shrivastav house	1	120.00	3.30		396.00			
		manisha beautyparlor to depak gedam house	1	108.00	3.40		367.20			
							1777.10	sqm	23.00	40873.30
	10.8	Clearing Grass and Removal of Rubbish (clearing grass and removal of rubbish up to a distance of 50 meters outside the periphery of the area)								
			2	1872.00	2.00		7488.00			
							0.7488	Hectare	13438.00	10062.37
2	3.2	Excavation in Soil (by Mechanical Means.) Excavation for roadway in soil using mechanical means including loading in tipper for carrying of cut earth to embankment site and unloading with all lifts and lead upto 1000 meters as per relevant clauses of section 300.								
			1	32.00	4.00	0.25	32.00			
			1	48.00	4.00	0.25	48.00			
			1	39.00	4.00	0.25	39.00			
			2	38.00	4.00	0.25	76.00			
			1	22.40	4.00	0.25	22.40			
			1	8.90	4.00	0.25	8.90			
			1	22.20	4.00	0.25	22.20			
							248.50	cum	95.00	23607.50


		4.10 Wet Mix Macadam (Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers with paver in sub- base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per clause 406.)											
			1	32.00	3.60	0.20	23.04						
			1	48.00	3.60	0.20	34.56						
			1	39.00	3.60	0.20	28.08						
			1	22.40	3.60	0.20	16.13						
			1	8.90	3.60	0.20	6.41						
			1	22.20	3.60	0.20	15.98						
			5	7.00	8.50	0.20	59.50						
							Total=	183.70	Cum	1434.00		263425.80	
5	3.3	Prime coat (Providing and applying primer coat with oil based bitumen emulsion (SS-1, grade conforming to IS:8887) on prepared surface of granular Base including clearing of road surface and spraying primer using mechanical means as per clause 502. (i) on WBM/WMM surface @0.85 Kg/sqm.											
		i) on WBM/WMM surface @0.85 Kg/sqm.											
			1	32.00	3.60		115.20						
			1	48.00	3.60		172.80						
			1	39.00	3.60		140.40						
			1	22.40	3.60		80.64						
			1	23.60	3.60		84.96						
			1	8.90	3.60		32.04						
			1	22.20	3.60		79.92						
			5	7.00	8.50		297.50						
							Total=	1003.46	sqm	64.00		64221.44	
	5.19	Providing and laying leveling course / profile corrective course with bituminous macadam With minimum 40-60 TPH capacity hot mix plant using crushed aggregates of Grading-1 premixed with bituminous binder @ 3.1% transported to site and laid over a previously prepared surface with paver finisher to the required grade, level and alignment and rolled as per clause-501.6 and 501.7 to achieve the desired compaction complete in all respect and as per relevant clause section 500											
		Tack Coat for LBM	7	80.00	3.60	0.05	100.80						
							100.80	cum	5432.00		547545.60		


		Dense Bituminous Macadam (Providing and laying dense bituminous macadam with minimum 40-60 TPH capacity HMP using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5% by weight of total mix of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No.505 complete in all respects.)								
		B With mechanical paver finisher for Grading-II(26.5 mm nominal size bitumen content 4.50%)								
		Near krishna kunj mig -133 to panday house mig-73	2	159.00	3.40	0.050	54.06			
		rb chandra mig- 17 to b.k.manna mig-50	2	205.00	3.50	0.050	71.75			
		b.k.manna. Mig-50 to meera niwas mig- 81	2	74.00	3.40	0.050	25.16			
		vijay kumar mig -24 to k.l.soni mig -15	2	80.00	3.40	0.050	27.2			
		manisha beautyparlor to depak gedam house	2	253.00	3.40	0.050	86.02			
		aman chauhan house to saroj chandra house	2	53.00	3.40	0.050	18.02			
		Near Pappu House To Daras Patel House	2	72.00	3.40	0.050	24.48			
		Near Nisha Chauhan House To Shanakr House	2	90.00	3.40	0.050	30.6			
			2	52.80	3.60	0.050	19.008			
			2	88.00	3.60	0.050	31.68			
		For Turning	20	10.00	5.00	0.050	50.00			
						Total	437.98	Cum	7916.00	3467033.85
3	5.1	Tack coat Providing and applying tack coat with bitumen emulsion (RS-1, grade confirming to IS:8887) using emulsion pressure distributor on the prepared bituminous/granular surface cleaned with mechanical broom and as per clause 503								
		Bituminous surface @ 0.25 kg /Sqm								
		Near krishna kunj mig -133 to panday house mig-73	2	159.00	3.40		1081.20			
		rb chandra mig- 17 to b.k.manna mig-50	2	205.00	3.50		1435.00			
		b.k.manna. Mig-50 to meera niwas mig- 81	2	74.00	3.40		503.20			
		vijay kumar mig -24 to k.l.soni mig -15	2	80.00	3.40		544.00			
		manisha beautyparlor to depak gedam house	2	108.00	3.40		734.40			
		aman chauhan house to saroj chandra house	2	253.00	3.40		1720.40			
		Near Pappu House To Daras Patel House	2	72.00	3.40		489.60			
		Near Nisha Chauhan House To Shanakr House	2	90.00	3.40		612.00			

		2	52.80	3.60		380.16			
		2	88.00	3.60		633.60			
		20	10.00	5.00		1000.00			
		2	159.00	3.40		1081.20			
		2	205.00	3.50		1435.00			
		2	75.00	3.40		510.00			
		2	80.00	3.40		544.00			
		2	108.00	3.40		734.40			
		2	253.00	3.40		1720.40			
		4	72.00	3.40		979.20			
		2	90.00	3.40		612.00			
		4	148.00	3.60		2131.20			
		2	59.00	3.60		424.8			
		4	88.00	3.60		1267.2			
		20	10.00	5.00		1000.00			
		7	80.00	3.60		2016.00			
					total=	23588.96	sqm	15.00	353834.40
7	5.5	Bituminous Concrete (Providing and laying bituminous concrete with minimum 40-60 TPH capacity hot mix plant using crushed aggregates of specified grading, premixed with bituminous binder @ 5.0 to 6.0% by weight of total mix of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 507 complete in All Respects)							
		II. With mechanical paver finisher							
		For Grading II (13.2 mm nominal size) with bitumen 6.0 %							
		2	159.00	3.40	0.040	43.25			
		2	205.00	3.50	0.040	57.40			
		2	75.00	3.40	0.040	20.40			
		2	80.00	3.40	0.040	21.76			
		2	108.00	3.40	0.040	29.38			
		2	253.00	3.40	0.040	68.82			
		4	148.00	3.60	0.040	85.25			
		2	59.00	3.60	0.040	16.99			
		4	88.00	3.60	0.040	50.69			
		4	72.00	3.40	0.040	39.17			
		2	90.00	3.40	0.040	24.48			
		20	10.00	5.00	0.040	40.00			

				Total=	497.58	Cum	9812.00	4882215.71
Road Marking with Hot Applied Thermoplastic Compound with Reflectorizing Glass Beads on Bituminous Surface (Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorizing glass beads @ 250 gms per sqm area thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35-1997. The finished surface to be level, uniform and free from streaks and holes.)								
	2	200.00	0.15		60.00			
	2	257.00	0.15		77.10			
	2	600.00	0.15		180.00			
	20	4.00	1.00		80.00			
	29	3.60	0.90		93.96			
					491.06	Sqm	707.00	347179.42
							Total	9999999.39
							Say As	100.00 LAKH


 Executive Engineer
 Municipal Corporation
 Korba (C.G.)


 Asst. Engineer
 Municipal Corporation
 Korba (C.G.)


 Sub Engineer
 Municipal Corporation
 Korba (C.G.)