कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

भण्डार शाखा :– साकेत भवन आई.टी.आई. चौक, कोरबा (छ.ग.)

फा.क्र. 1068/स्टोर/2026/ कोरबा,दिनांक 18.11.2026

सिस्टम निविदा क. 204124
निविदा आमंत्रण की सूचना

नगर पालिक निगम, कोरबा द्वारा शासकीय एवं अर्धशासकीय विभागों में व्यवसाय से संबंधित अनुभवी ठेकेदारों / प्रदायकर्ताओं / निर्माताओं से निम्न लिखित कार्य हेतु शेड्युल अनुसार आयटम दरों पर निम्नलिखित निर्माण कार्य हेतु मैन्युअल निविदा वेबसाईट से डाउनलोड कर बंद लिफाफा पद्धति माध्यम से आमंत्रित की जाती है :–

1. निविदा डालने की अंतिम तिथि – 11.12.2026 सायंकाल 3:00 बजे तक
2. निविदा खुलने की अंतिम तिथि – 15.12.2026 सायंकाल 4:30 बजे तक

क्र.	कार्य का नाम	प्राक्कलन राशि में	धरोहर राशि रू में	निविदा प्रपत्र का मूल्य	निविदा प्रपत्र	कार्यावधि	निविदा खुलने की अंतिम तिथि
1	विद्युत सामग्री की खरीदी हेतु वार्षिक दर निर्धारण।	**30.00**	**23,000 /-**	**1500/-**	**Form-B**	12 माह	**15.12.2026**

निविदा की शर्तेः–

1. निविदा ई–प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे।
2. निविदा नगर पालिक निगम, कोरबा के वेबसाईट **www.korbamunicipal.in/uad.cg.gov.in** डाउनलोड किया जाकर नवीन निविदा प्रपत्र **Form - A/B/ABC** (जारी दिनॉक तक समस्त संशोधनों के साथ) निर्धारित शुल्क की डीडी के साथ संबंधित कार्य का नाम पूर्ण विवरण सहित भरकर भेजना होगा।
3. इच्छुक ठेकेदार यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, विगत 3 वर्षों का आयकर चुकता प्रमाण पत्र,पेन नम्बर, **जी.एस.टी.** पंजीयन प्रमाण पत्र एवं अमानत राशि के FDR/TDR की प्रति ऑनलाईन अपलोड करना अनिवार्य होगा, निविदा प्रतिभागी शुल्क का डिमाण्ड ड्राफ्ट एवं धरोहर राशि FDR/TDR, शपथपत्र का स्केन कापी ऑन लाईन सिस्टम पर अपलोड करना अनिवार्य होगा ।
   - अमानत राशि का वैध FDR/TDR, निविदा प्रतिभागी शुल्क का डिमांड ड्राफ्ट एवं निर्धारित प्रारूप में शपथ पत्र की मूल प्रति लिफाफा में कार्य का नाम एवं अन्य विवरण अंकित कर केवल स्पीड पोस्ट/रजिस्टर्ड डाक के माध्यम से आयुक्त,नगर पालिक निगम,कोरबा साकेत भवन, आई.टी.आई.चौक रामपुर कोसाबाड़ी पिन– 495677 कोरबा के पते पर भेजना होगा। निर्धारित तिथि को सायं 03:00 बजे के पश्चात् फिजिकल सबमिशन लिफाफा स्वीकार नहीं किया जायेगा।
   - अमानत राशि का FDR/TDR एवं निविदा प्रतिभागी शुल्क का डिमांड ड्राफ्ट जो कि आयुक्त, नगर पालिक निगम,कोरबा के नाम पर देय हो प्रस्तुत करना अनिवार्य होगा।
4. जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरूद्ध कार्य किया गया हो उन्हे निविदा भरने की पात्रता नही होगी।
5. निविदा हेतु इच्छुक ठेकेदारों यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, पिछले वित्तीय वर्ष का **आय चुकता प्रमाण पत्र, पेन नम्बर, जी.एस.टी. पंजीयन** प्रस्तुत करना अनिवार्य होगा।
6. निर्धारित निविदा में उल्लेखित कंडिकाएँ स्वमेव लागू मानी जावेगी एवं निविदा आमंत्रण सूचना निविदा का ही भाग माना जावेगा।
7. निर्धारित प्रारूप में निविदा प्रपत्र शुल्क, अमानत राशि, निविदा आमंत्रण सूचना पत्र में उल्लेखित दस्तावेज सही पाए जाने पर ही निविदा दर खोला जावेगा अन्यथा निविदा निरस्त कर दी जावेगी।
8. निविदा अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नही किया जावेगा।
9. निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त के द्वारा अधीनस्थ अधिकारियों का निर्णय अंतिम एवं सर्वमान्य होगा।
10. निविदा स्वीकृत करने अथवा अस्वीकृत करने का अधिकार आयुक्त, नगर पालिक निगम के पास सुरक्षित रहेगा।
11. निविदा खुलने की तिथि में अवकाश होने पर आगामी तिथि (कार्य दिवस) को निविदा संबंधी कार्यवाही मानी जावेगी।
12. निविदा में प्राप्त न्यूनतम दरदाता को सामग्री प्रदाय आदेश दिया जावेगा। निविदाकार द्वारा निर्धारित समय अवधि में सामग्री प्रदाय नहीं किया जाता है तो उसका अनुबंध स्वमेव निरस्त हो जावेगी, ऐसी अवस्था में अन्य अनुबंधित निविदाकार से सहमति प्राप्त कर न्यूनतम दर पर सामग्री प्रदाय हेतु पृथक से प्रदाय आदेश दिया जावेगा।
13. उपरोक्त तिथियों में किसी भी तिथि को शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।

अधीक्षण अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

प्रतिलिपि :– **प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को Uad.cg.gov.in में अपलोड किये जाने हेतु प्रेषित।**

Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		18.11.2026	15.30	18.11.2026	15.30	Release Tender
2		Bid Submission	18.11.2026	15.30	11.12.2026	17.30	
3		Physical Document Submmission	18.11.2026	15.30	15.12.2026	15.00	
4	Tender Open		15.12.2026	16.00	--	--	

SUPERINTENDING ENGINEER
KORBA (CG)
For, Commissioner Korba (C.G.)

Office of The Municipal Corporation, Korba (C.G.)

Annual Rate Contrect of Electrical Material for Nagar Nigam Korba.

SN	DESCRIPTION	UNIT	QTY	Rate
1	Poly Carbonate Angle Holder. Anchor, Great White, Havells	No	1	
2	Screw Driver Complete set Taparia, TATA	Set	1	
3	Pliers Insulated 200mm Taparia TATA	No	1	
4	Hand gloves pair (Electrical Use)Crystal, Essab	Pair	1	
5	Wiring Patti (Casing - Caping) a) 25 mm Sarswati, Rigga	Running Meter	1	
6	Wiring Patti (Casing - Caping) a) 32 mm Sarswati, Rigga	Running Meter	1	
7	Bend for Wiring Patti	No	1	
8	'J.B. Box For Wiring Patti	No	1	
9	D.P. Switch 32 AMP ISI Mark- Anchor , Bajaj, Rigga, Cona	No	1	
10	P.V.C. Copper Wire ISIMakeAnchor, Havells , Pollcab a) 1.5 Sq mm	Running Meter	1	
11	b) 2.5 sqmm	Running Meter	1	
12	c) 4.5 sqmm	Running Meter	1	
13	Insulation Tape - ISI Mark Steel Greep, Anchore	No	1	
14	Switch 5 Amp One Way Pianotype ISI Mark Anchors , Rigga, Cona	No	1	
15	Switch 15 Amp One Way Pianotype ISI Mark- Anchor, Rigga, Cona	No	1	
16	Socket 5 Amp Pianotype ISI Mark - Anchor, Cona , Rigga	No	1	
17	Socket 15 Amp Pianotype ISI Mark - Anchor, Cona , Rigga	No	1	
18	Main Switch TPN (a) 32 amp ISI Mark Make - Havells, HPL, Crompton , Klick, Rigga	No	1	
19	Main Switch TPN (b) 63 amp ISI Mark Make - Havells,HPL, Crompton ,Klick, Rigga	No	1	
20	Socket 5 Amp Piano type ISI Mark Anchor, Cona , Rigga	No	1	
21	Main Switch TPN (d)200 amp ISI Mark Make - Havells,Cona, Crompton,Klick, Rigga	No	1	
22	Main switch SP N (I) 32 AMP ISI Mark Make -Havells,Cona, Crompton,Klick, Rigga	No	1	
23	Main switch SP & N (II) 63 AMP ISI Mark Make - Havells,Cona, Crompton,Klick, Rigga	No	1	
24	SP MCB 240 V B Curve 6amp to 32amp	No	1	
25	Aluminium wire PVC Insulated ISI Mark Make - RK Lite, Kent, Polycab,Rigga (a) 1.5 Sqmm	Running Meter	1	
26	(b) 2.5 Sqmm	Running Meter	1	
27	(c) 4.0 Sqmm	Running Meter	1	
28	(d) 6.0 Sqmm	Running Meter	1	
29	e) 10 Sq mm	Running Meter	1	
30	Alluminium Round cable PVC Insulated ISI Mark Make - - Kent, Polycab, Rigga, RK Lite a) 10 Sq mm 2 core	Running Meter	1	
31	b) 10sqmm 4 core	Running	1	
32	Aluminium armoured Cable 4 core ISI Mark- Havells , Polycab , Phenolex (a) Size 16 Sqmm	Running Meter	1	
33	(b)Size 25 Sqmm	Running	1	
34	Aluminium armoured Cable 3.5 core ISI Mark - Havells , Polycab , Phenolex (a) Size 35 Sqmm	Running Meter	1	

35	(b) Size 50 Sqmm	Running	1	
36	(c) Size 150 Sqmm	Running	1	
37	Bulbs 100 Watt ISI Marked -Bajaj, Surya, Philips	No	1	
38	Copper PVC Flat Cable Three core ISI mark (a) Size 2.5 sqm mmHavells, Poly cab	Running Meter	1	
39	Electronic Regulater for Celling Fan Step Type ISI Mark Make -Anchor, Cona , Great Whit	No	1	
40	G.I. Bracket 1" Dia (0.5mtr. Long) i/c bending the pipe to the required shap 2 nos. 25x5mm flat iron clamp with 4x9" long nut & bolt.	No	1	
41	G.I. Bracket 1.25" Dia (0.5mtr. Long) bending the pipe to the required shap 2 nos. 25x5mm GI flat iron clamp with 4x9" long nut & bolt	No	1	
42	Holder Pendent Type Poly Carbonate 40 w to 100w AnchorHevells ISI Marked	No	1	
43	Kit-Kat 100 amp Anchor Orient ISI mark	No	1	
44	Call bell 230 V (Ordinary) Anchor, Orient	No	1	
45	Capacitor 2.5 Mcro Farrad ISI Mark	No	1	
46	Bed switch 5 AMP ISI Mark Anchor. Cona, Rigga	No	1	
47	Bell Push ISI Mark Anchor, Bajaj, Rigga	No	1	
48	Tester 230 V Taparia , TATA	No	1	
49	'Measuring Tap Each 30 Mtr.I.S.I. Mark	No	1	
50	Celling rose ISI marked	No	1	
51	Exaust Fan 12 " Dia ISI Mark. Bajaj,Crompton Greaves, Surya	No	1	
52	Exaust Fan 18 " Dia ISI Mark. Bajaj,Crompton Greaves, Surya	No	1	
53	Swaged steel Tubular Pole - 9 Mtr. 410SP-32 marked as per IS 2713	No	1	
54	Alluminium Ladder 20 Ft. Sliding Type heavy duty with rope.	No	1	
55	Change Over Switch 100 AMP ISI Mark- Anchor, Hevells	No	1	
56	Wall fan 400mm ISI mark with rated speed 300rpm & rated air delivery 75cmm Make - Bajaj , Hevells , Cromption Greaves, Surya, Orient	No	1	
57	LED Street Light fitting with all accessories like driver heat. heat sink made of dia cast aluminium with IP 66 protection and 5KV surge protection on pole bracket complete as required and furnishing 2 Yrs Guarantee certificate from manufactur. Make - Bajaj, Philips, Crompton or as equivalent, Surya, Orient a) LED 18 W	No	1	
58	b) LED 70 W	No	1	
59	c) LED 100 W	No	1	
60	LED lamp ISI mark with inbuilt with electronic driver heat sink and all other accessiores in existing holder/ luminaries Make - Bajaj, Philips, Crompton, Surya, Orient a) LED 3 W	No	1	
61	b) LED 5 W	No	1	
62	c) LED 7 W	No	1	
63	d) LED 18 W	No	1	
64	e) LED 35 W	No	1	
65	f) LED 45 W	No	1	
66	(d) 9 Watt (Inverter Type With builtin battery backup)	No	1	
67	(e) 12 Watt (Inverter Type With builtin battery backup)	No	1	
68	LED Tube light fitting with all accssiories Make Bajaj,Crompton Greaves, Hevels or as equivalent, Surya, Orient A) 18/20 Watt 4 Feet.	No	1	
69	Switch disconnector 3 ploe 415 volt with SS Enclosure make Havells, HPL, SSK , Klick , Cona, Rigga ISI Mark a) 80 Amp	No	1	
70	b) 100 Amp	No	1	
71	c) 125 Amp	No	1	
72	d) 160 Amp	No	1	
73	e) 200 Amp	No	1	
74	f) 320 Amp	No	1	

75	PVC Mouduler Switch board boxes ISI mark a) 94mmx94mm (1/2 Module)	No	1	
76	b) 118mmx94mm (3 Module)	No	1	
77	c) 150mmx94mm (4 Module)	No	1	
78	d) 205mmx94mm (6 Module)	No	1	
79	LED Street ligtht driver with all accessories of approved make Bajaj, Philips, Hevels, Crompton or as equivalent, Surya a) LED 25 W	No	1	
80	b) LED 30 W	No	1	
81	c) LED 45 W	No	1	
82	d) LED 60 W	No	1	
83	e) LED 72 W	No	1	
84	f) LED 90 W	No	1	
85	g) LED 100 W	No	1	
86	h) LED 120 W	No	1	
87	i) LED 135 W	No	1	
88	Moudular base & cover plate in sealed packing (a) 1 Module	No	1	
89	(b) 2 Module	No	1	
90	(c) 3 Module	No	1	
91	(d) 4 Module	No	1	
92	(e) 6 Module	No	1	
93	(f) 8 Module	No	1	
94	(g) 12 Module	No	1	
95	(h) 16 Module	No	1	
96	Metal box of follwing sizes (nominal size) including painting (a) 75 x mm x 75 mm x 60 mm deep	No	1	
97	(b) 100 x mm x 100 mm x 60 mm deep	No	1	
98	(c) 150 x mm x 75 mm x 60 mm deep	No	1	
99	(d) 150 x mm x 150 mm x 60 mm deep	No	1	
100	(e) 180 x mm x 100 mm x 60 mm deep	No	1	
101	(f) 200 x mm x 125 mm x 60 mm deep	No	1	
102	(g) 200 x mm x 150 mm x 60 mm deep	No	1	
103	(h) 200 x mm x 250 mm x 60 mm deep	No	1	
104	(i) 200 x mm x 300 mm x 60 mm deep	No	1	
105	(j) 250 x mm x 300 mm x 60 mm deep	No	1	
106	(k) 325 x mm x 300 mm x 60 mm deep	No	1	
107	(l) 375 x mm x 300 mm x 60 mm deep	No	1	
108	Ceiling fan BEE star rating from 3 stre and above IS :374:2019 (A) 600 mm sweep	No	1	
109	(B) 1200 mm sweep	No	1	
110	(C) 1400 mm sweep	No	1	
111	(D) 1200 mm sweep BLDC Motor with remote	No	1	
112	LED Flood light 230/250 V ISI mark with all accessries like driver heat sink made of die cast aluminium with IP 66 Protection and 15KV surge protection complete as per specification and P.F. Should be grater than 0.9 LED chips efficacy ration 120 lumens /watt Make- Surya, Bajaj, Philips, Hevells, Orient (a) 60 watt	No	1	
113	(b) 180 watt	No	1	
114	(c) 500 watt	No	1	
115	Aluminium Lugs ISI MARK (A)10 sqm	No	1	
116	B) 16 sqm	No	1	
117	C) 25 sqm	No	1	
118	Rubber Tape ISI MARK	No	1	
119	Terminal 4 Way ISI MARK with nut bolt.	No	1	
120	Wooden swith boxes made of wooden plank size wall and base a) 100mmx 100mm	No	1	
121	b) 150mm x 75mm	No	1	
122	c) 150mmx 150mm	No	1	
123	d) 180mmx180mm	No	1	

124	e) 200mmx150mm	No	1	
125	f) 250mmx200mm	No	1	
126	g) 300mmx350mm	No	1	
127	h) 300mmx400mm	No	1	
128	Isolater Two Pole ISI mark 63 amp. Make- Havells, Rigga, Surya	No	1	
129	Isolater Four Pole ISI mark 100 amp. Make- Havells, Rigga, Surya	No	1	
130	Busbar Chamber made of 1.6mm thick CRCA sheet with 4 strip aluminium alloy or wrought aluminium busbars of following capacity and length, complete with all accessories 100amps x 450mm long	No	1	
131	Busbar Chamber made of 1.6mm thick CRCA sheet with 4 strip aluminium alloy or wrought copper busbars of following capacity and length, complete with all accessories 100amps x 450mm long	No	1	
132	LED post top lenten (lamp) 230/250 volts a) 25 W	No	1	
133	b) 70 W	No	1	
134	LED Driver for LED Penel/down lights of PWD approved Make a) 3-6 Watt	No	1	
135	b) 9-12 Watt	No	1	
136	c) 15 Watt	No	1	
137	d) 18-20 Watt	No	1	
138	Heavty Duty sefty direct helmate ISI Marks	No	1	
139	Sefty Belt full body Pohlypropylene Nylon (Singh Hook and Singh Rope in multi colour)	No	1	
140	Reflective Sefty Jecket size L & XL Color Red	No	1	
141	Sefty shoes for men Steel Toe, Genuine lather light wieth PU Sole Color Black size - 7 to 11	No	1	

Superitending Engineer
Municiapl Corporation
Korba (C.G.)