



कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

साकेत भवन आई.टी.आई. चौक, कोरबा (छ.ग.)

मु.का. दूरभाष : 221288, 222672, फ़ैक्स : 07759-221929, पो. बाक्स नं. : 12 पिन कोड : 495677

Website : www.Korbamunicipal.in Email : mck.watersupply@gmail.com

फा.क.946/स्टोर/2024/

सिस्टम टेंडर नं. 158297

कोरबा, दिनांक 04.09.2024

द्वितीय निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा निम्नलिखित कार्य हेतु व्यवसाय के संबंधित प्रतिष्ठित निर्माता कंपनी अथवा अधिकृत विक्रेताओं से श्रेष्ठतम अनुसार आइटम दरों पर (E-Tendring) के माध्यम से निविदा आमंत्रित की जाती है :-

1. फिजिकल सबमिशन लिफाफा प्राप्त होने की अंतिम तिथि - 27.09.2024 सायंकाल से 3.00 बजे तक
2. निविदा खुलने की अंतिम तिथि - 27.09.2024 सायंकाल 4.00 बजे से

क	कार्य का नाम	प्राक्कलन राशि (राशि लाख में)	धरोहर राशि	कार्यावधि	निविदा प्रतिभागी शुल्क ()	निविदा खुलने की तिथि
1	विद्युत सामग्री की खरीदी हेतु वार्षिक दर निर्धारण	-	37500/-	01 वर्ष	3000.00	27.09.2024 से

शर्तें :-

1. निविदा प्रपत्र की ई-प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे। निर्धारित तिथि को सायं 3.00 बजे के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा।
2. जिन ठेकेदारों/प्रदायकर्ताओं द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
3. निविदा प्राप्त करने के इच्छुक ठेकेदारों/प्रदायकर्ताओं को आवेदन के साथ निर्माता कंपनी/अधिकृत विक्रेता संबंधी प्रमाण पत्र की प्रमाणित प्रतिलिपि ऑनरशीप यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार के किये गये कार्यों का अनुभव प्रमाण पत्रों की जानकारी, आयकर प्रमाण पत्र/पैन नं. एवं जी.एस.टी. प्रमाण पत्र एवं अमानत राशि की स्कैन कापी वेबसाइट पर अपलोड करना अनिवार्य होगा।
 - अमानत राशि का वैध FDR/TDR, निविदा प्रतिभागी शुल्क का डिमांड ड्राफ्ट एवं निर्धारित प्रारूप में शपथ पत्र की मूल प्रति लिफाफा में कार्य का नाम एवं अन्य विवरण अंकित कर केवल स्पीड पोस्ट/रजिस्टर्ड डाक के माध्यम से आयुक्त, नगर पालिक निगम, कोरबा साकेत भवन, आई.टी.आई. चौक रामपुर कोसाबाड़ी पिन- 495677 कोरबा के पते पर भेजना होगा। निर्धारित तिथि को सायं 03:00 बजे के पश्चात् फिजिकल सबमिशन लिफाफा स्वीकार नहीं किया जायेगा।
 - अमानत राशि का FDR/TDR एवं निविदा प्रतिभागी शुल्क का डिमांड ड्राफ्ट जो कि आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय हो प्रस्तुत करना अनिवार्य होगा।
4. प्रदाय की गई सामग्री का परीक्षण रिपोर्ट भुगतान पूर्व देयक के साथ संलग्न करना अनिवार्य होगा। अन्यथा भुगतान करना संभव नहीं होगा।
5. निविदा प्रपत्र उन्ही ठेकेदारों/प्रदायकर्ताओं को दिया जावेगा। जिन्हे इस प्रकार के कार्य का अनुभव हों।
6. निविदा प्रपत्र अहस्तांतरणीय होगी एवं संपर्त निविदाओं पर विचार नहीं किया जावेगा।
7. बिना कारण बताए स्वीकृत/अस्वीकृत या पूर्ण रूप से अमान्य करने का अधिकार सक्षम अधिकारी को रहेगा।
8. किसी भी तरह की विवाद की स्थिति में अंतिम निर्णय लेने का अधिकार सक्षम अधिकारी के पास सुरक्षित रहेगा।
9. दर निर्धारण पश्चात किसी भी अनुबंधित फर्म से स्वीकृत दर पर कार्य कराये जाने का अधिकार संस्था के पास सुरक्षित रहेगा।
10. उपरोक्त निर्धारित तिथियों में कोई शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।
11. उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम कोरबा की वेब साइट www.korbamunicipal.in पर भी यह टेन्डर उपलब्ध है।
12. अन्य सूचनाएं नगर पालिक निगम साकेत भवन रामपुर कोरबा कार्यालय से प्राप्त की जा सकती है।
13. ठेकेदार को निर्माण कार्य के दौरान "निर्माण एवं अपशिष्ट प्रबंधन नियम 2016" में किये गए प्रावधानों का पालन करना अनिवार्य होगा।
14. ठेकेदार द्वारा संपादित किए गए कार्यों के देयकों का भुगतान कार्य विशेष हेतु बजट आबंटन एवं राशि उपलब्ध होने पर किया जाएगा।

कार्यपालन अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

प्रतिलिपि :- प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को uad.cg.gov.in में अपलोड किये जाने हेतु प्रेषित।

Date-Time Detail(s)

Seq. No.	Nagar Nigam Stage	Contractor Stage	Start		Expiry		Remarks
			Date	Time	Date	Time	
1	Release Tender		04.09.2024	12.30	04.09.2024	12.30	Release Tender
2		Bid Submission	04.09.2024	12.30	26.09.2024	17.30	
3		Physical Document Submission	04.09.2024	12.30	27.09.2024	15.00	
4	Tender Open		27.09.2024	16.00	--	--	


EXECUTIVE ENGINEER
KORBA (CG)
For, Commissioner Korba (C.G.)

Office Of The Municipal Corporation, Korba (C.G.)


Annual rate Contract of Electrical Material for Nagar Nigam Korba


SN	DESCRIPTION	UNIT	QTY	Lowest Rate
1	Poly Carbonate Angle Holder. Anchor, Great White, Havells, Surya	No	1	
2	Screw Driver Complete set Tapar Jalla, Cona	Set	1	
3	'pliers Insulated 200mm (Taparia) Tapari Jallani"	No	1	
4	'Hand gloves pair (Electrical Use) Crystal, Essab	Pair	1	
5	Wiring Patti (Casing - Caping) a) 25 mm Sarswati, Riga	RUNNING METRE	1	
6	Wiring Patti (Casing - Caping) a) 32 mm Sarswati, Riga	RUNNING METRE	1	
7	'Bend for Wiring Patti	No	1	
8	'J.B. Box For Wiring Patti	No	1	
9	D.P. Switch 32 AMP ISI Mark- Anchor , Bajaj, Rigga, Cona	No	1	
10	P.V.C. Wire (Copper) 1.5 Sq mm ISI Make Anchor, Havells , Polcab	RUNNING METRE	1	
11	Insulation Tape - ISI Mark Steel -Greep, Anchor"	No	1	
12	Switch 5 Amp One Way Pianotype ISI Mark Anchors , Rigga, Cona	No	1	
13	Switch 15 Amp One Way Pianotype ISI Mark- Anchor, Rigga, Cona	No	1	
14	Socket 5 Amp Pianotype ISI Mark - Anchor, Cona equivalent, Rigga	No	1	
15	Socket 15 Amp Pianotype ISI Mark - Anchor, Cona equivalent, Rigga	No	1	
16	Main Switch TPN (a) 32 amp ISI Mark Make - Havells, HPL, Crompton or equivalent, Klick, Rigga	No	1	
17	Main Switch TPN (b) 63 amp ISI Mark Make - Havells, HPL, Crompton or equivalent, Klick, Rigga	No	1	
18	Socket 5 Amp Pianotype ISI Mark Anchor, Con Rigga or equivalent	No	1	
19	Main Switch TPN (d) 200 amp ISI Mark Make - Havells, HPL, Crompton or equivalent, Klick,	No	1	
20	Main switch SP N (I) 32 AMP ISI Mark Make - Havells, HPL, Crompton or equivalent, Klick,	No	1	
21	Main switch SP & N (II) 63 AMP ISI Mark Make - Havells, HPL, Crompton or equivalent, Klick,	No	1	
22	Miniature circuit break. (a) 16 amp ISI Mark- Anchore, Havell, Cona	No	1	
23	Miniature circuit break. (b) 32 amp ISI Mark Anchor, Cona, Rigga	No	1	
24	Aluminium wire PVC Insulated. (a) 1.5 Sqmm ISI Mark- Asian, Kent, Polycab, Rigga	RUNNING METRE	1	
25	Aluminium wire PVC Insulated. Sqmm ISI Mark - Asian, Kent, Polycab, Rigga (b) 2.5	RUNNING METRE	1	
26	Aluminium wire PVC Insulated. Sqmm ISI Mark- Asian, Kent, Polycab, Rigga (c) 4.0	RUNNING METRE	1	
27	Aluminium wire PVC Insulated. Sqmm ISI Mark Asian, Kent, Polycab, Rigga (d) 6.0	RUNNING METRE	1	
28	Alluminium Wire 10 Sq mm Round Cable ISI (Single core) Mark - Kent, Polycab, Rigga	RUNNING METRE	1	
29	Alluminium Wire 10 Sq mm Round Cable ISI (Double Core) Mark - Kent, Polycab, Rigga	RUNNING METRE	1	
30	Alluminium Wire 10 Sq mm Round Cable ISI (Four Core) Mark - Kent, Polycab, Rigga	RUNNING METRE	1	
31	Multi Stand copper conductor 2.5sqmm ISI mark Make - HPL, Anchor, Hevells, Polycab	RUNNING METRE	1	
32	Multi Stand copper conductor 4sqmm ISI mark Make - HPL, Anchor, Hevells, Polycab	RUNNING METRE	1	
33	Aluminium armoured Cable 4 core (a) Size 16 Sqmm ISI Mark- Havells , Polycab , Phenolex	RUNNING METRE	1	
34	Aluminium armoured Cable 4 core (b) Size 25 Sqmm ISI Mark - Havells , Polycab , Phenolex	RUNNING METRE	1	


35	Aluminium armoured Cable 4 core (c) Size 35 Sqmm ISI Mark - Havells , Polycab , Phenolex	RUNNING METRE	1	
36	'Aluminium armoured Cable 4 core (d) Size 50 Sqmm ISI Mark Havells, Poly cab, Phenolex	RUNNING METRE	1	
37	Aluminium armoured Cable 4 core (e) Size 150 Sqmm ISI Mark - Havells , Polycab , Phenolex	RUNNING METRE	1	
38	'Bulbs 100 WBajaj, Surya, Philips	No	1	
39	Halogen tube 1000wPhilips, Crompton Greaves, Bajaj, Vivid	No	1	
40	Halogen tube 500wPhilips, Crompton Greave Bajaj, Vivid	No	1	
41	Holder for Halogen Fixture 1000WPhilips, Crompton Greaves, Bajaj	No	1	
42	'Holder for Halogen Fixture 500WPhilips, Crompton Greaves, Bajaj	No	1	
43	'Copper Flat Cable Three core (a) Size 2.5 sqm mmHavells, Poly cab	RUNNING METRE	1	
44	Copper Flat Cable Three core (b) Size 4.0 sqm mmHavells, Poly cab	RUNNING METRE	1	
45	Electronic Regulator for Ceiling Fan Step Type ISI Mark Make -Anchor, Cona , Great White	RUNNING METRE	1	
46	G.I. Bracket 1" Dia (0.5mtr. Long) i/c bending the pipe to the required shap 2 nos. 25x5mm flat iron clamp with 4x9" long nut & bolt.	No	1	
47	G.I. Bracket 1.25" Dia (0.5mtr. Long) bending the pipe to the required shap 2 nos. 25x5mm GI flat iron clamp with 4x9" long nut & bolt	No	1	
48	'Holder Pendent Type Poly Carbonate 40 w to 100wAnchor , Bajaj	No	1	
49	Kit-Kat 100 ampAnchor Orient	No	1	
50	'Screw Steel (100 Nos. Per Packet) a) 3/4	No	1	
51	'Screw Steel (100 Nos. Per Packet) b) 1"	No	1	
52	Screw Steel (100 Nos. Per Packet) c) 1 1/2 "	No	1	
53	'Callbell 230 V (Ordinary) Anchor, Orient	No	1	
54	Capacitor 2.5 Mcro Farrad ISI Mark	No	1	
55	Pendent (Bed) switch 5 AMP ISI Mark Anchor. Cona, Rigga	No	1	
56	'Bell Push ISI Mark Anchor, Bajaj	No	1	
57	Kit-Kat 16 amp ISI Mark Anchor, Rigga,Cona	No	1	
58	Kit-Kat 32amp ISI Mark Anchor, Rigga,Cona	No	1	
59	Kit-Kat 63amp ISI Mark Anchor, Rigga,Cona	No	1	
60	Lugs Alluminium (I) 16 Sq mm Hex, Dowell, SVS , ISI Mark	No	1	
61	Lugs Alluminium (II) 25 Sq mmHex, Dowell, SVS , ISI Mark	No	1	
62	Lugs Alluminium (III) 35 Sq mmHex, Dowell, SVS , ISI Mark	No	1	
63	Lugs Alluminium (IV) 50 Sq mmHex, Dowell, SVS , ISI Mark	No	1	
64	Lugs Alluminium (V) 150 Sq mm Hex, Dowell, SVS , ISI Mark	No	1	
65	Ceiling Fan 1200 mm Sweep with Electronic Reglater Steptyle Bajaj,Crompton Greaves,Anchor, Surya or equivalent	No	1	
66	Ceiling Fan 1400 mm Sweep with Electronic Reglater Steptyle Bajaj,Crompton Greaves,Anchor, Surya or equivalent	No	1	
67	Tester 230 V Tapararia , Cona	No	1	
68	'Measuring Tap Each 30 Mtr.I.S.I. Mark	No	1	
69	Ceiling rose ISI marked	No	1	
70	Exhaust Fan 12 " Dia ISI Mark. Bajaj,Crompton Greaves, Surya or equivalent	No	1	
71	Exhaust Fan 18 " Dia ISI Mark. Bajaj,Crompton Greaves, Surya or equivalent	No	1	
72	'Swaged steel Tubular Pole - 9 Mtr. 410SP-32 marked as per IS 2713	No	1	
73	'Alluminium Ladder 20 Ft. (Folding Type)Paras, patel,	No	1	
74	Change Over Switch 100 AMP ISI Mark- Anchor, Hevells	No	1	
75	Halozen Fixture 1000 W Bajaj,Crompton Greave,Surya or equivalent	No	1	

76	Halozen Fixture 500 W Bajaj, Crompton Greaves, Surya or equivalent	No	1	
77	Wall fan 400mm with rated speed 300rpm & rated air delivery 75cm Make - Bajaj, Havells, Crompton Greaves, Surya, Orient	No	1	
78	Pressure die cast aluminium LED street light 18 Watt with heat resistance toughness class and IP 66 protection Make - HPL, Bajaj, Havells, Surya, Orient	No	1	
79	Supply of following 230/250 volt LED street light fitting with all accessories like driver, heat sink made of die cast aluminium with IP 66 protection and 5KV surge protection on pole bracket complete as required and furnishing 2 Yrs Guarantee certificate from manufacturer. (PWD approved) Make - Bajaj, Philips, Crompton or as equivalent, Surya, Orient LED 72 W	No	1	
80	LED 100 W	No	1	
81	Supply of LED lamp with inbuilt with electronic driver heat sink and all other accessories in existing holder/ luminaires as required and furnishing 2 Yrs Guarantee certificate from manufacturer. (PWD approved) 0.5 W Make - Bajaj, Philips, Crompton or as equivalent, Surya, Orient 18 W	No	1	
82	35 W	No	1	
83	45 W	No	1	
84	Supply of LED Tube and 18 Watt inbuilt with electronic driver heat sink and all other accessories in existing holder/ luminaires as required and furnishing 2 Yrs Guarantee certificate from manufacturer. (PWD approved) Make - Bajaj, Philips, Havells, Crompton or as equivalent 18 Watt, Surya, Orient	No	1	
85	LED Tube Rod with all accessories Make Bajaj, Crompton Greaves, Havells or as equivalent, Surya, Orient A) 18 Watt	No	1	
86	Switch disconnecter 3 pole 415 volt with SS Enclosure make Havells, HPL, SSK 80 Amp, Klick, Cona, Rigga	No	1	
87	100 Amp	No	1	
88	125 Amp	No	1	
89	160 Amp	No	1	
90	200 Amp	No	1	
91	320 Amp	No	1	
92	PVC Modular Switch board boxes ISI mark 1 Way	No	1	
93	2 Way	No	1	
94	3 Way	No	1	
95	4 Way	No	1	
96	5 Way	No	1	
97	6 Way	No	1	
98	7 Way	No	1	
99	8 Way	No	1	
100	10 Way	No	1	
101	12 Way	No	1	
102	Supply of LED Street light driver with all accessories of approved make Bajaj, Philips, Havells, Crompton or as equivalent, Surya LED 25 W	No	1	
103	LED 30 W	No	1	
104	LED 45 W	No	1	
105	LED 60 W	No	1	
106	LED 72 W	No	1	
107	LED 90 W	No	1	
108	LED 100 W	No	1	
109	LED 120 W	No	1	
110	LED 135 W	No	1	
111	Supplying following Modular base & cover plate in sealed packing (a) 1 Module	No	1	
112	(b) 2 Module	No	1	
113	(c) 3 Module	No	1	

114	(d) 4 Module	No	1	
115	(e) 6 Module	No	1	
116	(f) 8 Module	No	1	
117	(g) 12 Module	No	1	
118	(h) 16 Module	No	1	
119	Supplying metal box of follwing sizes (nominal size) including painting (a) 75 x mm x 75 mm x 60 mm deep	No	1	
120	(b) 100 x mm x 100 mm x 60 mm deep	No	1	
121	(c) 150 x mm x 75 mm x 60 mm deep	No	1	
122	(d) 150 x mm x 150 mm x 60 mm deep	No	1	
123	(e) 180 x mm x 100 mm x 60 mm deep	No	1	
124	(f) 200 x mm x 125 mm x 60 mm deep	No	1	
125	(g) 200 x mm x 150 mm x 60 mm deep	No	1	
126	(h) 200 x mm x 250 mm x 60 mm deep	No	1	
127	(i) 200 x mm x 300 mm x 60 mm deep	No	1	
128	(j) 250 x mm x 300 mm x 60 mm deep	No	1	
129	(k) 325 x mm x 300 mm x 60 mm deep	No	1	
130	(l) 375 x mm x 300 mm x 60 mm deep	No	1	
131	Supplying of following sizes ceiling fan (A) 600 mm sweep	No	1	
132	(b) 1050 mm sweep	No	1	
133	(c) 1200 mm sweep	No	1	
134	(d) 1400 mm sweep	No	1	
135	(e) 900 mm sweep (Decorative Type)	No	1	
136	(f) 1200 mm sweep (Decorative Type)	No	1	
137	(g) 1200 mm sweep (BLDC Motor)	No	1	
138	Supplying of following LED lamps with inbuilt electronic driver heat sink for conventional holder (A) 3 Watt	No	1	
139	(b) 5 Watt	No	1	
140	(c) 7 Watt	No	1	
141	(g) 9 Watt (Inverter Type With builtin battery backup)	No	1	
142	(h) 12 Watt (Inverter Type With builtin battery backup)	No	1	
143	Supplying of following 230/250 volts LED Flood light Make- Surya, Bajaj, Philips or equivalent. (c) 60 watt	No	1	
144	(h) 180 watt	No	1	
145	(n) 500 watt	No	1	
146	Supply of Following Types of Joint Lugs ISI MARK (A)10 sqm	No	1	
147	B 16 sqm	No	1	
148	C 25 sqm	No	1	
149	Supply of Rubber Tape ISI MARK	No	1	
150	Supply of Junction Box ISI MARK	No	1	
151	Size 250mmx200x125mm	No	1	
152	Supply of Terminal 4 Way ISI MARK	No	1	
153	Supply of Timer Switch For 63 Amp. With 63 Amp.,Contectret Timer,MCB 63 Amp, Rotary Switch Buss Bar,Stable For Terminal loc, 50mmX450mmX200mm Size CRCA 2mm Thick Sheet and locking Arrangement all Complete Make L & T, C&S Havelles,Simans,HPL etc.	No	1	


Sub Engineer
Municipal Corporation
Korba (C.G.)


Assitt. Engineer
Municipal Corporation
Korba (C.G.)


Exe. Engineer
Municipal Corporation
Korba (C.G.)