

कार्यालय नगर पालिक निगम, कोरबा (छ.ग.)

कोरबा दिनांक 13.02.2026

फार्म. 1034 / उद्यान / 2026 /

निविदा आमंत्रण सूचना

नगर पालिक निगम कोरबा द्वारा लोक निर्माण विभाग से एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से निम्नलिखित कार्य हेतु फार्म-बी में जिन्हें उद्यानिकी कार्य का अनुभव हो से शेड्यूल अनुसार आइटम दरों पर निम्नलिखित कार्य हेतु मैनुअल निविदा वेबसाइट से डाउनलोड कर बंद लिफाफा के माध्यम से आमंत्रित की जाती है :-

1. निर्धारित प्रारूप में निविदा प्रपत्र प्राप्त होने की अंतिम तिथि
2. निविदा खुलने की अंतिम तिथि

- 09.03.2026 अपराह्न काल 3.00 बजे तक
- 11.03.2026 अपराह्न 03.00 बजे।

क्र.	कार्य का नाम	प्राक्कलन राशि में	घरोहर राशि रु में	निविदा प्रतिभागी शुल्क	निविदा प्रपत्र	कार्यावधि	निविदा खुलने की अंतिम तिथि
1.	न्यू हाउसिंग बोर्ड कॉलोनी खरमोरा उद्यान का विकास कार्य (निगम मद)	699000.00	5300.00	750.00	फार्म बी	2 माह	11.03.2026

निविदा की शर्त:-

1. निविदा रजिस्टर्ड पोस्ट अथवा स्पीड पोस्ट से ही प्राप्त किया जावेगा। अन्य माध्यमों यथा कोरियर सर्विस, साधारण डाक इत्यादि से प्राप्त अथवा समयावधि के पश्चात् प्राप्त निविदाओं पर विचार नहीं किया जावेगा। निविदा आयुक्त, नगर पालिक निगम, कोरबा आई.टी. आई. कॉलोनी रामपुर, कोसाबाड़ी जिला-कोरबा (छ.ग.) पिन नं.-495677 के पते पर भेजना होगा। निर्धारित तिथि को सायं 3:00 के पश्चात् प्राप्त निविदाएँ स्वीकार नहीं की जावेगी।
2. निविदा प्रपत्र नगर पालिक निगम, कोरबा के वेबसाइट www.korbamunicipal.in/uad.cg.gov.in से डाउनलोड किया जाकर नवीन निविदा प्रपत्र **Form - A/B/ABC** (जारी दिनोंक तक समस्त संशोधनों के साथ) निर्धारित शुल्क की डीडी के साथ संबंधित कार्य का नाम पूर्ण विवरण सहित भरकर भेजना होगा।
3. निविदा प्रपत्र त्रि-लिफाफा पद्धति से मान्य किया जावेगा जो निम्नानुसार होगा:-
 - (अ) प्रथम लिफाफा में ठेकेदार का जीवित पंजीयन प्रमाण पत्र, आयकर चुकता प्रमाण पत्र, निविदा सूचना आमंत्रण में उल्लेखित अन्य दस्तावेज के साथ निर्धारित प्रपत्र शुल्क का डीडी एवं अमानत राशि का टी.डी.आर./एफ.डी.आर. जो कि आयुक्त, नगर पालिक निगम कोरबा के नाम पर देय होगा प्रस्तुत करना होगा।
 - (ब) द्वितीय लिफाफा में ठेकेदार द्वारा भरा हुआ निविदा प्रपत्र होगा।
 - (स) तृतीय लिफाफा में उपरोक्त दोनों लिफाफे होंगे तथा आवश्यकता पड़ने पर मूल अभिलेख प्रस्तुत करना होगा।
4. जिन ठेकेदारों द्वारा नगर पालिक निगम के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
5. इच्छुक ठेकेदारों/निविदाकार को निविदा के साथ पूर्व में इस प्रकार के किए गए कार्यों की प्रमाणित सूची, पिछले वित्तीय वर्ष का आयकर चुकता प्रमाण पत्र, पेन नम्बर, जी.एस.टी. पंजीयन, पूर्व में उद्यानिकी कार्य से संबंधित किये गये कार्यों की कार्यपालन अभियंता या उससे उच्च अधिकारी से प्रमाणित सूची अथवा कार्यादेश की फोटोप्रति, साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि एवं विस्तृत निविदा आमंत्रण सूचना (एनआईटी) हस्ताक्षरयुक्त एवं निर्धारित प्रारूप में निविदा आमंत्रण सूचना के कंडिका क. 04 के लिफाफा (अ) में प्रस्तुत करना अनिवार्य होगा।
6. कार्य हेतु लिफाफे पर कार्य का नाम निविदा आमंत्रण सूचना क्रमांक, निविदा खुलने की तिथि स्पष्ट रूप से लिखकर भेजना होगा।
7. निर्धारित निविदा प्रपत्र में उल्लेखित कंडिकाएँ स्वमेव लागू मानी जावेगी एवं निविदा आमंत्रण सूचना निविदा का ही भाग माना जावेगा।
8. निर्धारित प्रारूप में निविदा प्रपत्र, निविदा प्रपत्र शुल्क, अमानत राशि, निविदा आमंत्रण सूचना पत्र में उल्लेखित दस्तावेज सही पाए जाने पर ही निविदा दर संबंधी लिफाफा खोला जावेगा अन्यथा निविदा निरस्त कर दी जावेगी।
9. ठेकेदार को अपनी दरें शब्दों एवं अंकों में लिखना अनिवार्य होगा।
10. ठेकेदार यदि प्रदाय कार्य को अपूर्ण स्थिति में छोड़ता है तो निविदा प्रपत्र में उल्लेख अनुसार इस संबंध में प्रावधान के अंतर्गत कार्यवाही की जावेगी।
11. प्रदाय कार्य अपूर्ण स्थिति में छोड़ने पर निगम द्वारा ठेकेदार के विरुद्ध तत्समय एम.आई.सी. द्वारा स्वीकृत प्रस्ताव के अधीन कार्यवाही की जावेगी जिसकी संपूर्ण जवाबदारी ठेकेदार की होगी।
12. निविदा प्रपत्र अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नहीं किया जावेगा।


13. निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में निविदा स्वीकृत अथवा अस्वीकृत करने का आयुक्त महोदय का निर्णय अंतिम एवं सर्वमान्य होगा।
14. निविदा खुलने की तिथि में अवकाश होने पर आगामी तिथि को निविदा संबंधी कार्यवाही मानी जावेगी।
15. उद्यान में संलग्न श्रमिकों का ई.पी.एफ. एवं ई.एस.आई.सी. समय पर जमा कर पावती देयक के साथ प्रस्तुत करना होगा तत् पश्चात ही भुगतान किया जावेगा।
16. ठेकेदार द्वारा संपादित किये गये कार्यों के देयकों को भुगतान कार्य विशेष हेतु बजट आवंटन एवं राशि उपलब्धता के अनुसार किया जावेगा।

नोट:-

17. अमानत राशि के रूप में एफ.डी.आर./टी.डी.आर. पृथक से लिफाफे में स्वीकार किए जावेंगे आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय हो।
18. उपरोक्त तिथियों में किसी भी तिथि को शासकीय/स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।

(ठेकेदार के हस्ताक्षर)

नाम
पूर्ण पता
.....
मोबाईल नं.-


कार्यपालन अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

पृष्ठा. क. 1034/उद्यान/2026/
प्रतिलिपि-

कोरबा दिनांक 13.02.2026

प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास नवा रायपुर को uad.cg.gov.in में अपलोड करने बाबत।

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.)

DETAILED ESTIMATE

Name of Work : DEVELOPMENT OF GARDEN IN NEW HOUSING BOARD COLONY KHARMORA AT WARD NO-35
As per SOR : SCHEDULE OF RATES PUBLIC WORKS DEPARTMENT [PWD BUILDING-01.01.2015]

SN	REF	ITEM DESCRIPTION	N	L	B	H/D	QTY	UNIT	RATE	AMOUNT
-										
1	1.1	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of pits.								
	1.1	In all types of soils.								
			1	96.00	0.30	0.30	8.64			
			2	30.00	0.30	0.30	5.40			
						Total	14.04	cum	185.00	2597.40
2	1.2	Surface dressing of the ground including removing vegetation and making up undulations and in-equalities not exceeding 15 cms in depth/ height including disposal of rubbish upto 1.5 m lift and lead upto 50m (at least 5m away from the dressed area).								
			1	30.00	18.00		540.00			
						Total	540.00	sqm	7.20	3888.00
3	1.17	Filling from available excavated stuff (Excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering with a lead upto 50 M. and lift upto 1.5 M.								
							14.04			
						Total	14.04	cum	65.00	912.60

SN	REF	ITEM DESCRIPTION	N	L	B	H/D	QTY	UNIT	RATE	AMOUNT
4	1.19	Providing filling and compacting local earth (from approved source pit) in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering, including dressing etc. complete.								
			1	96.00	1.80	0.20	34.56			
			1	30.00	1.80	0.20	10.80			
						Total	45.36	cum	242.00	10977.12
5	3.1	Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work.								
	1.2	1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size).								
		-WALL	1	96.00	0.30	0.10	2.88			
			2	30.00	0.30	0.10	1.80			
		-PATHWAY	1	96.00	1.80	0.10	17.28			
			1	30.00	1.80	0.10	5.40			
						Total	27.36	cum	2659.00	72750.24
	1.5	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20mm nominal size).								
			2	96.00	0.10	0.05	0.96			
			2	30.00	0.10	0.05	0.30			
			1	2.50	2.00	0.15	0.75			
						Total	2.01	cum	4073.00	8186.73
6	7.5	Brick work with modular fly-ash lime bricks (FaLG Bricks) conforming to IS:12894-2002 of class designation 4.0 in foundation and plinth in:								
	5.4	Cement Mortar 1:6 (1 cement : 6 coarse sand)								
			1	96.00	0.20	0.30	5.76			
			2	30.00	0.20	0.30	3.60			
						Total	9.36	cum	3263.00	30541.68

SN	REF	ITEM DESCRIPTION	N	L	B	H/D	QTY	UNIT	RATE	AMOUNT
7	12.36	Chequered terrazzo tiles 22 mm thick with graded marble chips of size upto 6mm in floors on 25mm thick bed of cement mortar 1:6 (1 cement : 6 coarse sand) jointed with neat cement slurry mixed with pigment to match the shade of tiles including grinding rubbing and polishing complete.								
	36.1	Light shade using white cement								
			1	96.00	1.80		172.80			
			1	30.00	1.80		54.00			
						Total	226.80	sqm	799.00	181213.20
8	11.2	Providing and making 12mm thick cement plaster of mix:								
	2.4	In Cement Mortar 1:6 (1 cement : 6 fine sand)								
			1	96.00	0.50		48.00			
			2	30.00	0.50		30.00			
						Total	78.00	sqm	91.50	7137.00
9	14.6	White washing with whiting to give an even shade.								
	6.1	On new work (Three or more coats)								
							78.00			
						Total	78.00	sqm	9.00	702.00
10	14.15	Painting exterior surface with ACRYLIC SMOOTH exterior paint of required shade as per manufacturer's specifications to give protective and decorative finish including cleaning washing of surface etc. complete with:								
	15.1	On new work (Two or more coats applied @ 1.43 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)								
							78.00			

SN	REF	ITEM DESCRIPTION	N	L	B	H/D	QTY	UNIT	RATE	AMOUNT
			1	96.00	1.00		96.00			
			1	20.00		1.80	36.00			
						Total	210.00	sqm	56.00	11760.00
11	14.22	Painting on new work (two or more coats) to give an even shade with:								
	22.1	Satin synthetic enamel paint								
			1.5X1	80.00		1.20	144.00			
						Total	144.00	sqm	55.00	7920.00
12	14.35	Floor painting with superior quality enamel paint to give an even shade.								
	35.1	On new work (two or more coats)								
			1	96.00	1.80		172.80			
			1	30.00	1.80		54.00			
						Total	226.80	sqm	43.00	9752.40
13	19.4	(PWD ELECTRICAL-01-06-2020- of GI PIPE POLE made of "B" class GI pipe making necessary hole for cable entry and providing earthing stud (welded at specified height) including painting with one coat of red oxide zinc chromate primer.								
	4.1	50 mm dia					4.00	Metre	398.00	1592.00
14	19.5	(PWD ELECTRICAL-01-06-2020- and welding M.S. base plate of size 300x300x3mm at bottom of GI/MS pipe pole.					4.00	Each	166.00	664.00
15	6.68	(PWD ELECTRICAL-01-06-2020- Installation, testing and commissioning of following type LED Driver for LED Street lights / Flood Lights, IP 65 by approved make as required.								
	68.3	36 watt					4.00	Each	508.00	2032.00
16	6.28	(PWD ELECTRICAL-01-06-2020- installation, testing and commissioning of following 230/250 volts LED street light fitting with all								

SN	REF	ITEM DESCRIPTION	N	L	B	H/D	QTY	UNIT	RATE	AMOUNT
		accessories like driver, heat sink made of die cast aluminium with IP 66 protection and 15 KV surge protection on pole bracket, including connection, earthing, Separate housing for driver etc complete as per specification and P.F. should be greater than 0.9. LED chip efficacy ratio = 120 lumens /watt.								
	28.4	30 watt					8.00	Each	1891.00	15128.00
17	15.2	(PWD ELECTRICAL-01-06-2020- and laying following sizes additional one number, FRLS PVC insulated /XLPE, PVC sheathed, steel armoured, aluminium conductor power cable of 1.1 KV grade direct in ground as in the same trench in one tier horizontal formation at a depth not less than 40 cm and upto 90 cm including excavation, sand cushioning, protective covering and refilling the trench etc as per specification, IS: 1554 (1988, Part 1) & IS: 7098 (1988, Part 1).								
	2.10	3 x 35 sq. mm					150.00	Metre	224.00	33600.00

As per Estimate Amount Rs. 401354.37
Say Rs.


Sub Engineer
Nagar Palik Nigam,
Korba


Asst. Engineer
Nagar Palik Nigam,
Korba

OFFICE OF THE MUNICIPAL CORPORATION, KORBA (C.G.)

DETAILED ESTIMATE

Name of Work : PLAY EQUIPMENT..


As per SOR : SCHEDULE OF RATES PUBLIC WORKS DEPARTMENT [PWD BUILDING-01.01.2015]

SN	REF	ITEM DESCRIPTION	N	L	B	H/D	QTY	UNIT	RATE	AMOUNT
1	NS-6	TWO ABS SWING					1.00	EACH		
2	NS-9	SURF BOARD					1.00	EACH		
3	NS-10	FIBER KIDS WAVE SLIDE					1.00	EACH		
4	NS-11	GARDEN CHAIR					4.00	EACH		
5	NS-12	AIR WALKER					1.00	EACH		

As per Estimate Amount

Say Rs.


Sub Engineer
Nagar Palik Nigam,
Korba


Asst. Engineer
Nagar Palik Nigam,
Korba