



कार्यालय, नगर पालिक निगम, कोरबा (छ.ग.)

जलप्रदाय शाखा :- साकेत भवन आई.टी.आई. चौक, कोरबा (छ.ग.)

मु.क्र. दूरभाष : 221288, 222672, फ़ैक्स : 07759-221929, पो. वावस नं. : 12 पिन कोड : 495677

Website : www.Korbamunicipal.in Email : mck.watersupply@gmail.com

फा.क./1241/ज.प्र.स./2021/

सिस्टम टेंडर नं. 85795

कोरबा, दिनांक 23.10.2021


निविदा आमंत्रण सूचना

नगर पालिक निगम, कोरबा द्वारा निम्नलिखित कार्य हेतु व्यवसाय के संबंधित प्रतिष्ठित निर्माता कंपनी अथवा अधिकृत विक्रेताओं से शोड्यूल अनुसार आईटम दरों पर (E-Tendring) के माध्यम से निविदा आमंत्रित की जाती है :-

क	कार्य का नाम	प्राक्कलन राशि (राशि लाख में)	धरोहर राशि	कार्यावधि	निविदा खुलने की तिथि
1	जलप्रदाय संधारण कार्य हेतु विद्युत सामग्री खरीदी। (वार्षिक दर पर)	-	20,000/-	01 वर्ष	16.11.2021 से

शर्त :-

1. निविदा प्रपत्र की ई-प्रोक्युरमेंट (E-Tendring) के माध्यम से ही स्वीकार किये जाएंगे। निर्धारित तिथि को सायं 3.00 बजे के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जावेगा।
2. जिन ठेकेदारों/प्रदायकर्ताओं द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हें निविदा भरने की पात्रता नहीं होगी।
3. निविदा प्राप्त करने के इच्छुक ठेकेदारों/प्रदायकर्ताओं को आवेदन के साथ निर्माता कंपनी/अधिकृत विक्रेता संबंधी प्रमाण पत्र की प्रमाणित प्रतिलिपि ऑनरशीप यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, पूर्व में इस प्रकार के किये गये कार्यों का अनुभव प्रमाण पत्रों की जानकारी, आयकर प्रमाण पत्र/पेन नं. एवं जी.एस.टी. प्रमाण पत्र एवं अमानत राशि ऑन लाइन जमा कर स्केन कापी बेवसाइट पर अपलोड करना अनिवार्य होगा।
4. दर निर्धारण पश्चात् किसी अनुबंधित निविदाकार एवं प्रदायकर्ता से सामग्री कय करने का अधिकार संस्था के पास सुरक्षित रहेगा।
5. प्रदाय की गई सामग्री का परीक्षण रिपोर्ट भुगतान पूर्व देयक के साथ संलग्न करना अनिवार्य होगा। अन्यथा भुगतान करना संभव नहीं होगा।
6. निविदा प्रपत्र उन्ही ठेकेदारों/प्रदायकर्ताओं को दिया जावेगा। जिन्हे इस प्रकार के कार्य का अनुभव हों।
7. निविदा प्रपत्र अहस्तांतरणीय होगी एवं सभर्त निविदाओं पर विचार नहीं किया जावेगा।
8. बिना कारण बताए स्वीकृत/अस्वीकृत या पूर्ण रूप से अमान्य करने का अधिकार सक्षम अधिकारी को रहेगा।
9. किसी भी तरह की विवाद की स्थिति में अंतिम निर्णय लेने का अधिकार सक्षम अधिकारी के पास सुरक्षित रहेगा।
10. उपरोक्त निविदा सूचना की विस्तृत प्रति नगर पालिक निगम कोरबा की वेब साइट www.korbamunicipal.in पर भी यह टेन्डर उपलब्ध है।
11. अन्य सूचनाएं नगर पालिक निगम साकेत भवन रामपुर कोरबा कार्यालय से प्राप्त की जा सकती है


कार्यपालन अभियंता
नगर पालिक निगम
कोरबा (छ.ग.)

प्रतिलिपि :- प्रोग्रामर, संचालनालय, नगरीय प्रशासन एवं विकास विभाग, नया रायपुर (छ.ग.) को uad.cg.gov.in में अपलोड किये जाने हेतु प्रेषित।

TENDER/NIT HEADER DETAIL

ORGANIZATION NAME	Urban Administration and Development Department (UADD)	PROCUREMENT CATEGORY	GOODS
TENDER NO.	85795	TENDER DEALING OFFICER	- Rankumar Maheshwari (EE)
NUMBER OF ITEMS ALREADY ATTACHED	206	MATCHING	NO
CURRENCY	INR - INDIAN RUPEE	TENDER CATEGORY	ITEM RATE
NIT TYPE	OPEN TENDER	OFFICE/DIVISION (PWD)	COMMISSINOR, MUNICIPAL CORPORATION, KORBA
VENDOR CLASS	OTHERS	NAME	CORPORATION, KORBA
PROBABLE AMOUNT OF CONTRACT (PAC) [INR]	1060970.00	SECTION/CIRCLE (PWD)	TENDER SECTION
DIVISION / DISTRICT	MUNICIPAL CORPORATION, KORBA	NAME	
DESCRIPTION	F.No.1241 /Water Supply Section/2021/KMC		
DETAILED DESCRIPTION	Annual Rate Contract for supply of Electrical Item for Water Works		
IS AUCTION ENABLED?	N		
NUMBER OF BID PART(S)	2	BID PART NUMBER	1

ATTRIBUTE (S)

ATTRIBUTE NAME	ATTRIBUTE VALUE
BID VALIDITY PERIOD (in days)	120
Tender / Work Completion Time (in months)	12 (VALUE)
Required Past Technical Experience	As per tender Documen / Nit shchedule
Required Financial Turnover (in INR)	AS PER NIT
Required Bid Capacity (in INR)	AS PER NIT

PAYMENT DETAILS

DETAILS	
Tender/Processing/Bid Fees	N/A
BMD/Bid Security	20000.00 INR

DATE-TIME DETAIL (S)

BID SUBMISSION START DATE	Oct 23, 2021 12:25:06:PM	BID DUE DATE	Nov 15, 2021 05:30:11:PM
BID OPEN DATE (SCHEDULED)	Nov 16, 2021 10:30:28:AM		

PRE-BID DISCUSSION DETAILS

PRE-BID DISCUSSION NOT REQUIRED

ALTERNATE BID DECRYPTOR (S)

USER DETAILS
MR BUYER ADMIN (DFLT)
- MANORANJAN SARKAR (DFLT)
- Mitresh Verma (DFLT)
- Rankumar Maheshwari (DFLT)
- ARUN KUMAR SHARMA (DFLT)
- Bhushan Ram Oraon (DFLT)

TERM AND CONDITION DETAIL (S) - SPECIAL TERM (S)

SL. NO.	CATEGORY	DESCRIPTION
1	SPCIAL TERM(S)	SPECIAL TERM(S) As per tender Documen / Nit shchedule

TENDER SPECIFIC REQUIRED ATTACHMENT (S)**Envelop B**

SL. NO.	SUPPORTING DOCUMENT NAME	MANDATORY	ALLOW EXEMPTION	GROUP
1	Income Tax Clearance Certificate	YES	NO	OTHER
2	Partnership Deed/MOA of Company (If Required)	NO	NO	OTHER
3	Experience Certificate	YES	NO	OTHER
4	GST Certificate from Chhattisgarh	YES	NO	OTHER
5	PAN CARD	YES	NO	OTHER
7	Bid capacity for Supply	YES	NO	OTHER
8	Firm Registration By C.G. Govt.	YES	NO	OTHER

OFFICE OF THE MUNICIPAL CORPORATION KORBA (C.G)

Subject :- Annual Rate Contract for Supply of Electrical Item for Water Works.

Estimate

PART-A

PWD Electrical & Mechanical SOR 01.06.20

SN	DESCRIPTION	Qty	UNIT	Rate
1	Supplying of Aluminium lugs			
	a) Size 16 Sqmm Cabel	1	No	
	b) Size 25 Sqmm Cabel	1	No	
	c) Size 35 Sqmm Cabel	1	No	
	d) Size 50 Sqmm Cabel	1	No	
	e) Size 70 Sqmm Cabel	1	No	
	f) Size 95 Sqmm Cabel	1	No	
	g) Size 120 Sqmm Cabel	1	No	
	h) Size 150 Sqmm Cabel	1	No	
	i) Size 300 Sqmm Cabel	1	No	
	j) Size 400 Sqmm Cabel	1	No	
2	Supplying of Copper Lugs			
	a) Size 16 Sqmm Cabel	1	No	
	b) Size 50 Sqmm	1	No	
	c) Size 70 Sqmm	1	No	
	d) Size 95 Sqmm	1	No	
	e) Size 120 Sqmm	1	No	
3	Supplying following sizes ISI marked FRLS PVC insulated copper conductor, single core wire in company pack coils.			
	1.5 sq. mm	1	Metre	
	2.5 sq. mm	1	Metre	
	4.0 sq. mm	1	Metre	
	6.0 sq. mm	1	Metre	
4	Providing following size ISI marked FR PVC insulated , PVC sheathed, 3 core submersible copper conductor wire and IS: 694 (2010)			
	1.5 sq. mm	1	Metre	
	2.5 sq. mm	1	Metre	
	4.0 sq. mm	1	Metre	
5	Supplying following sizes FRLS PVC insulated , PVC sheathed, steel armoured, aluminium conductor power cable of 1.1 KV grade and as per IS: 1554 (1988, Part 1) / IS: 7098 (1988, Part 1).			
	2 x 4 sq. mm	1	Metre	
	2 x 6 sq. mm	1	Metre	
	2 x 10 sq. mm	1	Metre	
	3 x 10 sq. mm	1	Metre	

	3.5 x 35 sq. mm.	1	Metre
	3.5 x 50 sq. mm.	1	Metre
	3.5 x 70 sq. mm.	1	Metre
	3.5 x 95 sq. mm.	1	Metre
	3.5 x 120 sq. mm.	1	Metre
	3.5 x 150 sq. mm.	1	Metre
	3.5 x 185 sq. mm.	1	Metre
	3.5 x 240 sq. mm.	1	Metre
	3.5 x 300 sq. mm.	1	Metre
	3.5 x 400 sq. mm.	1	Metre
	4 x 10 sq. mm.	1	Metre
	4 x 16 sq. mm.	1	Metre
	4 x 25 sq. mm.	1	Metre
6	Supplying following sizes FRLS PVC insulated , PVC sheathed, steel armoured, copper conductor controle cable of 1.1 KV grade		
	2 x 1.5 sq. mm	1	Metre
	4 x 1.5 sq. mm	1	Metre
	6 x 1.5 sq. mm	1	Metre
7	Supplying following Modular base & cover plate in sealed company packing.		
	16 Module	1	Each
8	Supplying following modular switch, socket, other accessories in sealed company packing.		
	SP MCB 25 amp	1	Each
9	Supplying metal box of following sizes (nominal size) including painting.		
	75 mm X 75 mm X 60 mm deep	1	Each
	100 mm X 100 mm X 60 mm deep	1	Each
	150 mm X 75 mm X 60 mm deep	1	Each
	180 mm X 100 mm X 60 mm deep	1	Each
	200 mm X 125 mm X 60 mm deep	1	Each
	200 mm X 150 mm X 60 mm deep	1	Each
	375 mm X 300 mm X 60 mm deep	1	Each
10	Supplying of following sizes ceiling fan		
	600 mm sweep	1	Each
	900 mm sweep (Decorative Type)	1	Each
	1200 mm Sweep (BLDC Motor)	1	Each
11	Supplying of following sizes 1400 rpm heavy duty (continuous running) exhaust fan		
	300 mm sweep	1	Each
	450 mm sweep	1	Each
12	Supplying of following LED lamps with inbuilt electronic driver heat sink for conventional holder		
	7 Watt	1	Each
	9 Watt	1	Each
	12 Watt	1	Each

13	Providing following rating and breaking capacity MCCB		
	3 pole MCCB, 25-63A, Fixed Thermal Release, 10KA	1	Each
	4 pole MCCB, 100A, Adjustable Microprocessor Release, 50KA	1	Each
	4 pole MCCB, 125A, Adjustable Microprocessor Release, 50KA	1	Each
	4 pole MCCB, 200A, Adjustable Microprocessor Release, 50KA	1	Each
	4 pole MCCB, 250A, Adjustable Microprocessor Release, 50KA	1	Each
	4 pole MCCB, 400A, Adjustable Microprocessor Release, 50KA	1	Each
	4 pole MCCB, 630A, Adjustable Microprocessor Release, 50KA	1	Each
14	Providing of metal clad, TP&N switch fuse unit (re-wirable), 415/500 volts, with porcelain re-wireble fuses as per specification.		
	100 amps	1	Each
15	Supplying penal mounting 230 volt LED type indicating lamp	1	Each
16	Supplying of following		
	16/32 amp DP surface switch with neon	1	Each
17	Supplying of following 230/250 volts LED Flood light.		
	100watt	1	Each
	250 watt	1	Each
	300 watt	1	Each
18	Providing of metal clad, SP&N switch fuse unit (re-wirable), 230/250 volts.		
	32 amps	1	Each
	63 amps	1	Each
19	Providing of metal clad, TP&N double break fuse switch unit (HRC), 415/500 volts.		
	100 amps	1	Each
20	Providing of bolted connection type following H.R.C. fuses, with 80 KA breaking capacity as per specification.		
	63 amps	1	Each
	100 amps	1	Each
	125 amps	1	Each
	200 amps	1	Each
	300 amps	1	Each
	400 amps	1	Each
	600 amps	1	Each
21	Providing knife (DIN) type following H.R.C. fuses, with 80 KA breaking capacity as per specification.		
	63 amps	1	Each
	100 amps	1	Each
	125 amps	1	Each
	200 amps	1	Each
	300 amps	1	Each
	400 amps	1	Each
	500 amps	1	Each
	600 amps	1	Each
22	Supplying of INDOOR cable end jointing with heat		

	185 sq. mm	1	Each
	240 sq. mm	1	Each
	300 sq. mm	1	Each
	400 sq. mm	1	Each
23	Supplying of OUTDOOR cable end jointing with heat shrinkable cable jointing kit.		
	50 sq. mm	1	Each
	70 sq. mm	1	Each
	90 sq. mm	1	Each
	120 sq. mm	1	Each
	150 sq. mm	1	Each
	185 sq. mm	1	Each
	225 sq. mm	1	Each
	240 sq. mm	1	Each
	300 sq. mm	1	Each
	400 sq. mm	1	Each
24	Supplying of STRAIGHT THROUGH cable jointing with heat shrinkable cable jointing kit.		
	50 sq. mm	1	Each
	70 sq. mm	1	Each
	90 sq. mm	1	Each
	120 sq. mm	1	Each
	150 sq. mm	1	Each
	185 sq. mm	1	Each
	225 sq. mm	1	Each
	240 sq. mm	1	Each
	300 sq. mm	1	Each
	400 sq. mm	1	Each
25	Supplying of centrifugal type mono-block self priming electric pump set suitable for single phase, 230 volts AC as per specification.		
	0.50 HP single phase	1	Each
	1.0 HP single phase	1	Each
	2.0 HP single phase	1	Each
26	Supplying of centrifugal type mono-block electric pump set for water supply system having following capacity three phase, 415 volts AC induction motor and pump as per specification.		
	3 HP, 420 LPM, 20 m head, suction size 65 mm, delivery size 50 mm	1	Each
	5 HP, 750 LPM, 20 m head, suction size 80 mm, delivery size 65 mm	1	Each
27	Supplying of submersible pump set for water supply system with submersible motor as per specification.		
	1.0 HP, single phase	1	Each
	1.5 HP, single phase	1	Each
	2.0 HP, single phase	1	Each
	3.0 HP, three phase	1	Each
	5.0 HP, three phase	1	Each
28	Supply of 10-15 HP 3 phase submersible motor starter cum control	1	Each
29	Supply of 5.7.5 HP 3 phase submersible motor starter cum		

30	Supply of 1-3 HP 1 phase submersible motor starter cum control	1	Each
31	Supplying of Main Switch (T.P. HRC Type) As per ISI Marked approved make (L&T/ Siemance)		
	a) 63 Amp	1	No
	b) 100 Amp	1	No
	d) 400 Amp	1	No
32	Supplying of H.R.C. fuse (L&T/Siemens make)		
	a) 63 Amp	1	No
	b) 100 Amp	1	No
	c) 200 Amp	1	No
	d) 300 Amp	1	No
	e) 400 Amp	1	No
	f) 600 Amp	1	No

PART-B

Non

1	Supply of Starater coil No 220 volt Coil (L&T/Siemens Make)	1	No
2	Supply of Starater coil No 440 volt Coil (L&T/Siemens Make)	1	No
3	Supply of P.V.C. Insulation Tape (10 mtr.	1	No
4	Supply of Transformer oil	1	litre
5	Supplying of Capaciterfor Single/ three phase moter		
	a) 40 MFD	1	No
	b) 50 MFD	1	No
	c) 36 MFD	1	No
	d) 120-150 MFD	1	No
	e) 150-200 MFD	1	No
6	No volt coil		
	a) 220 volt	1	No
	b) 440 volt	1	No
7	Supply of On/Off switch (Red/Yellow/Blue)	1	No
8	Supply of Tester (Tapria make) ISI Marked	1	No
9	Supply of Multimeter (Sanwa P-3) ISI Marked	1	No
10	Supply of Tong tester ISI Marked	1	No
11	Supply of Plier 8' long (Taparia make) ISI Marked	1	No
12	Supply of Fibre Cloth Tape 25 m	1	Per Roll
13	Supply of Glass Cloth Tape 25 m roll	1	Per Roll
14	Supply of Relay unit for pannel board ISI Marked		
	Relay Range- 6-10 A	1	No
	Relay Range- 9-14 A	1	No
	Relay Range- 13-21 A	1	No
15	Supply of Multimstang copper cable make (L&T/ Siemens make)		
	a) Size 16 sqmm	1	Meter
	b) Size 50 sqmm	1	Meter
	c) Size 95 sqmm	1	Meter

16	Supply of Four Core Multimstrand copper cable make (L&T/Siemens make)"		
	a) Size 6 sqmm	1	Meter
	b) Size 16 sqmm	1	Meter
17	Supply of Submersible Copper flat cable 3 core Finolex/L&T)		
	a) 6 sqmm	1	Meter
	b) 10 sqmm	1	Meter
18	Supply of MCB ISI Marked approved make (L&T/ Siemance) (TPN)		
	a) Size 32 Amp	1	each
	b) Size 63 Amp	1	each
	c) Size 100 Amp	1	each
	d) Size 125 Amp	1	each
19	Supply of 15 HP monoblock motor pump ISI marked approved make (Kirloskar/ Crompton are equ.)	1	Set
20	Supply of Penal Board oile type 3 Phase for 15 HP monoblock motor pump ISI marked approved make (Bentex are equ.)	1	Set
21	Supply of Openwell submersible motor Pump set with ISI mark IS 14220(Avertical) make texmo,(Kirloskar/Crompton are equ.)		
	a) 3HP 400 LMP x 40 mtr.	1	Set
	b) 5HP 400 LMP x 40 mtr.	1	Set
	c) 10HP 500 LMP x 75 mtr.	1	Set
22	Supply of Control Panel Borad Three phase as per ISI mark make havells or equ.)		
	a) 3 HP	1	Set
23	Supply of Ampier meter as per IS specification		
	a) Size 20 to 100 Sqmm	1	No
	b) Size 20 to 150 Sqmm	1	No
	c) Size 100 to 400 Sqmm	1	No
	d) Size 400 to 1600 Sqmm	1	No
24	Supply of Relay range 35 Amp.	1	No
25	Supply of Volt meter 0 to 500	1	No
26	Supply of Mud Pump with panel board complete set ISI marked approved make texmo (Kirloskar/Crompton or eqvi. are equ.)	1	Set
	a) 2 HP, Single Phase (2 inch Dia outlet)		
	b) 3 HP , Single Phase(4 inch Dia outlet)	1	Set
27	2 Pole contactor set (140 - 240 V) Singal phash for Submersibal control penal board ISI Marked		
	16 A - 250V-AC	1	each
	63 A - 250V-AC	1	each
28	Supply of Contactor kit set for (L&T/Siemens Make) P.Moter pump		
	a) 20 H.P. Moter pump	1	Nos
	b) 50 H.P. Moter pump	1	Nos

	d) 100 H.P. Moter pump	1	Nos
	f) 150 H.P. Moter pump	1	Nos
	g) 215 H.P. Moter pump	1	Nos
	h) 240 H.P. Moter pump	1	Nos
29	Supply of Timer relay as per sample (Siemens/L&T Make)		
	a) 20 H.P. Moter pump	1	Nos
	b) 50 H.P. Moter pump	1	Nos
	c) 60 H.P. Moter pump	1	Nos
	e) 75 H.P. Moter pump	1	Nos
	d) 100 H.P. Moter pump	1	Nos
	f) 150 H.P. Moter pump	1	Nos
	g) 215 H.P. Moter pump	1	Nos
	h) 240 H.P. Moter pump	1	Nos



Sub Engineer
Municipal Corporation
Korba (C.G.)



Asstt. Engineer
Municipal Corporation
Korba (C.G.)

Executive Engineer
Municipal Corporation
Korba (C.G.)