

मुख्य कार्यालय - साकेत भवन, आई.टी.आई. चौक, कोरबा (छ.म.)

टी.पी. नगर जोन

फा.क. / 193,194,195,192,191 / निर्माण (टी.पी. नगर) / 2023 /

कोरबा, दिनांक 01.01.2024

निविदा आमंत्रण की सूचना

लोक निर्माण विभाग से एकीकृत पंजीयन प्रणाली अंतर्गत सक्षम श्रेणी में पंजीकृत ठेकेदारों से निम्नलिखित कार्य क्र. 01, 02 के भाग—अ, क्र. 03 से 05 तक के लिए प्रमुख अभियन्ता लोक निर्माण विभाग, रायपुर द्वारा प्रचलित PWD Bilding SOR 01.01.2015 एवं कार्य क्र. 02 के भाग-"ब" हेतु प्रमुख अभियन्ता लोक निर्माण विभाग, रायपुर द्वारा प्रचलित PWD Electrical SOR 01.06.2020 से प्रभावशील दर अनुसूची पर (निविदा खुलने के दिनांक तक समस्त संशोधनों के साथ) कम अधिक या समान दरों पर तथा शेड्युल अनुसार आयटम दरों पर निम्नलिखित निर्माण कार्य हेतु मैन्युअल निविदा वेबसाईट से डाउनलोड कर त्रि-लिफाफा पद्धित माध्यम से आमंत्रित की

	जाता ह :-			-24	निविदा	कार्यावधि	ठेकेदार	निर्धारित	निविदा
क्र.	कार्य का नाम	प्राक्कलन	धरोहर	निविदा		कायापाव	ठकदार का वर्ग	प्रारूप में	खुलने की
		राशि में	राशि रू	प्रपत्र का	प्रपत्र		कावग	प्रारूप म निविदा प्रपत्र	अंतिम तिथि
			में	मूल्य					આલન તાલ
								प्राप्त होने	
								अंतिम तिथि	
	वार्ड क्र. 02 अंतर्गत गेरवाघाट			-					}
.	बस्ती में शेड का मरम्मत कार्य	3,92,000/-	3,920/-	750/-	Form-A	03 माह	सक्षम	22.01.2024	24.01.2024
1.	(मरम्मत / संघारण मद,	3,92,000/-	3,720/-	7507	10111171	55 112	श्रेणी	,	
	प्रथम निविदा)								
	वार्ड क्र. 03 राताखार अंतर्गत			1					
	चंद्रापारा में सामुदायिक मंच का								
	मरम्मत, रख–रखाव एवं पार्षद				Form-A	ı	सक्षम		24.01.2024
2.	गली के सामने सड़क व नाली	3,97,000/-	3,970/-	750/-	FORM-A	03 माह	श्रेणी	22.01.2024	24.01.2024
	का मरम्मत कार्य।			4			5, 1,		
	(मरम्मत / संधारण मद,								
	प्रथम निविदा)								
	वार्ड क्र. 14 टी.पी. नगर के पास			- 0	29				
	अटल आवास ब्लॉक-बी का						सक्षम		24.01.2024
3.	मरम्मत कार्य।	3,89,000/-	3,890/-	750/-	Form-A	03 माह	श्रेणी	22.01.2024	24.01.2024
•	(मरम्मत / संघारण मद,								1
	प्रथम निविदा)								
	वार्ड क्र. 15 ढोढ़ीपारा अंतर्गत								= = = = = = = = = = = = = = = = = = =
	वस्त्रकार एवं श्याम लाल गली					, ,			
	भैंसखटाल न्यू नेहरू नगर में					03 माह	सक्षम श्रेणी		24.01.2024
4.	सीमेंट कांक्रीट सड़क एवं आर.	3,98,000/-	3,980/-	750/-	Form-A			22.01.2024	24.01.2024
1	सी.सी. नाली का मरम्मत कार्य।								į.
	(मरम्मत/संधारण मद,								1
	प्रथम निविदा)								7.
	वार्ड क्र. 16 अंतर्गत साहू								1.
	मोहल्ला में सामुदायिक भवन का						सक्षम		24.01.2024
5.	मरम्मत एवं अतिरिक्त विकास	7,00,000/-	5,250/-	750/-	Form-A	04 माह	श्रेणी	22.01.2024	24.01.2024
-	कार्य (पार्षद मद 2023-24,								
	प्रथम निविदा)	_							H. Carrier
	20 0 4								

निविदा की शर्ते:-

1. निविदा दरे प्रचलित सी.एस.आर.से कम या अधिक प्रतिशत दरों पर दिया जावे सी.एस.आर.के अंतर्गत के आयटमों पर पृथक से आयटम दरों का उल्लेख करने पर निविदा निरस्त मानी जावेगी।

निविदा के दस्तावेज हाथो–हाथ न लिया जाकर रजिस्टर्ड पोस्ट अथवा स्पीड पोस्ट से प्राप्त किया जावेगा। अन्य माध्यमों यथा कोरियर सर्विस, साधारण डाक इत्यादि से प्राप्त अथवा समयावधि के पश्चात् प्राप्त निविदाओं पर विचार नहीं किया जावेगा। निविदा आयुक्त, नगर पालिक निगम, कोरबा आई.टी.आई. कॉलोनी रामपुर, कोसाबाड़ी जिला-कोरबा (छ.ग.) पिन नं.-495677 के पते पर भेजना होगा। निर्धारित तिथि को सायं 3:00 के पश्चात प्राप्त निविदाएँ स्वीकार नहीं किए जावेंगे।

निविदा प्रपत्र नगर पालिक निगम, कोरबा के वेबसाईट www.korbamunicipal.in/uad.cg.gov.in डाउनलोड किया जाकर नवीन निविदा प्रपत्र Form - A/B/ABC (जारी दिनॉक तक समस्त संशोधनों के साथ) निर्धारित शुल्क की डीडी के साथ संबंधित कार्य का नाम पूर्ण विवरण

निविदा प्रपत्र त्रि-लिफाफा पद्धति से मान्य किया जावेगा जो निम्नानुसार होगा:-

प्रथम लिफाफा में ठेकेदार का जीवित पंजीयन प्रमाण पत्र, आयकर चुकता प्रमाण पत्र, निविदा सूचना आमंत्रण में उल्लेखित अन्य दस्तावेज के साथ निर्धारित प्रपत्र शुल्क का डीडी एवं निविदाओं में निविदाकार को फिजिकल दस्तोवज के साथ निविदा सूचना जारी होने के पश्चात दिनांक का शपथ पत्र जिसमें संबंधित कार्य का नाम एवं की की निविदा क्रमांक अंकित हो प्रेषित करना अनिवार्य

'<mark>होगा एवं</mark> अमानत राशि का टी.डी.आर. / एफ.डी.आर. नगद निगम कोश में जमा कर जो कि आयुक्त, नगर पालिक निगम कोरवा के नाम पर देय होगा प्रस्तुत करना होगा।

द्वितीय लिफाफा में ठेकेदार द्वारा भरा हुआ निविदा प्रपत्र होगा। (ब)

तृतीय लिफाफा में उपरोक्त दोनो लिफाफाएँ होगी तथा आवश्यकता पड़ने पर मूल अभिलेख प्रस्तुत करना होगा।

जिन ठेकेदारों द्वारा नगर पालिक निगम (साडा) के किसी ठेके के कार्य में अनुबंध के अनुरूप कार्य न किया गया हो अथवा नगर पालिक निगम (साडा) के हित के विरुद्ध कार्य किया गया हो उन्हे निविदा भरने की पात्रता नहीं होगी।

निविदा प्रपत्र प्राप्त करने हेतु इच्छुक ठेकेदारों को आवेदन पत्र के साथ उचित वर्ग में पंजीयन की प्रमाणित प्रतिलिपि यदि साझेदारी फर्म हो तो उसका प्रमाण पत्र (पार्टनरशीप डीड) की सत्य प्रतिलिपि, उपलब्ध तकनीकी अमले की जानकरी पिछले वित्तीय वर्ष का आयकर चुकता प्रमाण पत्र, पेन नम्बर, जी.एस.टी. पंजीयन एवं प्रशिक्षित यंत्री नियुक्त करने संबंधी प्रमाण पत्र, शपथ पत्र, कर्मचारी भविष्य निधि संगठन, कर्मचारी, राज्य बीमा निगम रायपुर से पंजीयन एवं विस्तृत निविदा आमंत्रण सूचना (एनआईटी) हस्ताक्षरयुक्त एवं निर्धारित प्रारूप में निविदा आमंत्रण सूचना के कंडिका क. 04 के लिफाफा (अ) में प्रस्तुत करना

कार्य हेतु लिफाफे पर कार्य का नाम निविदा आमंत्रण सूचना कमॉक, निविदा खुलने की तिथि स्पष्ट रूप से लिखकर भेजना होगा।

निविदाकार का यह दायित्व है कि वे निविदा भरने के पूर्व स्थल का स्वयं निरीक्षण कर लेवें ताकि प्रारंभ करने में किसी प्रकार की कठिनाई न

निर्धारित निविदा प्रपत्र में उल्लेखित कंडिकाएँ स्वमेव लागू मानी जावेगी एवं निविदा आमंत्रण सूचना निविदा का ही भाग माना जावेगा।

10. निर्धारित प्रारूप में निविदा प्रपत्र, निविदा प्रपत्र शुल्क, अमानत राशि, निविदा आमंत्रण सूचना पत्र में उल्लेखित दस्तावेज सही पाए जाने पर ही निविदा दर संबंधी लिफाफा खोला जावेगा अन्यथा निविदा निरस्त कर दी जावेगी।

11. ठेकेदार को अपनी दरें शब्दों एवं अंको में लिखना अनिवार्य होगा।

12. शासन के विभिन्न विभागों जैसे:— खजिन विभाग, श्रम विभाग, समाज कल्याण विभाग इत्यादि विभागों द्वारा समय—समय पर जारी निर्देशों / आदेशों के पालन की समस्त जिम्मेदारी संबंधित ठेकेदार की होगी।

13. ठेकेदार यदि कार्य को अपूर्ण स्थिति में छोड़ता है तो निविदा प्रपत्र में उल्लेख अनुसार इस संबंध में प्रावधान के अंतर्गत कार्यवाही

14. कार्य प्रारंभ नहीं करने अथवा अपूर्ण स्थिति में छोड़ने पर निगम द्वारा ठेकेदार के विरूद्ध तत् समय में एम.आई.सी. द्वारा स्वीकृत प्रस्ताव के अधीन कार्यवाही की जावेगी जिसकी संपूर्ण जवाबदारी ठेकेदार की होगी।

15. सफल निविदा दाता से अनुबंध के समय अतिरिक्त परफार्मेंस राशि जमा कराई जावेगी जबकि निविदा की दरों में काफी कमी हो जैसे निविदादाता को निविदा दर एवं अनुमानित लागत से 10 प्रतिशत से अधिक निविदा दर होने पर सफल निविदादाता को निविदा दर एवं अनुमानित लागत के 90 प्रतिशत अंतर की राशि के समतुल्य परफार्मेंस गारंटी के रूप में राष्ट्रीयकृत बैंक का एफ. डी.आर. / टी.डी.आर. ऑफिस, टाईम डिपॅाजिट अथवा एन.एस.सी. जो कि आयुक्त नगर पालिक निगम कोरबा के नाम से देय होगा, जो मांग तिथि से 15 दिवस के भीतर जमा करना अनिवार्य होगा। उपरोक्त राशि को जमा न करने की दशा में निविदा निरस्त कर दी जावेगी।

16. सम्पूर्ण किये गये कार्यों के लिये **5 प्रतिशत** सुरक्षा राशि रनिंग देयको के साथ 01 वर्ष एवं **5 प्रतिशत पृथक से 03** वर्ष की गारंटी के लिये परफार्मेस सिक्यूरिटी के रूप में रोकी जावेगी। मरम्मत कार्य हेतु मात्र सुरक्षा राशि की कटौती की जावेगी।

- 17. निविदा में भाग लेने वाले ठेकेदारों को छ.ग. भवन और अन्य सिन्नर्माण कर्मकार (नियोजन एवं सेवा शर्तों का विनियमन) अधिनियम 1996 एवं तदअंतर्गत निर्धारित नियमों के तहत पंजीयन कराना आवश्यक होगा तथा निर्माण लागत का 1 प्रतिशत उपकर के रूप में प्रत्येक देयक से
- 18. निविदाकार को प्रत्येक निविदा में पंजीयन क्षमता के अंतर्गत वर्तमान में नगर निगम या अन्य विभागों में किये जा रहे कार्यो का विवरण राशि सहित मूल प्रति में वैध शपथ पत्र कंडिका क. 04 के प्रथम लिफाफा (अ) में प्रस्तूत करना अनिवार्य होगा।
- 19. ईंट से संबंधित निर्माण कार्यों में फ्लाई ऐश ब्रिक्स का उपयोग किया जाना अनिवार्य होगा।
- 20. निविदा प्रपत्र अहस्तांतरणीय होगा एवं सशर्त निविदाओं पर विचार नही किया जावेगा।
- 21. निविदा के संबंध में किसी प्रकार की विवाद होने की स्थिति में आयुक्त के द्वारा अधीनस्थ अधिकारियों का निर्णय अंतिम एवं सर्वमान्य होगा।

22. निविदा प्रपत्र From-A के क्लाज नंबर-11 अनुसार एस्केलेशन देय नहीं होगा।

- 23. निविदा स्वीकृत करने अथवा अस्वीकृत करने का अधिकार नगर पालिक निगम के पास स्रक्षित रहेगा।
- 24. निविदा खुलने की तिथि में अवकाश होने पर आगामी तिथि (कार्य दिवस) को निविदा संबंधी कार्यवाही मानी जावेगी।

नोट:-

- अमानत राशि के रूप में एफ.डी.आर. /टी.डी.आर. अथवा नगद जमा रसीद पृथक से लिफाफे में स्वीकार किए जावेंगे आयुक्त, नगर पालिक निगम, कोरबा के नाम पर देय हो।
- उपरोक्त तिथियों में किसी भी तिथि को शासकीय / स्थानीय अवकाश होने की स्थिति में अगले कार्य दिवस को निर्धारित तिथि समय एवं स्थान माना जावे।

पृष्ठा.क्र. / 193,194,195,192,191 / निर्माण (टी.पी. नगर) / 2023 / प्रतिलिपि :-

कोरबा, दिनांक 01.01.2024

1. प्रोग्रामर, संचालनायलय, नगरीय प्रशासन एवं विकास विभाग, मंत्रालय अटल नगर नया रायपुर (छ.ग.) को uad.cg.gov.in में अपलोड किये जाने हेतू प्रेषित।

हस्ताक्षर फर्म का नाम मोबाईल नंबर कार्यपार्जेन अभियंता रागर पालिक निगम

OFFICE OF THE MUNICIPAL CORPORATION, KORBA(C.G.) **DETAILED ESTIMATE**

Name o work:- Maintenance of cement concrete raod and rcc drain at wastrakar and shyam lal bareth street Bhaiskhatal new nehru nagar ward no 15

Schedule of rates public works department[PWD BUILDING-01-01-2015]

s.	so	works department	DVVD	BOILDING	5-01-01-2015	5]				
N.	R	DESCRIPTION	NO	L	В	D/H	QTY	UNIT	RATE	AMOUNT
1		Demolishing cement concrete including disposal of material within 50 metre lead.								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			1	65.00	0.9	0.10	5.9			
2	1.1	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling				Total=	5.85	Cum	549.00	3211.65
		of pits.								
	1	In all types of soil								
			1	65.00	0.80	0.80	41.60			-
3	1 0	Providing and filling in plinth with				Total=	41.60	Cum	185.00	7696
		sand/ Crusher dust and hard moorum under floor in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering,								
			1	65.00	0.80	0.10	5.20			
į		Providing and fixing formwork including centering, shuttering, strutting, staging, propping bracing etc. complete and including its removal at all levels, for:				Total=	5.200	Cum	371.00	1929.2
		Foundations, footings, base of		:+	1					
		columns and plinth beam in any		65.00	9	0.45	40.50			
			2	65.00	-	0.15 Total=	19.50 19.50	Sam	139.00	2710.50
	7	2 Wall of any thickness including attached pilasters, buttresses				i olai=	19.50	Sqiii	139.00	27 10.50
			4	65.00		0.40	104.00			
						Total=	104.00	<u> </u>	228.00	23712.00
	7	7 suspended floor roofs	1	65.00	0.40		26.00			
						Total=	26.00	Sqm	235.00	6110.00

1										
1 COM	,	Providing and laying nominal mix			- 1					
36	/	cement concrete with crushed						_		
	13	stone aggregate using concrete				,		l		
-	Ser.	mixer in foundation, plinth and at						1	l l	
	27	round level excluding cost of	1					l	1	
		thin work.						1	1 1	
- 1	3	1:4:8 (1 cement : 3 coarse sand :						ł	1	
- 1	Ĭ	6 graded stone and :								
- 1	ł	6 graded stone aggregate 40mm								
- 1	- 1		1	65.00				1		
1	}		1		0.80		5.20			
				45.00	2.00	0.10	9.00			
7	3.2	Providing and laying nominal mix				Total=	14.200	Curr	0050.00	
		reinforced as mand					14.200	Cum	2659.00	37757.8
- 1	ı	reinforced cement concrete with						l		
- 1	- 1	crushed stone aggregate using							1	
- {	- 1	concrete mixer in all works water							1	
- 1	1	Pilitur level excluding cost of		- 1				l		
- 1		form work.		1				l	1	
L										
	1	1:1½:3 (1 cement : 1½ coarse						1		
		sand : 3 graded stone aggregate							 	
		20mm						1		
 						l				
	-		1	65.00	0.70	0.15				
-	_	wall	2	65.00			6.83			
			1	65.00	0.15	0.40	7.80			
_				03.00	0.70	0.10	4.55			
8	3.1	Providing and placing in position				Total=	19.18	Cum	4163.00	79825.525
- 1		reinforcement for R.C.C. work								
- 1		including to the factor work		i					1	
				1						
- 1		straightening, cutting, bending,								
1		binding etc. complete as per								
		drawings including cost of								
		binding wire in foundation and	: -							
		plinth all complete:				1			1	
- 1	1	Thermo-Mechanically treated							, ,	
- 1		Teated								
9		nermo-Mechanically treated bars FE 415	45		10.18	Total=	000.00			
	3.0	bars FE 415	45		19.18	Total=	862.88	Kg	54.50	47026.6875
٦	3.9	bars FE 415 3.9 Extra for precast PCC/ RCC	45		19.18	Total=	862.88	Kg	54.50	47026.6875
3	3.9	3.9 Extra for precast PCC/ RCC work of any mix including form	45		19.18	Total=	862.88	Kg	54.50	47026.6875
3	3.9	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting	45		19.18	Total=	862.88	Kg	54.50	47026.6875
3	3.9	3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar, 1.2	45		19.18	Total=	862.88	Kg	54.50	47026.6875
3	3.9	3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar, 1.2			19.18	Total=	862.88	Kg	54.50	47026.6875
3	3.9	3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement: 2 coarse sand) and	45	1.00	7					
3	3.9	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing		1.00	19.18 0.70	Total=			54.50	47026.6875 2133.95
3	3.9	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement		1.00	7					
3	3.9	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse		1.00	7					
3	3.9	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but		1.00	7					
		bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement.		1.00	7					
		bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix		1.00	7					
		bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with		1.00	7					
		bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed		1.00	7					
		bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete		1.00	7					
		bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth		1.00	7					
		bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth		1.00	7					
	3.1	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work		1.00	7					
	3.1	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work		1.00	7					
	3.1	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work 1:1½:3 (1 cement : 1½ coarse		1.00	7					
	3.1	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate		1.00	7					
	3.1	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20mm		1.00	7					
10	3.1	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate	65		0.70					
	3.1	bars FE 415 3.9 Extra for precast PCC/ RCC work of any mix including form work, hoisting and fixing in Cement Mortar. 1:2 (1 Cement : 2 coarse sand) and finishing with cement plaster in Cement Mortar 1:3 (1 Cement : 3 coarse sand) but excluding reinforcement. Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20mm		1.00	7					

		Extra rate for lead for every 50m lead or part thereof and upto 150 m beyond 50 m free lead and 1.5 m free lift by manual means		-				
-	1	F Soils(Extra lead 150 m)			1.600	Cum	99.00	158.4
12		Filling from available excavated stuff (Excluding rock) in trenches, plinth, sides of foundation etc. in layers not exceeding 20cm in depth consolidating each deposited			40.000		65.00	
						7	TOTAL =	398156.71

Asstt. Engineer Municipal Corporation Korba (C.G.)

Sub Engineer Municipal Corporation Korba (C.G.)

Say Rs.=

398000.00